






↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16265-01012	KOMP.KURBELGEHAEUSE	1	<=425160			0	0
010	16265-01015	KOMP.KURBELGEHAEUSE	1	>=425161	←		31.5	69.3
010	16613-01010	KOMP.KURBELGEHAEUSE	1	>=559356	←		31.47	69.234
020	15451-96270	STEPSEL ABDICHTU	4				0.012	0.0264
030	15221-03490	STEPSEL ABDICHTU	1				0.02	0.044
040	15261-96010	STOPFEN	3				0.002	0.0044
050	16683-96020	STOPFEN	1				0.47	1.034
060	16241-96010	STOPFEN	3				0.007	0.0154
070	15521-96020	STOPFEN	2				0.003	0.0066
080	06311-75018	STOPFEN	3	<=308554			0.004	0.0088
080	17391-96160	STOPFEN	3	>=308555	←		0.003	0.0066
090	16271-96160	STOPFEN	1				0.025	0.055
100	05012-00508	ZYLINDERSTIFT	2				0.001	0.0022
110	05012-00814	ZYLINDERSTIFT	2				0.006	0.0132
120	05012-00610	ZYLINDERSTIFT	2				0.003	0.0066
130	15231-33960	ROHRSTIFT	2				0.001	0.0022
140	16241-33650	ROHRSTIFT	1				0.002	0.0044
150	16241-96260	STOPFEN	1				0	0
160	16261-56280	STARTFEDERSTIFT	1				0.004	0.0088
170	16282-96010	STOPFEN	1				0.09	0.198
180	16271-55350	BUCHSE	1				0.06	0.132
190	15221-33610	STOPFEN	1				0.009	0.0198
200	15021-33660	DICHTUNG	1				0.001	0.0022
210	15221-33700	O RING	1				0.001	0.0022
220	15321-73340	WASSERROHR	1				0.016	0.0352
230	15531-39010	OELDRUCKSCHALTER	1				0.032	0.0704




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16204-01610	OELWANNE	1				3.6	7.92
020	16261-01620	DICHTUNG OEL FAENGER	1	≤534271			0	0
020	16261-01630	DICHTUNG OEL FAENGER	1	≥534272	←		0.001	0.0022
030	01023-50618	BOLZEN	22				0.006	0.0132
040	15221-33750	STOPFEN	1				0.032	0.0704
050	15109-33660	DICHTUNG	1				0.001	0.0022
060	16261-32110	OELFILTER	1	≤534271			0	0
060	16261-32113	OELFILTER	1	≥534272	←		0	0
070	01123-50816	BOLZEN	1				0.011	0.0242
080	04814-00160	O RING	1				0.001	0.0022
090	16204-36410	OELMESSSTAB	1				0	0
100	16282-36420	FUEHRUNG OEL-MEBSTAB	1	≤425160			0.11	0.242
100	16282-36500	FUEHRUNG OEL-MEBSTAB	1	≥425161	≠		0.11	0.242
110	01123-50814	BOLZEN	1				0	0
120	04814-00090	O RING	1	≥425161			0.001	0.0022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16281-21110	KOLBEN	3	<=489915		STD	0	0
010	16060-21110	KOLBEN	3	>=489916	←	STD	0.4	0.88
010	16281-21910	KOLBEN	3	<=489915		+0.5MM	0	0
010	16060-21910	KOLBEN	3	>=489916	←	+0.5MM	0.415	0.913
020	16261-21050	GRP.KOLBENRING	3			STD	0.042	0.0924
020	16261-21090	GRP.KOLBENRING	3			+0.5MM	0.05	0.11
030	16241-21310	KOLBENBOLZEN	3				0.135	0.297
040	16241-21330	SEEGERING	6				0.002	0.0044
050	16241-22012	GRP.PLEUELSTANGE	3				0.545	1.199
060	16241-21980	BUCHSE KOLBENSTIFT	3				0.03	0.066
070	16241-22140	BOLZEN	6				0.024	0.0528
080	16241-22310	METALLTEIL	3			SET STD	0.038	0.0836
080	16241-22970	METALLTEIL	1			SET -0.2MM	0.08	0.176
080	16241-22980	METALLTEIL	1			SET -0.4MM	0.1	0.22
090	16265-23010	KOMP.KURBELWELLE	1	<=482630			0	0
090	16265-23013	KOMP.KURBELWELLE	1	>=482631	→		9.6	21.12
100	05012-00508	ZYLINDERSTIFT	1	<=482630			0.001	0.0022
110	07715-00401	KUGEL	3				0.001	0.0022
120	16241-24110	KURBELANTRIEBSTEIL	1				0.15	0.33
130	16271-95230	KEIL	1				0.005	0.011
140	16241-35630	GETRIEBE	1				0.102	0.2244
150	16241-23280	MUFFE	1				0.06	0.132
160	16241-23250	HALSRING	1				0.05	0.11
170	15667-96750	O RING	1				0.02	0.044
180	16241-23470	METALLTEIL	1			STD	0.06	0.132
180	16241-23910	METALLTEIL	1			-0.2MM	0.03	0.066
180	16241-23920	METALLTEIL	1			-0.4MM	0.068	0.1496
190	16241-23480	METALLTEIL	2			SET STD	0.05	0.11
190	16241-23930	METALLTEIL	2			SET -0.2MM	0.1	0.22
190	16241-23940	METALLTEIL	2			SET -0.4MM	0.05	0.11
200	16241-23490	METALLTEIL	1			SET STD	0	0
200	16241-23860	METALLTEIL	1			SET -0.2MM	0.1	0.22
200	16241-23870	METALLTEIL	1			SET -0.4MM	0.068	0.1496
210	15521-23530	METALLSEITENRING	2			STD	0.01	0.022
210	15521-23950	METALLSEITENRING	2			+0.2MM	0.01	0.022
210	15521-23960	METALLSEITENRING	2			+0.4MM	0.01	0.022
220	19202-23540	METALLSEITENRING	2			STD	0.01	0.022
220	19202-23970	METALLSEITENRING	2			+0.2MM	0.01	0.022
220	19202-23980	METALLSEITENRING	2			+0.4MM	0.01	0.022



16212-003-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-04090	GRP.LAGERGEHAEUSE	1	<=568291			0	0
010	16241-04092	GRP.LAGERGEHAEUSE	1	>=568292	↔		1.13	2.486
020	16241-04540	BOLZEN LAGERKASTEN	6				0.02	0.044
030	16299-04360	DICHTUNG LAGER	1	<=534271			0	0
030	16264-04360	DICHTUNG LAGER	1	>=534272	←		0.002	0.0044
040	16241-04810	DECKEL LAGERKASTEN	1	<=475253			0	0
040	16241-04813	DECKEL LAGERKASTEN	1	>=475254	←		0.22	0.484
050	16241-04460	OELDICHTUNGSRING	1				0.02	0.044
060	16299-04820	DICHTUNG	1	<=534271			0	0
060	16264-04820	DICHTUNG	1	>=534272	←		0.008	0.0176
070	01023-50625	BOLZEN	8				0.007	0.0154
080	01023-50620	BOLZEN	9				0.006	0.0132
090	16261-04040	GRP.LAGERGEHAEUSE	1				0.9	1.98
100	16241-04560	BOLZEN LAGERKASTEN	2				0.03	0.066
110	16261-04050	GRP.LAGERGEHAEUSE	1				1.11	2.442




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-15550	STOSSEL	6				0.035	0.077
020	16241-15110	STOSSELSTANGE	6				0.03	0.066
030	16261-16010	GRP.NOCKENWELLE	1				1.7	3.74
040	15521-93610	ANSCHLAGSCHRAUBE	1				0.002	0.0044
050	16241-16510	GETRIEBE NOCKENWEL.	1				0.45	0.99
060	05712-00518	KEIL	1				0.003	0.0066
070	16241-16270	STOPEEN	1				0.04	0.088
080	01023-50614	BOLZEN	2				0.005	0.011
090	16271-24010	KOMP.LEERLAUFGETRIEB	1				0.6	1.32
100	16271-24980	BUCHSE LEERLAUFGETR.	1				0.02	0.044
110	16241-24360	HALSRING	1				0.01	0.022
120	16241-24370	HALSRING	1				0.012	0.0264
130	16241-24320	SEEGERING	1				0.003	0.0066
140	16241-24250	WELLE FREILAUFGETR.	1				0.255	0.561
150	01023-50616	BOLZEN	3				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-01750	MOTOR-ANKERHAKEN	1				0.08	0.176
020	16241-01770	MOTOR-ANKERHAKEN	1				0.17	0.374
030	01123-50814	BOLZEN	2				0	0
040	16261-03040	KOMP.ZYLINDERKOPF	1	<=489915			10	22
040	16032-03040	KOMP.ZYLINDERKOPF	1	>=489916	≠		10	22
050	15321-96260	STEPSEL ABDICHTU	1				0.014	0.0308
060	15261-96010	STOPFEN	2				0.002	0.0044
070	16241-13540	EINLASSVENTILFUHRUNG	3				0.02	0.044
080	16241-13560	AUSLASSVENTILFUHRUNG	3				0.01	0.022
090	15261-03370	STEPSEL ABDICHTU	2				0.005	0.011
100	16241-03450	ZYLINDERKOPFBOLZEN	14				0.07	0.154
110	16261-03310	DICHTUNG ZYLINDERKOP	1				0.07	0.154
120	31351-32830	THERMOEINHEIT	1				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-13110	EINLASSVENTIL	3				0.05	0.11
020	16241-13120	AUSLASSVENTIL	3				0.045	0.099
030	16271-13240	VENTIL-FEDER	6				0.015	0.033
040	16241-13330	ZURUECKHALTER	6				0.012	0.0264
050	15261-13360	KLEMMSCHEIBE	6			SET	0.004	0.0088
060	16241-13150	VENTILDICHTUNG	6				0.002	0.0044
070	15261-13280	VENTILKAPPE	6	≤338135			0	0
070	16241-13280	VENTILKAPPE	6	>=338136	↔		0.005	0.011
080	16261-14050	GRP.KIPPHEBELACHSE	1				0.17	0.374
090	03410-50606	ANSCHLAGSCHRAUBE	2				0.001	0.0022
100	16241-14350	KIPPHEBELHALTER	3				0.04	0.088
110	15261-14420	SCHRAUBE	1				0.002	0.0044
120	16241-14430	SCHEIBE	2				0.002	0.0044
130	16241-14440	SCHEIBE	2				0.002	0.0044
140	16241-14310	FEDER KIPPHEBEL	2				0.004	0.0088
150	04612-00120	SPRENGRING AUSSEN	2				0.001	0.0022
160	16241-14030	GRP.KIPPHEBEL	6				0.06	0.132
170	16241-14230	STELLSCHRAUBE	6				0.008	0.0176
180	16241-14240	MUTTER	6				0.004	0.0088
190	16241-14410	STEBOLZEN	3				0.022	0.0484
200	15261-92010	MUTTER	3				0.005	0.011
210	15261-94010	SCHEIBE	3				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-14510	ZYLINDERKOPFHAUBE	1	<=534271			0	0
010	16261-14503	GRP. ZYLINDERKOPFHAU	1	>=534272	←		0.78	1.716
020	16261-14520	DICHTUNG KOPFDECKEL	1				0.01	0.022
030	16241-05550	ANSCHLUSSTEIL	1				0.02	0.044
040	16241-05140	PLATTE ELEMENT	1				0.005	0.011
050	16241-05150	PLATTE ELEMENT	1				0.01	0.022
060	16241-05670	ENTLUEFTUNGSELEMENT	1				0.01	0.022
070	16241-05370	OELSCHILD ENTLUEFTER	1				0.01	0.022
080	03024-50510	SCHRAUBE	2				0.002	0.0044
090	15952-92330	MUTTER	3				0.01	0.022
100	15951-96660	DICHTUNG	3				0.001	0.0022
110	15221-33140	OELEINFUELLSSTOPFEN	1	<=325640			0.038	0.0836
110	15852-33140	OELEINFUELLSSTOPFEN	1	>=325641	↔		0.038	0.0836
120	04814-50300	O RING	1				0.001	0.0022
130	16241-05510	ENTLUFTUNGSROHR	1				0.06	0.132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16271-04020	KMP.GETRIEBEGEHAUSE	1				2.5	5.5
020	17331-96040	STOPFEN	2	<=338135			0.005	0.011
020	16241-96020	STOPFEN	2	>=338136	↔		0.015	0.033
030	04011-50180	SCHEIBE	1				0.012	0.0264
040	15241-32290	VERBINDUNGSSTUECK	1				0.053	0.1166
050	16241-36950	FEDER	1				0.015	0.033
060	16241-36930	SITZ VENTIL	1				0.012	0.0264
070	07715-00201	KUGEL	1				0.008	0.0176
080	16241-35070	OLFORDERPUMPE LAUFER	1				0.27	0.594
090	16241-35130	OELPUMPEDECKEL	1				0.066	0.1452
100	16241-93120	SCHRAUBE	5				0.005	0.011
110	16299-04130	DICHTUNGSPLATTE	1	<=534271			0	0
110	16264-04130	DICHTUNGSPLATTE	1	>=534272	←		0.01	0.022
120	01023-50645	BOLZEN	3				0.01	0.022
130	01023-50650	BOLZEN	6				0	0
140	01023-50655	BOLZEN	2				0.012	0.0264
150	15841-91040	BOLZEN	1				0.01	0.022
160	16241-91040	BOLZEN	1				0.015	0.033
170	01513-50645	STEBBOLZEN	1				0.011	0.0242
180	02056-50060	MUTTER	1				0.002	0.0044
190	04512-50060	FEDERRING	1				0	0
200	16259-04210	OELDICHTUNGSRING	1				0.015	0.033
210	04814-06100	O RING	2				0.003	0.0066
220	04814-00150	O RING	2				0.001	0.0022
230	01513-50616	STEBBOLZEN	2				0.004	0.0088
240	16271-32090	MONTAGE ZUSAMMENBAU	1	<=445506			0	0
240	16271-32092	MONTAGE ZUSAMMENBAU	1	>=445507	←		0.4	0.88
250	58417-25950	GRP.GETRIEBEGEHAUSE	1				0.29	0.638
260	16299-88130	DICHTUNG	1	<=534271			0	0
260	16264-88130	DICHTUNG	1	>=534272	←		0.002	0.0044
270	01023-50618	BOLZEN	2				0.006	0.0132



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-42500	GRP.UEBERLAUFROHR	1	<=497380			0	0
010	16261-42502	GRP.UEBERLAUFROHR	1	>=497381	←		0.04	0.088
020	15841-51360	SCHRAUBE	1				0.008	0.0176
030	15601-96650	DICHTUNG	1				0.001	0.0022
040	16271-42020	GRP.UEBERLAUFROHR	1	<=370693			0	0
040	15841-42500	GRP.UEBERLAUFROHR	1	>=370694	↔		0.015	0.033
050	16241-42320	ROHRBAND	2				0.005	0.011
060	16261-53000	GRP.DUESENHALTER	3	<=489915			0.14	0.308
060	16032-53000	GRP.DUESENHALTER	3	>=489916	←		0.14	0.308
070	15841-53620	DICHTUNG	3				0	0
075	19077-53650	DICHTRING	3	>=489916			0.005	0.011
080	16282-53710	EINSPRITZROHR	1	<=489915			0	0
080	16282-53712	EINSPRITZROHR	1	>=489916	←		0.117	0.2574
090	16271-53720	EINSPRITZROHR	1	<=489915			0	0
090	16271-53722	EINSPRITZROHR	1	>=489916	←		0.12	0.264
100	16271-53730	EINSPRITZROHR	1	<=489915			0	0
100	16271-53732	EINSPRITZROHR	1	>=489916	←		0.118	0.2596
110	15841-53850	ROHRKLEMME	2				0.01	0.022
120	15841-53860	ROHRKLEMME	2				0.009	0.0198
130	03024-50520	SCHRAUBE	2				0.004	0.0088
140	16261-65510	GLUEHKERZE	3	<=489915			0.025	0.055
140	16851-65510	GLUEHKERZE	3	>=489916	≠		0.02	0.044
150	16261-65560	GLUEHKERZEKORD	1				0.01	0.022
160	16261-42030	GRP.UEBERLAUFROHR	1				0.005	0.011
170	09661-40080	KRAFTSTOFFROHR	1				0.01	0.022
180	16241-42320	ROHRBAND	2				0.005	0.011
190	16261-42040	GRP.UEBERLAUFROHR	1				0.015	0.033
200	09661-40260	KRAFTSTOFFROHR	1				0.015	0.033
210	16241-42320	ROHRBAND	2				0.005	0.011
220	15101-42570	VERBINDUNGSSTUECK	1				0.006	0.0132



0901-02

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-53000	GRP.DUESENHALTER	3				0.14	0.308
015	16271-53010	DUESENHALTER	3				0.13	0.286
020	15841-92030	MUTTER	3				0.005	0.011
030	15841-53230	EINSTELLSCHEIBE	3				0.001	0.0022
040	15841-53170	FEDER	3				0.004	0.0088
050	15841-53350	DISTANZSCHEIBE	3				0.004	0.0088
060	15841-53160	STOSSELSTANGE	3				0.001	0.0022
070	15841-53280	MUTTER	3				0.03	0.066
080	15841-94040	SCHEIBE	3				0.001	0.0022
090	16261-53610	DUESENSTUECK	3				0.03	0.066
100	15841-98100	MONT.EINSTELLSCHEIBE	3			OPTION	0.043	0.0946
110	15841-98500	EINSTELLSCHEIBE	3			0.900MM	0	0
110	15841-98510	EINSTELLSCHEIBE	3			0.925MM	0.001	0.0022
110	15841-98520	EINSTELLSCHEIBE	3			0.950MM	0.001	0.0022
110	15841-98530	EINSTELLSCHEIBE	3			0.975MM	0.001	0.0022
110	15841-98540	EINSTELLSCHEIBE	3			1.000MM	0.001	0.0022
110	15841-98550	EINSTELLSCHEIBE	3			1.025MM	0.001	0.0022
110	15841-98560	EINSTELLSCHEIBE	3			1.050MM	0.001	0.0022
110	15841-98570	EINSTELLSCHEIBE	3			1.075MM	0.001	0.0022
110	15841-98580	EINSTELLSCHEIBE	3			1.100MM	0.001	0.0022
110	15841-98590	EINSTELLSCHEIBE	3			1.125MM	0.001	0.0022
110	15841-98600	EINSTELLSCHEIBE	3			1.150MM	0.001	0.0022
110	15841-98610	EINSTELLSCHEIBE	3			1.175MM	0.001	0.0022
110	15841-98620	EINSTELLSCHEIBE	3			1.200MM	0.001	0.0022
110	15841-98630	EINSTELLSCHEIBE	3			1.225MM	0.001	0.0022
110	15841-98640	EINSTELLSCHEIBE	3			1.250MM	0.001	0.0022
110	15841-98650	EINSTELLSCHEIBE	3			1.275MM	0.001	0.0022
110	15841-98660	EINSTELLSCHEIBE	3			1.300MM	0.001	0.0022
110	15841-98670	EINSTELLSCHEIBE	3			1.325MM	0.001	0.0022
110	15841-98680	EINSTELLSCHEIBE	3			1.350MM	0.001	0.0022
110	15841-98690	EINSTELLSCHEIBE	3			1.375MM	0.001	0.0022
110	15841-98700	EINSTELLSCHEIBE	3			1.400MM	0.001	0.0022
110	15841-98710	EINSTELLSCHEIBE	3			1.425MM	0.001	0.0022
110	15841-98720	EINSTELLSCHEIBE	3			1.450MM	0.001	0.0022
110	15841-98730	EINSTELLSCHEIBE	3			1.475MM	0.001	0.0022
110	15841-98740	EINSTELLSCHEIBE	3			1.500MM	0.001	0.0022
110	15841-98750	EINSTELLSCHEIBE	3			1.525MM	0.001	0.0022
110	15841-98760	EINSTELLSCHEIBE	3			1.550MM	0.001	0.0022
110	15841-98770	EINSTELLSCHEIBE	3			1.575MM	0.001	0.0022
110	15841-98780	EINSTELLSCHEIBE	3			1.600MM	0.002	0.0044
110	15841-98790	EINSTELLSCHEIBE	3			1.625MM	0.001	0.0022
110	15841-98800	EINSTELLSCHEIBE	3			1.650MM	0.001	0.0022
110	15841-98810	EINSTELLSCHEIBE	3			1.675MM	0.004	0.0088
110	15841-98820	EINSTELLSCHEIBE	3			1.700MM	0.001	0.0022
110	15841-98830	EINSTELLSCHEIBE	3			1.725MM	0.001	0.0022
110	15841-98840	EINSTELLSCHEIBE	3			1.750MM	0.001	0.0022
110	15841-98850	EINSTELLSCHEIBE	3			1.775MM	0.001	0.0022
110	15841-98860	EINSTELLSCHEIBE	3			1.800MM	0.001	0.0022
110	15841-98870	EINSTELLSCHEIBE	3			1.825MM	0.001	0.0022
110	15841-98880	EINSTELLSCHEIBE	3			1.850MM	0.001	0.0022
110	15841-98890	EINSTELLSCHEIBE	3			1.875MM	0.001	0.0022
110	15841-98900	EINSTELLSCHEIBE	3			1.900MM	0.001	0.0022
110	15841-98910	EINSTELLSCHEIBE	3			1.925MM	0.001	0.0022
110	15841-98920	EINSTELLSCHEIBE	3			1.950MM	0.001	0.0022




**DUESENHALTER (EINZEL-TEIL)**

S.No.;>=489916

↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16032-53000	GRP.DUESENHALTER	3				0.14	0.308
020	16032-92030	MUTTER	3				0.007	0.0154
030	16032-53230	EINSTELLSCHEIBE	3				0.001	0.0022
040	16032-53170	FEDER	3				0.007	0.0154
050	16032-53350	ABSTANDSHALTER	3				0.02	0.044
060	16032-53160	STOSSELSTANGE	3				0.001	0.0022
070	16032-53280	MUTTER	3				0.037	0.0814
080	16032-94040	SCHEIBE	3				0.002	0.0044
090	16032-53610	DUESENSTUECK	3				0.021	0.0462
100	16032-98100	MONT.EINSTELLSCHEIBE	3			OPTION	0.016	0.0352
110	16032-98500	EINSTELLSCHEIBE	3			0.10MM	0.001	0.0022
110	16032-98510	EINSTELLSCHEIBE	3			0.20MM	0.001	0.0022
110	16032-98520	EINSTELLSCHEIBE	3			0.30MM	0.001	0.0022
110	16032-98530	EINSTELLSCHEIBE	3			0.40MM	0.001	0.0022
110	16032-98540	EINSTELLSCHEIBE	3			0.50MM	0.001	0.0022
110	16032-98550	EINSTELLSCHEIBE	3			0.52MM	0.001	0.0022
110	16032-98560	EINSTELLSCHEIBE	3			0.54MM	0.001	0.0022
110	16032-98570	EINSTELLSCHEIBE	3			0.56MM	0.001	0.0022
110	16032-98580	EINSTELLSCHEIBE	3			0.58MM	0.001	0.0022
110	16032-98590	EINSTELLSCHEIBE	3			0.80MM	0.001	0.0022




**GESCHWINDIGKEITSKONTROLLE NOCKENHOHN**

S.No.;<=468068

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16299-57013	GRP.REGELPLATTE	1	<=431830			0	0
010	16299-57015	GRP.REGELPLATTE	1	>=431831	←		0.32	0.704
020	16271-57150	DREHZAHLVERSTELHEBEL	1				0.05	0.11
030	16241-57160	DREHZAHLVERSTELHEBEL	2				0.02	0.044
040	04814-00100	O RING	1				0.001	0.0022
050	05411-00420	FEDERSTIFT	2				0.001	0.0022
060	16241-94020	SCHEIBE	2				0.002	0.0044
070	16241-92020	MUTTER	2				0.002	0.0044
080	16271-56023	KOMP.REGLERHEBEL	1				0.05	0.11
090	16271-57720	MOTOR-STOPHEBEL	1				0.03	0.066
100	15471-57980	OELDICHTUNGSRING	1				0.001	0.0022
110	16222-57510	RUECKZUGFEDER	1				0.01	0.022
120	16271-57740	HEBELWELLE	1				0.039	0.0858
130	16299-57210	DICHTUNG	1				0	0
140	01023-50616	BOLZEN	2				0.005	0.011
150	01513-50616	STEBOLZEN	2				0.004	0.0088
160	02056-50060	MUTTER	2				0.002	0.0044
170	04512-50060	FEDERRING	2				0	0






↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16205-57010	GRP.REGELPLATTE	1				0.34	0.748
020	16205-57150	DREHZAHLVERSTELHEBEL	1				0.033	0.0726
030	16205-57160	DREHZAHLVERSTELHEBEL	2				0.03	0.066
040	04814-00100	O RING	1				0.001	0.0022
050	05411-00420	FEDERSTIFT	2				0.001	0.0022
060	05411-02520	FEDERSTIFT	2				0.001	0.0022
070	01023-50612	BOLZEN	2				0.005	0.011
080	16205-56020	KOMP.REGLERHEBEL	1				0.02	0.044
090	16205-57720	MOTOR-STOPHEBEL	1				0.02	0.044
100	19202-96750	O RING	1				0.001	0.0022
110	16205-57510	RUECKZUGFEDER	1				0.002	0.0044
120	16205-57740	MONT.HEBEL	1				0.046	0.1012
130	16299-57210	DICHTUNG	1	<=534271			0	0
130	16264-57210	DICHTUNG	1	>=534272	←		0.002	0.0044
140	01023-50616	BOLZEN	2				0.005	0.011
150	01513-50616	STEBOLZEN	2				0.004	0.0088
160	02056-50060	MUTTER	2				0.002	0.0044
170	04512-50060	FEDERRING	2				0	0




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16282-54090	GRP.FREILAUFAPPARAT	1				0.025	0.055
020	16282-54100	GRP.ENSTELLBOLZEN	1				0.01	0.022
030	15841-92020	MUTTER	1				0.004	0.0088
040	15841-92330	MUTTER	1				0.006	0.0132
050	15601-96650	DICHTUNG	2				0.001	0.0022
060	16241-54420	KAPPE	1	≤645957			0.004	0.0088
060	16221-54420	KAPPE	1	≥645958	↔		0.001	0.0022
070	16241-54120	EINSTELLBOLZEN	1				0.005	0.011
080	15841-92020	MUTTER	1				0.004	0.0088
090	15841-92330	MUTTER	1				0.006	0.0132
100	15601-96650	DICHTUNG	2				0.001	0.0022
110	16241-54420	KAPPE	1	≤645957			0.004	0.0088
110	16221-54420	KAPPE	1	≥645958	↔		0.001	0.0022
120	16271-60010	DRAHTSPULE KOMP	1	≤308554			0	0
120	16271-60012	DRAHTSPULE KOMP	1	≥308555	←		0.35	0.77
130	16299-60150	DICHTUNG	1				0.003	0.0066
140	01202-50612	BOLZEN	2				0.005	0.011
150	16282-83150	DECKEL	1	≤475253			0.15	0.33
150	16264-83150	DECKEL	1	≥475254	←		0	0
150	16264-83150	DECKEL	1	≤741870			0	0
150	16264-83150	DECKEL	1	≥10001			0	0
150	16264-83152	DECKEL	1	≥15686	←		0.028	0.0616
160	16282-83110	DICHTUNG	1	≤475253			0	0
170	01123-50820	BOLZEN	1	≤475253			0.011	0.0242
180	01123-50830	BOLZEN	1	≤475253			0.015	0.033
190	02156-50080	MUTTER	1	≤475253			0.004	0.0088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-56480	STARTERFEDER	1				0.002	0.0044
020	16271-56410	REGLERFEDER	1	≤351089			0.015	0.033
020	16271-56412	REGLERFEDER	1	≥351090	←		0	0
030	16204-56052	GRP.GABELHEBEL	1	≤489915			0	0
030	16204-56054	GRP.GABELHEBEL	1	≥489916	↔		0	0
040	19484-55440	ROLLE	2				0.005	0.011
050	16032-54230	FEDER	1				0.001	0.0022
060	16271-56132	HEBEL GABEL	1				0	0
070	16241-56153	GABELHEBELWELLE	1				0.04	0.088
080	16241-94010	SCHEIBE	1				0.002	0.0044
090	16241-56330	KUGELLAGER	1				0.007	0.0154
100	04612-00090	SPRENGRING AUSSEN	1				0.001	0.0022
110	16241-56250	DECKEL	1				0.013	0.0286
120	16299-56260	DICHTUNG	1				0.002	0.0044
130	01023-50614	BOLZEN	2				0.005	0.011
140	16241-56210	HUELSE	1				0.008	0.0176
150	16241-56340	KUGELLAGER	1				0.007	0.0154



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16271-95690	VERBINDUNGSSTUCK	1				0.046	0.1012
020	16261-51010	GRP.EINSPRITZPUMPE	1	≤489915			0.93	2.046
020	16032-51010	GRP.EINSPRITZPUMPE	1	≥489916	≠		1	2.2
030	15861-52110	DISTANZSCHEIBE	2	≤489915			0	0
030	16006-52092	DISTANZSCHEIBE	1	≥489916	←	0.20MM	0.004	0.0088
040	15861-52120	DISTANZSCHEIBE	2	≤489915			0	0
040	16006-52112	DISTANZSCHEIBE	1	≥489916	←	0.25MM	0.004	0.0088
045	16006-52122	DISTANZSCHEIBE	1	≥489916		0.30MM	0.006	0.0132
050	01311-10620	BOLZEN	2	≤314269			0.012	0.0264
050	01023-50620	BOLZEN	2	≥314270	←		0.006	0.0132
050	01311-00620	BOLZEN	2	≥489916	←		0	0
060	15841-91500	STEBBOLZEN	2				0.04	0.088
070	15841-92320	MUTTER	2	≤314269			0.01	0.022
070	02056-50060	MUTTER	2	≥314270	↔		0.002	0.0044
070	15841-92320	MUTTER	2	≥489916	←		0.01	0.022
080	04512-50060	FEDERRING	4	≤314269			0	0
080	04512-50060	FEDERRING	2	≥314270			0	0
080	04512-50060	FEDERRING	4	≥489916			0	0
090	15852-52850	DECKEL	1				0.06	0.132
100	15862-52140	DICHTUNG PUMPE	1	≤534271			0	0
100	16264-52140	DICHTUNG PUMPE	1	≥534272	←		0.001	0.0022
110	02056-50060	MUTTER	2				0.002	0.0044
120	04512-50060	FEDERRING	2				0	0




**EINSPRITZPUMPE (EINZEL-TEIL)**

S.No.;<=489915

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-51010	GRP.EINSPRITZPUMPE	1				0.93	2.046
020	16261-51050	PUMPENKOLBEN	3				0.03	0.066
030	16261-51030	VENTIL	3				0.02	0.044
040	16261-51230	FEDER	3				0.025	0.055
050	15221-51240	DICHTUNG DRUCKVENTIL	3				0.001	0.0022
060	16261-51220	ENTLAST-VENTILHALTER	3				0.065	0.143
070	16241-96760	O RING	3				0.001	0.0022
080	16241-91430	SCHRAUBE	3				0.003	0.0066
090	16241-51070	GRP.VENTILSTOESSEL	3				0.02	0.044
100	16241-51250	STOESSELFUHRUNGSTIFT	3				0.002	0.0044
110	16261-51280	KOLBENFEDER	3				0	0
120	16241-51270	FEDERTELLER OBERE	3				0.005	0.011
130	16241-51290	FEDERTELLER UNTERE	3				0.004	0.0088
140	16241-51490	DISTANZSCHEIBE	3				0.003	0.0066
150	16261-51060	STEUERUNGSTEIL	1				0.02	0.044
160	16261-51540	PLATTE	1				0.025	0.055
170	16241-93110	SCHRAUBE	2				0.003	0.0066
180	16241-51380	MUFFE	3				0.003	0.0066
190	16261-51320	SCHRAUBE	1				0.002	0.0044
200	15121-42670	DICHTUNG	2				0.001	0.0022
210	16241-51300	PLATTE	3				0.005	0.011




**EINSPRITZPUMPE (EINZEL-TEIL)**

S.No.;>=489916


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16032-51010	GRP.EINSPRITZPUMPE	1				1	2.2
020	16030-51050	ELEMENT	3				0	0
030	15841-51030	VENTIL	3				0.015	0.033
040	15841-51230	FEDER	3				0.004	0.0088
050	15841-51240	DICHTUNG DRUCKVENTIL	3				0.001	0.0022
060	16271-51220	ENTLAST-VENTILHALTER	3				0.045	0.099
070	15841-96760	O RING	3				0.001	0.0022
080	15841-51560	FLANSCH	3				0.06	0.132
090	15841-94570	STIFT	3				0.001	0.0022
100	15841-51200	O RING	6				0.001	0.0022
110	15862-91430	SCHRAUBE	6				0.01	0.022
120	15841-51070	GRP.VENTILSTOESSEL	3				0.03	0.066
130	15841-51250	STOESSELFUHRUNGSTIFT	3				0.001	0.0022
140	15861-51430	STIFT	1				0.002	0.0044
150	15841-51280	KOLBENFEDER	3				0.015	0.033
160	15841-51270	FEDERTELLER OBERE	3				0.005	0.011
170	15841-51290	FEDERTELLER UNTERE	3				0.005	0.011
180	15841-51490	DISTANZSCHEIBE	3				0.005	0.011
190	16030-51060	STEUERUNGSTEIL	1				0.027	0.0594
200	16030-51540	PLATTE	1				0.035	0.077
210	15841-93110	SCHRAUBE	4				0.001	0.0022
220	15841-51380	MUFFE	3				0.006	0.0132
230	16271-51320	SCHRAUBE	1				0.031	0.0682
240	15841-96650	DICHTUNG	2				0.001	0.0022
250	16030-96010	STOPFEN	1				0.008	0.0176
260	15861-96650	DICHTUNG	1				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-16170	NOCKENWELLE	1	<=489915			0.32	0.704
010	16020-16170	NOCKENWELLE	1	>=489916	≠		0.38	0.836
020	08103-06202	KUGELLAGER	1				0.05	0.11
030	08103-06204	KUGELLAGER	1				0.105	0.231
040	16241-92330	MUTTER	1				0.035	0.077
050	16241-95230	SCHEIBEN-KEIL	1				0.001	0.0022
060	16272-51150	GETRIEBEZAHNRAD	1				0.49	1.078
070	16241-16320	STOPFEN	1				0.04	0.088
080	01023-50612	BOLZEN	2				0.005	0.011
090	16265-55013	ACHSE	1				1.22	2.684
100	16241-55390	HALTER	1	<=550292			0.365	0.803
100	16241-55392	HALTER	1	>=550293	←		0.34	0.748
110	16282-55320	REGELERZAHNRAD	1				0.24	0.528
120	16241-55270	HALTER GEWICHT	1				0.085	0.187
130	16241-55060	GEWICHT KOMP.	2	<=482630			0	0
130	16241-55062	GEWICHT KOMP.	2	>=482631	←		0.085	0.187
140	16241-55260	WELLE	2				0.013	0.0286
145	19484-55440	ROLLE	2				0.005	0.011
150	16241-55450	REGLERMUFFE	1				0.04	0.088
160	16241-55462	DRUCKSCHEIBE	1	<=550292			0.01	0.022
160	16241-55463	DRUCKSCHEIBE	1	>=550293	←		0.005	0.011
170	08101-06304	KUGELLAGER	1				0.146	0.3212
180	16271-55410	SPRENGRING	1				0.005	0.011
190	16241-55554	ANSCHLAGSCHRAUBE	1				0.007	0.0154



↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16264-25010	KOMP.SCHWUNGRAD	1	<=468068			13.2	29.04
010	16264-25015	KOMP.SCHWUNGRAD	1	>=468069	→		12.3	27.06
020	15262-63820	ZAHNKRANZ	1				0.65	1.43
030	16241-25160	BOLZEN SCHWUNGRAD	6				0.03	0.066
040	16264-04620	PLATTE	1	<=351089			2.8	6.16
040	16264-04623	PLATTE	1	>=351090	≠		2.7	5.94
050	15261-91190	BOLZEN	8				0.03	0.066
060	05012-00814	ZYLINDERSTIFT	1				0.006	0.0132
070	19269-63010	GRP.ANLASSER	1	<=363589			4	8.8
070	19269-63012	GRP.ANLASSER	1	>=363590	↔		0	0
080	01123-50830	BOLZEN	2				0.015	0.033




**ANLASSER (EINZEL-TEIL)**

S.No.;<=363589

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	19269-63010	GRP.ANLASSER	1				4	8.8
020	19215-63080	GRP.GABELGELENK	1				1.2	2.64
030	15511-63070	ANKER KOMP	1				1.05	2.31
040	15511-63500	KUGELLAGER	1				0.04	0.088
050	15511-63530	KUGELLAGER	1				0.025	0.055
060	19212-63040	KUPPLUNG	1				0.68	1.496
070	19269-63030	ANTRIEBSRAHMEN	1				0.15	0.33
080	19269-63020	GRP.MAGNETSCHALTER	1				1.2	2.64
090	19269-63200	RAHMEN	1				0.02	0.044
100	15511-63380	GRP.BUERSTENHALTER	1				0.09	0.198
110	15401-63390	SCHLEIFBUERSTENFEDER	4				0.003	0.0066
120	15511-63260	GETRIEBE	1				0.02	0.044
130	15401-63270	GETRIEBE	1				0.043	0.0946
140	19212-63110	HALTESCHEIBE	1				0.002	0.0044
150	19212-63100	ROLLE	5				0.002	0.0044
160	19212-63120	FEDER	1				0.004	0.0088
170	19212-97130	KUGEL	1				0.003	0.0066
180	15501-93310	SCHRAUBE	2				0.01	0.022
190	15511-96660	O RING	2				0.005	0.011
200	19215-63320	DURCHGEHENDERBOLZEN	2				0.03	0.066
210	15511-63760	GRP.BOLZEN	2				0.005	0.011
220	19215-63290	DECKEL	1				0	0
230	13963-92010	MUTTER	1				0.005	0.011




**ANLASSER (EINZEL-TEIL)**

S.No.;>=363590

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	19269-63012	GRP.ANLASSER	1				0	0
020	11197-63080	GRP.GABELGELENK	1				0.92	2.024
030	11197-63070	ANKER KOMP	1				0.8	1.76
040	11460-63500	KUGELLAGER	1				0.03	0.066
050	11460-63530	KUGELLAGER	1				0.02	0.044
060	16611-63040	KUPPLUNG	1				0.08	0.176
070	16611-63030	ANTRIEBSRAHMEN	1				0.1	0.22
080	16285-63020	GRP.MAGNETSCHALTER	1				0.95	2.09
090	17341-63200	RAHMEN	1				0.13	0.286
100	11197-63380	GRP.BUERSTENHALTER	1				0.05	0.11
110	15401-63390	SCHLEIFBUERSTENFEDER	4				0.003	0.0066
120	11460-63270	GETRIEBE	1				0.04	0.088
130	11460-63110	HALTESCHEIBE	1				0.01	0.022
140	19212-63100	ROLLE	5				0.002	0.0044
150	11460-63120	FEDER	1				0.01	0.022
160	19212-97130	KUGEL	1				0.003	0.0066
170	11460-93310	BOLZEN	2				0.01	0.022
180	15511-96660	O RING	2				0.005	0.011
190	11197-63320	BOLZEN	2				0.02	0.044
200	15511-63760	GRP.BOLZEN	2				0.005	0.011
210	16285-63570	ROHR	1				0.005	0.011
220	13963-92010	MUTTER	1				0.005	0.011
230	11520-63130	DECKEL	1	<=370693			0	0
230	11173-63130	DECKEL	1	>=370694	≠		0.007	0.0154



**DYNAMO AUSGENOMMEN [KTA]**

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-64010	GRP.DYNAMO	1				3	6.6
020	16241-64420	DYNAMOSTANGE	1				0.095	0.209
030	01123-50825	BOLZEN	1				0.013	0.0286
040	01173-51085	BOLZEN	1				0.051	0.1122
050	02176-50100	MUTTER	1				0.005	0.011
060	04011-50100	SCHEIBE	1				0.002	0.0044
070	04512-50100	FEDERRING	1				0	0
080	04015-50080	SCHEIBE	1				0	0
090	01023-50618	BOLZEN	1				0.006	0.0132
100	04012-50060	SCHEIBE	1				0.001	0.0022
110	16271-83370	KABELKLEMME	1				0.005	0.011
120	16264-74110	VENTILATOR	1				0.32	0.704
130	16241-74250	VENTILATORSCHEIBE	1				0.24	0.528
140	01754-50612	FLANSCHEN-BOLZEN	4				0.005	0.011
150	16261-74280	RIEMNSCHEIBE	1				1.14	2.508
160	16241-91020	BOLZEN	1				0.1	0.22
170	16282-97010	RIEMEN	1				0.08	0.176





↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-64010	GRP.DYNAMO	1				3	6.6
020	16241-64420	DYNAMOSTANGE	1				0.095	0.209
030	01123-50825	BOLZEN	1				0.013	0.0286
040	01173-51085	BOLZEN	1				0.051	0.1122
050	02176-50100	MUTTER	1				0.005	0.011
060	04011-50100	SCHEIBE	1				0.002	0.0044
070	04512-50100	FEDERRING	1				0	0
080	04015-50080	SCHEIBE	1				0	0
090	01023-50618	BOLZEN	1				0.006	0.0132
100	04012-50060	SCHEIBE	1				0.001	0.0022
110	16271-83370	KABELKLEMME	1				0.005	0.011
120	16204-74110	VENTILATOR	1				0.44	0.968
130	16241-74250	VENTILATORSCHIEBE	1				0.24	0.528
140	01754-50622	FLANSCHEN-BOLZEN	4				0.007	0.0154
150	16261-74280	RIEMNSCHIEBE	1				1.14	2.508
160	16241-91020	BOLZEN	1				0.1	0.22
170	16289-97010	RIEMEN	1				0	0
180	15876-74150	VENTILATORHUELSE	1				0.05	0.11



**DYNAMO (EINZEL-TEIL)**


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-64010	GRP.DYNAMO	1				3	6.6
020	15881-64110	RIEMENSCHLEIBE DYNAMO	1				0.16	0.352
030	15881-92010	MUTTER	1				0.02	0.044
040	15881-64150	HUELSE	1				0.004	0.0088
050	15881-64040	ROTOR	1				1.2	2.64
060	15881-64800	DECKEL	1				0.001	0.0022
070	15881-64770	KUGELLAGER	1				0.04	0.088
080	15881-64810	DRUCKSCHLEIBE	1				0.002	0.0044
090	15881-64020	ANTRIEBSRAHMEN	1				1.2	2.64
100	15881-64710	HALTEPLATTE	1				0.01	0.022
110	15881-93010	RUNDKOPFSCHRAUBE	4				0.003	0.0066
120	15881-64260	DURCHGEHENDERBOLZEN	2				0.01	0.022
130	15881-64780	KUGELLAGER	1				0.05	0.11
140	16241-64060	RAHMEN	1				0.2	0.44
150	16241-64230	BUCHSE	1				0.035	0.077
160	16241-64850	MONT.GLEICHRICHTER	1				0.16	0.352
170	16241-64900	BUCHSE	1				0.007	0.0154
180	15881-64310	BUERSTEN HALTER	1				0.025	0.055
190	15881-64090	BUERSTE	2				0.002	0.0044
200	15881-64330	SCHLEIFBUERSTENFEDER	2				0.002	0.0044
210	15881-93020	RUNDKOPFSCHRAUBE	2				0.005	0.011
220	15881-93030	RUNDKOPFSCHRAUBE	6				0.003	0.0066
230	15881-93040	RUNDKOPFSCHRAUBE	1				0.003	0.0066
240	15881-91040	BOLZEN	3				0.005	0.011
250	15881-92020	MUTTER	2				0.02	0.044
260	15881-91050	BOLZEN	2				0.01	0.022
270	14182-92030	MUTTER	1				0.003	0.0066
280	15881-64600	REGULATOR	1				0.1	0.22




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-42110	TRAEGER MOTOR	1				0.89	1.958
020	68311-42120	TRAEGER MOTOR	1				0.92	2.024
030	01133-61025	BOLZEN	6				0.02	0.044
040	68311-42130	TRAEGER MOTOR	1				0.57	1.254
050	68311-42140	TRAEGER MOTOR	1				0.58	1.276
060	01173-61425	BOLZEN	3				0.05	0.11
065	01173-61435	BOLZEN	1				0.054	0.1188
070	04512-60140	FEDERRING	4				0.006	0.0132
080	68051-42160	KISSEN	4				0.37	0.814
090	04013-60100	SCHEIBE	4				0.004	0.0088
100	04512-60100	FEDERRING	8				0.002	0.0044
110	02118-60100	MUTTER	8				0.006	0.0132
120	68191-42180	TRAEGER MOTOR	4				0.42	0.924
130	01133-61025	BOLZEN	8				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-42200	GRP.LUFTFILTER	1	<=12033			0	0
010	68311-42202	GRP.LUFTFILTER	1	>=12034	←		1.2	2.64
011	15852-11220	FILTERELEMENT	1				0.38	0.836
012	15221-92620	FLUEGELBOLZEN	1				0.04	0.088
013	15221-94430	GUMMIUNTERLAGE	1				0.004	0.0088
014	15852-11470	VENTIL	1				0.03	0.066
020	68311-42280	LUFTFILTERBAND	1				0.406	0.8932
030	68311-42290	LUFTFILTERBAND	1				0.161	0.3542
040	01153-60835	BOLZEN	2				0.02	0.044
050	02114-60080	MUTTER	2				0.002	0.0044
060	01123-60816	BOLZEN	2				0.01	0.022
070	68191-42230	LUFTFILTERHALTER	1				0.7	1.54
075	68191-42240	LUFTFILTERHALTER	1				0.42	0.924
077	01135-61025	BOLZEN	4				0.04	0.088
080	01133-61020	BOLZEN	2				0.02	0.044
090	68191-42250	SCHULAUCH	1	<=10859			0	0
090	68191-42253	SCHULAUCH	1	>=10860	←		0.4	0.88
100	15221-11720	ROHRBAND	1				0.03	0.066
110	15261-11720	ROHRBAND	1				0.03	0.066
120	68191-42260	SCHULAUCH	1				0.44	0.968
130	15221-11720	ROHRBAND	2				0.03	0.066
140	68191-42280	VERBINDUNGSSTUECK	1				0.31	0.682
150	01133-61016	BOLZEN	1				0.018	0.0396
160	68191-42270	SCHULAUCH	1				0.33	0.726
170	15221-11720	ROHRBAND	1				0.03	0.066
180	16264-11770	MONT.ANSAUG-ROHRKRUE	1				0.3	0.66
190	16261-11822	DICHTUNG ANSAUGROHR	1				0.01	0.022
200	01023-50618	BOLZEN	3				0.006	0.0132
210	01023-50630	BOLZEN	1				0.008	0.0176
220	01023-50650	BOLZEN	2				0	0
230	15272-67590	KABELKLEMME	1				0.004	0.0088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-42200	GRP.LUFTFILTER	1				2	4.4
020	68198-42210	MONT.KOERPER	1				1.22	2.684
030	68328-42220	MONT.FILTERELEMENT	1				0.68	1.496
040	68328-42240	DICHTUNG	1				0	0
050	68328-42270	ELEMENT	1				0.145	0.319
060	32447-43570	FLUEGELMUTTER	1				0.01	0.022
070	15621-94430	GUMMIUNTERLAGE	2				0.01	0.022
080	15741-11470	VENTIL	1				0.01	0.022
090	32447-43590	MUTTER	1				0.01	0.022
100	32530-91300	AUFKLEBER	1				0.004	0.0088
110	68391-42220	LUFTFILTERBAND	1				0.34	0.748
120	01133-61020	BOLZEN	1				0.02	0.044
130	02118-60100	MUTTER	2				0.006	0.0132
140	68198-42230	LUFTFILTERHALTER	1				1.1	2.42
150	68191-42240	LUFTFILTERHALTER	1				0.42	0.924
160	01135-61025	BOLZEN	2				0.04	0.088
170	01133-61020	BOLZEN	2				0.02	0.044
180	01133-61020	BOLZEN	2				0.02	0.044
190	68198-42250	SCHULAUCH	1				0.37	0.814
200	15401-11720	ROHRBAND	1				0.05	0.11
210	15261-11720	ROHRBAND	1				0.03	0.066
220	68198-42260	SCHULAUCH	1				0.425	0.935
230	15401-11720	ROHRBAND	1				0.05	0.11
240	15221-11720	ROHRBAND	1				0.03	0.066
250	68191-42280	VERBINDUNGSSTUECK	1				0.31	0.682
260	01133-61016	BOLZEN	1				0.018	0.0396
270	68191-42270	SCHULAUCH	1				0.33	0.726
280	15221-11720	ROHRBAND	1				0.03	0.066
290	16264-11770	MONT.ANSAUG-ROHRKRUE	1				0.3	0.66
300	16261-11822	DICHTUNG ANSAUGROHR	1				0.01	0.022
310	01023-50618	BOLZEN	3				0.006	0.0132
320	01023-50630	BOLZEN	1				0.008	0.0176
330	01023-50650	BOLZEN	2				0	0
340	15272-67590	KABELKLEMME	1				0.004	0.0088




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	15221-12370	DICHTUNG FLANSCH	1	≤12180			0	0
010	15313-12370	DICHTUNG NA	1	≥12181	←		0.008	0.0176
020	68741-42450	FLANSCH	1				0.18	0.396
030	01133-61020	BOLZEN	2				0.02	0.044
040	68191-42440	AUSPUFFTOPF	1	≤12410			0	0
040	68191-42442	AUSPUFFTOPF	1	≥12411	←		0.42	0.924
050	66711-54420	ROHRBAND	2				0.038	0.0836
060	01153-60865	BOLZEN	2				0.04	0.088
070	04013-60080	SCHEIBE	4				0.002	0.0044
080	04512-60080	FEDERRING	2				0.002	0.0044
090	02114-60080	MUTTER	2				0.002	0.0044
100	68191-42413	TRAEGER AUSPUFFTOPF	1				2.6	5.72
110	01135-61025	BOLZEN	4				0.04	0.088
120	68731-42420	ROHRBAND	2				0.272	0.5984
130	04013-60100	SCHEIBE	2				0.004	0.0088
140	02118-60100	MUTTER	4				0.006	0.0132
150	01133-61020	BOLZEN	2				0.02	0.044
160	68198-42420	TRAGACHSEROHR	1				0.3	0.66
170	01135-61025	BOLZEN	2				0.04	0.088
180	68191-42430	AUSPUFFTOPFROHR	1				0.4	0.88
190	68271-42530	U-BUEGELSCHRAUBE	1				0.07	0.154
200	02114-60100	MUTTER	4				0.008	0.0176
210	04013-60100	SCHEIBE	2				0.004	0.0088
220	16264-12310	AUSPUFFOHR	1				1.7	3.74
230	16261-12360	DICHTUNG AUSPUFFPOHR	1	≤534271		ENGINE S.NO.	0	0
230	16261-12350	DICHTUNG AUSPUFFPOHR	1	≥534272	←	ENGINE S.NO.	0.019	0.0418
240	16271-92010	MUTTER	6				0.005	0.011
250	16241-91490	STEBOLZEN	6				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-35140	HANDGASHEBEL	1			KE KDG KUK	0.32	0.704
010	68198-35210	HANDGASHEBEL	1			KTC KCL KTA	0.4	0.88
020	55611-31460	GRIFF BESCHLEUNIGER	1				0.03	0.066
030	08511-01410	BUCHSE	2				0.005	0.011
040	04013-60140	SCHEIBE	3				0.01	0.022
050	68241-35190	FEDER PLATTE	1				0.003	0.0066
060	68541-35120	PLATTE	1				0.3	0.66
070	68641-35140	MUTTER	1				0.01	0.022
080	01155-60845	BOLZEN	1				0.017	0.0374
090	02112-60080	MUTTER	2				0.005	0.011
100	04013-60100	SCHEIBE	1				0.004	0.0088
110	02118-60100	MUTTER	2				0.006	0.0132
120	68351-35150	ZWISCHENSTUECK	1				0.02	0.044
130	05122-50618	STIFT	1				0	0
140	04012-50060	SCHEIBE	1				0.001	0.0022
150	05511-51612	SPLINT	1				0.001	0.0022
160	68191-35150	HANDGASKABEL	1				0.31	0.682
170	68311-35170	HEBEL	1				0.07	0.154
180	04012-50080	SCHEIBE	1				0.001	0.0022
190	05511-50215	SPLINT	1				0.001	0.0022
200	68311-35220	HANDGASTRAEGER	1				0.49	1.078
210	01135-61020	BOLZEN	2				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	54711-23412	KRAFTSTOFFFILTER	1				0.52	1.144
020	15221-43080	FILTEREINSATZ	1				0	0
030	15221-43210	FILTERDECKELEINHEIT	1				0.25	0.55
040	19222-43280	STOUPSEL FILTER ENTL	1				0.01	0.022
050	15108-43290	O RING	1				0.001	0.0022
060	01123-60825	BOLZEN	2				0.012	0.0264
070	68371-51210	GRP.KRAFTSTOFFPUMPE	1				0.5	1.1
080	66591-54560	KISSEN	1				0.014	0.0308
090	01123-60816	BOLZEN	1				0.01	0.022
100	01202-60616	BOLZEN	1				0.005	0.011
110	13351-43010	KRAFTSTOFFFILTER	1				0	0
120	66021-58330	DRUCK FILTERBAND	1				0.037	0.0814
130	01053-60620	BOLZEN	1			KE KDG KUK	0.007	0.0154
130	01023-50620	BOLZEN	1			KTC KCL KTA	0.006	0.0132
140	04512-60060	FEDERRING	1			KE KDG KUK	0.001	0.0022
150	09661-81670	KRAFTSTOFFROHR	1				0.195	0.429
160	09661-80170	KRAFTSTOFFROHR	1				0.022	0.0484
170	09661-81250	KRAFTSTOFFROHR	1				0.147	0.3234
180	09661-80380	KRAFTSTOFFROHR	1	<=11223			0.045	0.099
180	09661-80500	KRAFTSTOFFROHR	1	>=11224	≠		0.05	0.11
190	14301-42750	ROHRKLEMME	8				0.005	0.011
200	09661-40875	KRAFTSTOFFROHR	1				0.05	0.11
210	10244-42320	ROHRKLEMME	2				0.001	0.0022
220	68191-51140	SCHLAUCH	1				0.2	0.44
230	68191-51130	SCHLAUCH	1				0.1	0.22
240	68191-51150	SCHLAUCH	1				0.14	0.308




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-51110	KRASTOFFBEHAELTER	1			KE KDG KUK	18	39.6
010	68198-51120	KRASTOFFBEHAELTER	1			KTC KCL KTA	17.3	38.06
						COSTA-RICA ECUADOR		
020	68198-51240	KRAFTSTOFFTANKDECKEL	1				0.8	1.76
030	68311-51260	RING	1				0.01	0.022
040	01123-60816	BOLZEN	6				0.01	0.022
050	01133-61225	BOLZEN	5				0.037	0.0814
060	04013-60120	SCHEIBE	5				0.01	0.022
070	68817-51120	VERSCHLUSS TANK	1	<=12180			0	0
070	RC101-51120	VERSCHLUSS TANK	1	>=12181	←		0.33	0.726
080	14261-41350	DRUCKFILTER	1				0.02	0.044
090	15000-34390	ABLASSHAHN	1				0.078	0.1716
100	68191-51250	GUMMITUELLE	1				0.03	0.066
110	14301-42750	ROHRKLEMME	1				0.005	0.011
120	09661-80380	KRAFTSTOFFROHR	1				0.045	0.099
130	31220-35400	MONTAGE HAHN KRAFTST	1				0.11	0.242




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16282-72860	WASSERROHR	1	<=351089			0	0
010	16282-72862	WASSERROHR	1	>=351090	←		0	0
010	16282-72863	WASSERROHR	1	>=702847	←		0.24	0.528
020	15841-96020	STOPFEN	1	<=351089			0.003	0.0066
020	06311-55010	STOPFEN	1	>=351090	←		0.015	0.033
030	16241-72870	WASSERROHR	1				0.06	0.132
040	36200-82720	KLAMMER	2				0.025	0.055
050	16261-72700	KOMP.FLANSCH	1	<=302306			0.25	0.55
050	16261-72703	KOMP.FLANSCH	1	>=302307	≠		0	0
050	16261-72704	KOMP.FLANSCH	1	>=363590	≠		0	0
050	16261-72705	KOMP.FLANSCH	1	>=377434	←		0.26	0.572
060	16241-73340	WASSERROHR	1	<=302306			0.006	0.0132
060	16241-73370	WASSERROHR	1	>=302307	≠		0.007	0.0154
070	16261-96030	STOPFEN	1	<=363589			0.2	0.44
070	06311-25030	STOPFEN	1	>=363590	↔		0.051	0.1122
080	16261-96710	DICHTUNG	1				0.002	0.0044
090	16241-72920	DICHTUNG	1	<=534271			0	0
090	16264-72920	DICHTUNG	1	>=534272	←		0.001	0.0022
100	01023-50616	BOLZEN	3				0.005	0.011
110	01023-50655	BOLZEN	1				0.012	0.0264
120	16241-73350	WASSERROHR	1				0.015	0.033
130	16241-73360	ROHRBAND	2				0.003	0.0066
140	15531-73010	GRP.THERMOSTAT	1				0.07	0.154
150	16271-73260	DECKEL THERMOSTAT	1				0.06	0.132
160	15531-73270	DICHTUNG	1	<=308554			0	0
160	15676-73270	DICHTUNG	1	>=308555	↔		0.005	0.011
170	01023-50630	BOLZEN	2	<=377433			0.008	0.0176
170	01023-50632	BOLZEN	2	>=377434	≠		0.01	0.022
180	04724-00100	DICHTUNG	1	>=351090			0.001	0.0022




Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-73030	GRUPPE WASSERPUMPE	1				0	0
020	16241-73550	LAGER	1				0.202	0.4444
030	16241-73050	GRP.MECH.DICHTUNG	1				0	0
040	16241-73510	FLUEGELRAD	1				0.097	0.2134
050	16241-73340	WASSERROHR	1				0.006	0.0132
055	16241-73520	FLANSCH PUMPE	1				0.135	0.297
060	16261-73430	DICHTUNG WASSERPUMPE	1				0.001	0.0022
070	01023-50630	BOLZEN	4				0.008	0.0176
080	01023-50680	BOLZEN	2				0.017	0.0374




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-42300	GRP.KUEHLER	1				6.8	14.96
015	15272-72020	GRP.VERSCHLUSS	1				0.071	0.1562
016	RC101-42520	LUFTLEITBLECH	1				0.6	1.32
020	68131-43420	BOLZEN	2	<=11589			0.06	0.132
020	15108-72380	BOLZEN	2	>=11590	≠		0.04	0.088
030	68131-43430	SCHEIBE	4	<=11589			0.02	0.044
030	15111-72020	SCHEIBE	4	>=11590	≠		0	0
040	68131-43410	KISSEN	4	<=11589			0.02	0.044
040	15111-72180	KISSEN	2	>=11590	≠		0.015	0.033
045	15111-72190	KISSEN	2	>=11590			0.016	0.0352
050	02116-60100	MUTTER	2	<=11589			0.004	0.0088
050	05515-51000	SICHERUNGSSTIFT	2	>=11590	≠		0	0
055	15272-67590	KABELKLEMME	1				0.004	0.0088
060	68191-42310	TRAGACHSEKUEHLER	1	<=11589			0.98	2.156
060	68191-42312	TRAGACHSEKUEHLER	1	>=11590	≠		1	2.2
070	01133-61020	BOLZEN	2				0.02	0.044
080	68191-42350	KUEHLERFUSS	1	<=11844			0.23	0.506
080	68191-42352	KUEHLERFUSS	1	>=11845	←		0.36	0.792
090	01135-61020	BOLZEN	2				0.015	0.033
100	68191-42360	GUMMITUELLE	2	<=11844			0.006	0.0132
100	68191-42380	KISSEN	1	>=11845	←		0.04	0.088
110	68191-93710	PLATTE	1			EXCEPT KTA	1.8	3.96
110	68198-93710	PLATTE	1			KTA	1.7	3.74
120	01202-60616	BOLZEN	4				0.005	0.011
130	04013-60060	SCHEIBE	4				0.001	0.0022
140	68311-42480	VENTILATORDECKEL	1	<=11707			0	0
140	68311-42484	VENTILATORDECKEL	1	>=11708	←		0.3	0.66
150	01202-60612	BOLZEN	3				0.006	0.0132
160	04013-60060	SCHEIBE	3				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-42320	SCHLAUCH	1				0.12	0.264
020	68311-42330	SCHLAUCH	1				0.25	0.55
030	09318-89039	SCHLAUCHBINDER	4	<=11080			0.02	0.044
030	68311-72830	SCHLAUCHBINDER	4	>=11081	≠		0.03	0.066
030	68311-72820	SCHLAUCHBINDER	4	>=11470	≠		0.03	0.066
040	68191-42510	SCHLAUCH	1				0.05	0.11
050	68191-42540	SCHLAUCH	1				0.01	0.022
060	68191-42520	SCHLAUCH	1				0.068	0.1496
070	09318-89020	SCHLAUCHBINDER	4	<=11080			0.02	0.044
070	68311-72810	SCHLAUCHBINDER	4	>=11081	≠		0.02	0.044
080	68191-42530	SCHALTUNG	1				0.2	0.44
090	14301-73110	ABLASSHAHN	1	<=11080			0.094	0.2068
090	06312-10030	STOPFEN	1	>=11081	↔		0.029	0.0638
100	01133-61025	BOLZEN	1				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68721-53230	BATTERIE	1				0	0
020	68241-53312	KISSEN	2				0.025	0.055
030	68721-53213	BATTERIEARRETIERUNG	1				0.2	0.44
040	68721-53260	BOLZEN	2				0.05	0.11
050	04013-60060	SCHEIBE	2				0.001	0.0022
060	02014-60060	MUTTER	4				0.002	0.0044
070	68311-53250	KABEL ERDUNG	1				0.04	0.088
080	68191-53260	KABEL ERDE	1				0.56	1.232
090	01135-61020	BOLZEN	2				0.015	0.033
100	68191-53270	KABEL BATTERIE	1				0.52	1.144




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	15694-65990	ZEITSCHALTER	1				0.03	0.066
020	37410-55540	TREMBLEUR	1				0	0
030	36530-55630	RELAIS	1				0.06	0.132
040	01053-60616	BOLZEN	2				0.006	0.0132
050	04013-60060	SCHEIBE	2				0.001	0.0022
060	04512-60060	FEDERRING	2				0.001	0.0022
070	02014-60060	MUTTER	2				0.002	0.0044
080	67156-55120	MONTAGE HUPE	1				0.15	0.33
085	68198-41280	DISTANZSCHEIBE	1	>=11294			0.035	0.077
090	01202-60616	BOLZEN	2	<=11293			0.005	0.011
090	01202-60622	BOLZEN	2	>=11294	≠		0.01	0.022
100	68191-53140	BRANNSTOFFANZAHL	1				0.24	0.528
110	36330-75310	DICHTUNG	1				0.005	0.011
120	03024-60512	SCHRAUBE	5				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	36919-54222	ZUENDSCHALTERARBEIT.	1				0.04	0.088
020	68311-53800	ANLASSERSCHALTER	1				0	0
030	68051-53210	ANLASSERSCHALTER	1				0	0
040	66706-55150	AUFKLEBER	1				0.001	0.0022
050	RC101-53630	GRP.SCHLUESSEL	1				0.032	0.0704
060	54611-41120	ABDECKUNG ANLASSER	1				0.012	0.0264
070	68551-53210	ABDECKUNG	1				0.04	0.088
080	68191-53152	ZAEHLER	1				0.66	1.452
082	68391-53160	GRP. GLAS	1				0.11	0.242
084	68391-53170	GRP. KRAFTSTOFF	1				0.053	0.1166
086	68391-53180	GRP. WASSER TEMPERAT	1				0.048	0.1056
087	68191-53160	GRP.KASTEN	1				0.226	0.4972
088	68191-53190	STUNDENMESSER	1				0.2	0.44
089	68391-53140	KAPUZE	1				0.118	0.2596
090	68191-53220	KABEL ZAEHLER	1				0.35	0.77
100	68311-53230	KABEL STOP	1				0.15	0.33
110	68311-53120	PLATTE	1				0.015	0.033
120	03614-50410	SCHRAUBE	2				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-53310	KABELGESCHIRR	1				0.56	1.232
012	68311-53470	SICHERUNGSKASTEN	1				0.028	0.0616
014	68311-53480	HALTER	1				0.015	0.033
016	36530-55520	SICHERUNGSKASTEN	1				0.015	0.033
018	68311-53490	DECKEL	1				0.01	0.022
020	03014-60620	SCHRAUBE	2				0.005	0.011
030	04013-60060	SCHEIBE	2				0.001	0.0022
040	04512-60060	FEDERRING	2				0.001	0.0022
050	68191-53320	KABELGESCHIRR	1				0.515	1.133
060	68191-53350	KABELGESCHIRR	1				0.02	0.044
070	68271-65900	MONT.ANSCHLUBKLEMME	1				0.001	0.0022
080	68741-53400	MONT.ANSCHLUBKLEMME	1				0.002	0.0044
090	68311-53390	SCHLAUCH	1	<=11180			0.001	0.0022
090	68311-53370	SCHLAUCH	1	>=11181	←		0.005	0.011
100	35340-29380	KABELKLEMME	1				0.01	0.022
110	34150-29390	KABELKLEMME	1				0.004	0.0088
120	90038-11180	KLAMMER	3	<=11238			0.02	0.044
130	55311-41260	KORDBAND	8				0.007	0.0154
140	68331-52480	KABELKLEMME	2	<=11080			0.003	0.0066
140	55311-41260	KORDBAND	2	>=11081	↔		0.007	0.0154
150	68011-51160	KABELKLEMME	5			KE KDG KUK	0.008	0.0176
150	68011-51160	KABELKLEMME	7			KTC KCL KTA	0.008	0.0176
160	01133-61016	BOLZEN	8	<=11238			0.018	0.0396
160	01133-61016	BOLZEN	5	>=11239			0.018	0.0396
170	90038-11170	KLAMMER	1				0.025	0.055
180	01133-61016	BOLZEN	1				0.018	0.0396
190	36200-77610	GRP.KABELKLEMME	3				0.002	0.0044
200	68191-53330	KABELGESCHIRR	1				0.11	0.242
210	55311-41260	KORDBAND	2				0.007	0.0154
220	68311-53380	SCHLAUCH	1				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-42610	PUMPENGEHAEUSE	1	<=11293			11.5	25.3
010	68191-42615	PUMPENGEHAEUSE	1	>=11294	≠		10.7	23.54
020	01133-61030	BOLZEN	2				0.023	0.0506
030	01123-60820	BOLZEN	2				0.015	0.033
040	01123-60840	BOLZEN	2				0.015	0.033
050	01153-60803	BOLZEN	4				0.005	0.011
060	04512-60080	FEDERRING	5	<=11293			0.002	0.0044
060	04512-60080	FEDERRING	4	>=11294			0.002	0.0044
070	68841-42630	BOLZEN	1	<=11293			0.05	0.11
080	02114-60080	MUTTER	1	<=11293			0.002	0.0044
085	05012-00814	ZYLINDERSTIFT	1	>=11294			0.006	0.0132
090	05012-00814	ZYLINDERSTIFT	1				0.006	0.0132
100	68311-42620	FLANSCH ROHRVERSCHRA	1				0	0
110	70722-32150	ANSCHLUSS GUMMI	3				0.031	0.0682
120	68841-42660	BOLZEN	3	<=11126			0.03	0.066
120	68311-42660	BOLZEN	3	>=11127	←		0.017	0.0374
130	68311-42650	SCHEIBE	3	<=11126			0.02	0.044
130	68493-42710	SCHEIBE	3	>=11127	←		0.02	0.044
140	04512-60100	FEDERRING	3				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61112	MONT.PUMPE GETR.	1				5.7	12.54
020	68741-72210	FLANSCH	1				0.457	1.0054
030	68391-73090	FLANSCH	2				0.6	1.32
040	68741-72230	DECKEL	1				0.39	0.858
050	68051-91850	VERSCHLUSSRING	2				0.001	0.0022
060	68391-73070	KUPPLUNG	2				0.03	0.066
070	68271-91240	STIFT	10				0.004	0.0088
080	68741-72250	SCHEIBE	4				0.002	0.0044
090	68191-73060	BOLZEN	4				0.15	0.33
100	68051-92090	MUTTER	4				0.01	0.022
110	68051-91890	KEIL	6				0.001	0.0022
120	68391-73370	GRP.DICHTUNGEN	1				0.025	0.055
130	36330-82320	OELDICHTUNGSRING	1				0.01	0.022
140	68051-91910	O RING	6				0.001	0.0022
150	35430-12870	ELEMENT DICHTUNG	6				0.003	0.0066
160	68051-91880	ELEMENT STUTZ	6				0.001	0.0022
170	01123-60825	BOLZEN	4				0.012	0.0264




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-14430	REGELUNGSVENTILFEDER	2				5	11
020	68191-11170	BOLZEN	16				0.03	0.066
030	04512-60100	FEDERRING	16				0.002	0.0044
040	68198-61290	MONTAGE RADMOTOR	2				18.2	40.04
050	68191-13320	DICHTUNGEN	2				0.45	0.99
060	68191-13330	LAGER	2				0.75	1.65
070	68191-13340	RINGMUTTER	2				0.13	0.286
080	68311-13350	STOPFEN	4				0.01	0.022
090	07715-03205	KUGEL	192				0.001	0.0022
100	68311-13380	STOPFEN	6				0.003	0.0066
110	68191-13390	GETRIEBE	8				0.09	0.198
120	68191-13410	ROLLENLAGER	8				0.01	0.022
130	68191-13420	HUELSE	8				0.03	0.066
140	68191-13430	SCHEIBE	8				0.01	0.022
150	68191-13440	PLATTE	2				0.1	0.22
160	68191-13450	SCHRAUBE	8				0.005	0.011
170	68191-13460	GETRIEBE	2				0.08	0.176
180	04612-00300	SPRENGRINGAUSSEN	2				0.003	0.0066
190	99999-99999	LEERE SPALTE	0				0	0
200	68191-13490	GETRIEBE	6				0.1	0.22
210	68191-13510	ROLLENLAGER	6				0.008	0.0176
220	68191-13520	LAGER	6				0.005	0.011
230	05411-00512	FEDERSTIFT	6				0.001	0.0022
240	68191-13540	ANTRIEBSRAD	2				0.09	0.198
250	68191-13550	PLATTE	2				0.15	0.33
250	68191-13560	PLATTE	2				0.12	0.264
250	68191-13570	PLATTE	2				0.1	0.22
260	68191-13580	DECKEL	2				0.84	1.848
270	04811-51150	O RING	2				0.004	0.0088
280	68191-13610	DRAHT	2				0.01	0.022
290	68311-13620	STOPFEN	4				0.02	0.044
300	68191-70610	WELLE	2				0.19	0.418
310	68311-70620	KUGELLAGER	2				0.09	0.198
320	68191-70630	OELDICHTUNGSRING	2				0.01	0.022
330	68191-70640	SCHEIBEPLATTE	2				0.25	0.55
340	68311-70650	STIFT	2				0.004	0.0088
350	68191-70690	HALTERUNG	2				0.007	0.0154
360	68191-70680	FEDER	2				0.012	0.0264
370	68191-70670	SCHEIBE	2				0.003	0.0066
380	68191-70830	SPRENGRING	2				0.001	0.0022
390	68191-70710	STIFT	6				0.001	0.0022
400	68191-70720	ARRETIERUNGHOLTER	2				0.017	0.0374
410	68191-70730	HALTEPLATTE	2				0.05	0.11
420	68191-70750	PLATTE VENTIL	2				0.1	0.22
430	68493-71450	ZYLINDERSTIFT	4				0.003	0.0066
440	68191-70760	KUGELLAGER	2				0.024	0.0528
450	04811-51000	O RING	2				0.003	0.0066
460	68311-72220	REGELUNGSVENTIL	4				0.003	0.0066
470	68311-72230	FEDER	4				0.001	0.0022
480	68311-72240	STOPFEN	4				0.008	0.0176
490	68311-72250	O RING	4				0.001	0.0022
500	68768-73280	SITZFEDER	4				0.005	0.011
510	68768-73270	FEDER	4				0.01	0.022
520	68191-72280	KAPPE	4				0.15	0.33
530	04810-00240	O RING	4				0.001	0.0022
540	68311-72410	OELLOCH	4				0.005	0.011
550	68499-72560	STIFT	2				0.001	0.0022
560	68311-72330	BOLZEN	12				0.013	0.0286
570	68651-72380	STOPFEN	4				0.018	0.0396
580	04810-00110	O RING	4				0.001	0.0022
590	68191-72900	MONT.DICHTUNG	2				0.47	1.034
600	68191-70600	MONT.KOLBEN	2				0.638	1.4036
610	68191-72500	MONT.PLATTE	2				3.3	7.26
620	68191-70700	MONT.ZYLINDER KOLBEN	2				0.75	1.65
630	01156-61022	BOLZEN	18				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61282	SCHWINGUNGSMOTOR	1	<=11930			0	0
010	68191-61283	SCHWINGUNGSMOTOR	1	>=11931	←		19	41.8
020	68191-69100	MONTAGE GETRIEBE	1				7.15	15.73
030	68311-69170	ARRETIERUNGSDICHTUNG.	1				0.003	0.0066
040	68311-69150	X RINGDICHTUNGEN	1				0.01	0.022
050	68311-69160	STUETZDICHTUNGEN	1				0.005	0.011
060	68311-69190	O RING	1				0.006	0.0132
070	68311-69210	BOLZEN	4				0.045	0.099
080	68311-69220	SCHEIBE	4				0.006	0.0132
090	68191-69300	MONTAGE MOTOR	1				16.5	36.3
100	68311-69240	O RING	2				0.003	0.0066
110	68311-69260	O RING	1				0.005	0.011
120	68311-69310	DICHTUNGEN	1				0.005	0.011
130	68311-69330	DICHTUNGEN	1				0.01	0.022
140	68311-69370	O RING	3				0.002	0.0044
150	68311-69380	KUGEL	2				0.002	0.0044
160	68311-69390	STOPFEN	2				0.01	0.022
170	68311-69410	O RING	2				0.003	0.0066
180	68311-69430	STOPFEN	1				0.01	0.022
190	68311-69440	O RING	1				0.002	0.0044
200	68191-69450	BOLZEN	4				0.075	0.165
210	68191-69470	O RING	1				0.005	0.011
220	68191-69850	MONT.VENTIL BREMSE	1				3.22	7.084
230	68191-69860	GRP.UEBERDRUCKVENTIL	2				0.16	0.352
240	68311-69870	O RING	4				0.05	0.11
250	68311-69880	ZWISCHENSTUECK	2				0.1	0.22
260	68311-69890	O RING	4				0.003	0.0066
270	68311-69480	MANSCHETTE DICHTUNG	1			OPTION	0.01	0.022
280	68191-69490	MONT.DICHTUNG MOTOR	1			OPTION	0.01	0.022
290	01176-61435	BOLZEN	4				0.06	0.132
300	04512-60140	FEDERRING	4				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-62300	MONT.KNOCHENGELNK	1	<=11223			6.8	14.96
010	68191-62302	MONT.KNOCHENGELNK	1	>=11224	≠		6	13.2
020	68191-62320	WELLE KNOCHENGELNK	1				2.6	5.72
030	68191-62410	DICHTUNG U	1				0.01	0.022
040	04810-00400	O RING	7				0.002	0.0044
050	68051-62370	STUETZRING	12				0.001	0.0022
060	68191-62310	KOERPERKNOCHENGELNK	1	<=11223			2.6	5.72
060	68191-62312	KOERPERKNOCHENGELNK	1	>=11224	≠		3.4	7.48
070	68721-62350	HUELSE	1				0.035	0.077
080	04612-00350	SPRENGRING AUSSEN	1				0.01	0.022
090	04811-10550	O RING	1	<=11223			0.001	0.0022
090	04811-10560	O RING	1	>=11224	≠		0.002	0.0044
100	68721-62330	DECKEL	1				0.25	0.55
110	01123-60820	BOLZEN	3				0.015	0.033
120	68311-13380	STOPFEN	6				0.003	0.0066
130	68191-62350	STOPFEN	1				0.32	0.704
140	01123-60820	BOLZEN	2				0.015	0.033
150	01133-61030	BOLZEN	3				0.023	0.0506
160	04015-60100	SCHEIBE	3				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-62110	DRUCKOELTANK	1				11.2	24.64
020	68198-62140	DECKEL	1				0.7	1.54
030	68701-62140	DICHTUNG	1	<=12180			0	0
030	68198-62160	DICHTUNG NA	1	>=12181	←		0.005	0.011
040	01123-60816	BOLZEN	6				0.01	0.022
050	68198-62150	DECKEL	1				0.85	1.87
060	68311-62170	DICHTUNG	1				0	0
070	01123-60816	BOLZEN	6				0.01	0.022
080	06311-55100	STOPFEN	1	<=11634			0.3	0.66
080	68311-62210	STOPFEN	1	>=11635	←		0.22	0.484
090	04717-03400	GUMMIUNTERLAGE	1				0.018	0.0396
100	68191-62160	STUETZE FILTER	1				0.84	1.848
110	04811-00210	O RING	1				0.001	0.0022
120	06311-55040	STOPFEN	1				0.093	0.2046
130	04717-02150	GUMMIUNTERLAGE	1				0.004	0.0088
140	68191-62180	ANSAUGEFILTER	1				0.19	0.418
150	68701-62192	FILTER	1				0.44	0.968
160	01133-61225	BOLZEN	4				0.037	0.0814
170	04013-60120	SCHEIBE	4				0.01	0.022
180	68741-62170	ENTLUFTUNGSVENTIL	1				0.128	0.2816
190	15241-05140	PLATTE ELEMENT	1				0.009	0.0198
200	15296-05430	DICHTUNG DECKEL NA	2				0.002	0.0044
210	15241-05670	ENTLUEFTUNGSELEMENT	1				0.008	0.0176
220	01053-60620	BOLZEN	2			KE KDG KUK	0.007	0.0154
220	01023-50620	BOLZEN	2			KTC KCL KTA	0.006	0.0132
230	04512-60060	FEDERRING	2			KE KDG KUK	0.001	0.0022
240	68191-62190	SCHLAUCH	1				0.02	0.044
250	10244-42320	ROHRKLEMME	1				0.001	0.0022
260	68841-62160	OEL-MESS-STAB HEBEL.	1				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61133	GRP.REGELUNGSVENTIL	1	<=11560			0	0
010	68191-61134	GRP.REGELUNGSVENTIL	1	>=11561	←		18	39.6
020	68311-61540	KISSEN	2	<=11360			0.208	0.4576
020	68151-61170	DISTANZSCHEIBE	2	>=11361	↔		0.005	0.011
030	68311-61550	KISSEN	3	<=11360			0.003	0.0066
040	68311-61560	HUELSE	3	<=11360			0.01	0.022
050	68311-61570	SCHEIBE	5	<=11360			0.005	0.011
060	01155-60835	BOLZEN	3	<=11360			0.015	0.033
060	01173-61035	BOLZEN	3	>=11361	≠		0.023	0.0506
070	04512-60080	FEDERRING	3	<=11360			0.002	0.0044
070	04512-60100	FEDERRING	3	>=11361	≠		0.002	0.0044
080	02552-50080	MUTTER	2	<=11360			0.005	0.011
080	02118-60100	MUTTER	2	>=11361	≠		0.006	0.0132
090	04810-00140	O RING	15				0.001	0.0022
100	04810-00180	O RING	2				0.001	0.0022
110	68881-34930	KNIESTUECK	1				0.18	0.396
120	68721-68330	KRUEMMER ANSCHL.ST.	1	<=11126			0.1	0.22
120	68881-34920	KNIESTUECK	1	>=11127	↔		0.15	0.33
130	68741-68390	KOERPER	1				0.085	0.187
140	68391-68220	ROHRSCHALTUNG	1				0.18	0.396
150	68191-61830	ROHRSCHALTUNG	1				0.22	0.484
160	68191-61710	ROHRSCHALTUNG	2				0.12	0.264
170	68051-63970	KOERPER	5				0.07	0.154
180	68191-61810	ROHRSCHALTUNG	1				0.11	0.242
190	68191-61720	ROHRSCHALTUNG	1				0.2	0.44
200	68881-34930	KNIESTUECK	1				0.18	0.396
210	68051-63970	KOERPER	1				0.07	0.154
220	68171-76440	ZWISCHENSTUECK	1				0.03	0.066




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61134	GRP.REGELUNGSVENTIL	1				18	39.6
020	68151-61170	DISTANZSCHEIBE	2				0.005	0.011
030	01173-61032	BOLZEN	3				0.024	0.0528
040	04512-60100	FEDERRING	3				0.002	0.0044
050	02118-60100	MUTTER	2				0.006	0.0132
060	04810-00140	O RING	15				0.001	0.0022
070	04810-00180	O RING	2				0.001	0.0022
080	68881-34930	KNIESTUECK	1				0.18	0.396
090	68881-34920	KNIESTUECK	1				0.15	0.33
100	68198-64210	REGELUNGSVENTIL	1				0.95	2.09
110	68311-64230	VENTILKEGEL	1				0.02	0.044
120	68311-64330	FEDER	1				0.02	0.044
130	68311-64250	GEHAEUSE	1				0.08	0.176
140	04810-00180	O RING	1				0.001	0.0022
150	68311-61890	ROHRSCHALTUNG	1				0.02	0.044
160	68198-64280	ROHRSCHALTUNG	1				0.046	0.1012
170	68391-68220	ROHRSCHALTUNG	1				0.18	0.396
180	68191-61830	ROHRSCHALTUNG	1				0.22	0.484
190	68191-61710	ROHRSCHALTUNG	2				0.12	0.264
200	68051-63970	KOERPER	5				0.07	0.154
210	68191-61810	ROHRSCHALTUNG	1				0.11	0.242
220	68191-61720	ROHRSCHALTUNG	1				0.2	0.44
230	68881-34930	KNIESTUECK	1				0.18	0.396
240	68051-63970	KOERPER	1				0.07	0.154
250	68171-76440	ZWISCHENSTUECK	1				0.03	0.066




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61133	GRP.REGELUNGSVENTIL	1	<=11560			0	0
010	68191-61134	GRP.REGELUNGSVENTIL	1	>=11561	←		18	39.6
020	68151-70310	MONT.AUSLASSVENTIL	1				1.3	2.86
030	68191-70310	MONT.AUSLASSVENTIL	1				1.25	2.75
040	68191-70180	MONT.WALZEVENTIL	1				1.82	4.004
050	68191-70170	MONT.WALZEVENTIL	1	<=11560			0	0
050	68191-70172	MONT.WALZEVENTIL	1	>=11561	←		1.7	3.74
060	68191-70160	MONT.WALZEVENTIL	1				1.71	3.762
070	68191-70150	MONT.WALZEVENTIL	1				2.35	5.17
080	68191-70140	MONT.WALZEVENTIL	1				1.65	3.63
090	68191-70130	MONT.WALZEVENTIL	1				1.71	3.762
100	68191-70120	MONT.VENTILDISTANZR.	1				2.15	4.73
110	68191-70390	DISTANZSCHEIBE	1				1.5	3.3
120	04810-00180	O RING	2				0.001	0.0022
130	68191-70490	STOPFEN	2				0.07	0.154
140	04811-50550	O RING	1				0.002	0.0044
150	04810-00140	O RING	1				0.001	0.0022
160	68191-70410	STOPFEN	1				0.05	0.11
170	68493-70310	VENTILKEGEL	1				0.01	0.022
180	68493-70620	VENTILKEGEL	2				0.01	0.022
190	68191-70110	MONT.WALZEVENTIL	1				1.71	3.762
200	68511-70050	MONTAGE RELIEFVENTIL	5				0.15	0.33
210	68191-70020	GRP.UEBERDRUCKVENTIL	1				0.23	0.506
220	68191-70010	GRP.UEBERDRUCKVENTIL	1				0.24	0.528
230	68151-70510	MONTAGE STECKER	2				0.03	0.066
240	68021-81370	MUTTER	6				0.005	0.011
250	68701-70130	SPURSTANGE	3				0.15	0.33




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70180	MONT.WALZEVENTIL	1				1.82	4.004
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70170	MONT.WALZEVENTIL	1	<=11560			0	0
010	68191-70172	MONT.WALZEVENTIL	1	>=11561	←		1.7	3.74
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70160	MONT.WALZEVENTIL	1				1.71	3.762
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68841-70180	FEDER	1				0.02	0.044
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
080	04811-00120	O RING	2				0.001	0.0022
090	04811-50550	O RING	1				0.002	0.0044
100	68701-71820	SCHRAUBE	2				0.005	0.011
110	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70150	MONT.WALZEVENTIL	1				2.35	5.17
020	68191-70420	KOLBEN	1	<=10898			0.01	0.022
020	68191-70580	KOLBEN	1	>=10899	←		0.008	0.0176
030	68191-70430	KAPPE	1				0.17	0.374
040	68191-70440	STOPFEN	1	<=10898			0.06	0.132
040	68191-70590	STOPFEN	1	>=10899	←		0.05	0.11
050	04810-00140	O RING	1				0.001	0.0022
060	04811-10220	O RING	2				0.001	0.0022
070	68191-70450	BOLZEN MANCHON	4				0.002	0.0044
080	68191-70460	HALTBUEGEL FEDER	1				0.05	0.11
090	68191-70470	FEDER	1				0.01	0.022
100	68191-70480	KAPPE	1				0.3	0.66
110	68701-71780	REGELUNGSVENTIL	2				0.005	0.011
120	68701-71790	REGELUNGSVENTILFEDER	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70140	MONT.WALZEVENTIL	1				1.65	3.63
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70130	MONT.WALZEVENTIL	1				1.71	3.762
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68841-70180	FEDER	1				0.02	0.044
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
080	04811-00120	O RING	2				0.001	0.0022
090	04811-50550	O RING	1				0.002	0.0044
100	68701-71820	SCHRAUBE	2				0.005	0.011
110	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70110	MONT.WALZEVENTIL	1				1.71	3.762
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
080	04811-00120	O RING	2				0.001	0.0022
090	04811-50550	O RING	1				0.002	0.0044
100	68701-71820	SCHRAUBE	2				0.005	0.011
110	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61152	GRP.REGELUNGSVENTIL	1				7.5	16.5
020	68311-61540	KISSEN	2	<=11360			0.208	0.4576
020	68151-61170	DISTANZSCHEIBE	2	>=11361	↔		0.005	0.011
030	68311-61550	KISSEN	3	<=11360			0.003	0.0066
040	68311-61560	HUELSE	3	<=11360			0.01	0.022
050	68311-61570	SCHEIBE	5	<=11360			0.005	0.011
060	01155-60835	BOLZEN	3	<=11360			0.015	0.033
060	01173-61035	BOLZEN	3	>=11361	≠		0.023	0.0506
070	04512-60080	FEDERRING	3	<=11360			0.002	0.0044
070	04512-60100	FEDERRING	3	>=11361	≠		0.002	0.0044
080	02552-50080	MUTTER	2	<=11360			0.005	0.011
080	02118-60100	MUTTER	2	>=11361	≠		0.006	0.0132
090	04810-00140	O RING	7				0.001	0.0022
100	04810-00180	O RING	1				0.001	0.0022
110	68191-68180	ROHRSCHALTUNG	1				0.29	0.638
120	68021-62440	KNIESTUECK	1				0	0
130	68241-76240	ZWISCHENSTUECK	1				0.046	0.1012
140	68741-68390	KOERPER	1				0.085	0.187
150	68051-63970	KOERPER	4	<=10898			0.07	0.154
150	68051-63970	KOERPER	2	>=10899			0.07	0.154
160	68051-63620	ZWISCHENSTUECK	2				0.06	0.132
170	68701-63350	ZWISCHENSTUECK	1	>=10899			0.2	0.44
180	68331-63230	KRUEMMER ANSCHL.ST.	1	>=10899			0	0
190	68051-64130	ZWISCHENSTUECK	1	>=10899			0.05	0.11
200	68221-68770	ZWISCHENSTUECK	1	>=10899			0	0




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-61152	GRP.REGELUNGSVENTIL	1				7.5	16.5
020	68151-70360	MONT.ANSAUGVENTIL	1				1.2	2.64
030	68151-70370	ANSAGEENGEGAEUSE	1				1.2	2.64
040	04811-50550	O RING	1				0.002	0.0044
050	68371-61330	AUSTRITTSCHNITT	1				0.6	1.32
060	68151-70220	MONT.WALZEVENTIL	1				0	0
070	68151-70210	MONT.WALZEVENTIL	1				0	0
080	68191-70210	MONT.WALZEVENTIL	1				1.7	3.74
090	68191-70030	GRP.UEBERDRUCKVENTIL	1				0.24	0.528
100	68389-61310	VENTILEINHEIT	1				0.11	0.242
110	68389-96120	O RING	1				0.001	0.0022
120	68389-61350	MUTTER	6				0.002	0.0044
130	68191-70530	SPURSTANGE	3				0.06	0.132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68151-70220	MONT.WALZEVENTIL	1				0	0
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHTUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68151-70210	MONT.WALZEVENTIL	1				0	0
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-70210	MONT.WALZEVENTIL	1				1.7	3.74
020	68701-71730	SCHRAUBE	1				0.01	0.022
030	68701-71740	SITZFEDER	2				0.01	0.022
040	68701-71750	FEDER	1				0.01	0.022
050	68701-71760	KAPPE	1				0.04	0.088
060	68701-71770	PLATTE DICHUNG	2				0.01	0.022
070	68701-71780	REGELUNGSVENTIL	1				0.005	0.011
080	68701-71790	REGELUNGSVENTILFEDER	1				0.005	0.011
090	68701-71810	SCHEIBEN-WISCHER	2				0.001	0.0022
100	04811-00120	O RING	2				0.001	0.0022
110	04811-50550	O RING	1				0.002	0.0044
120	68701-71820	SCHRAUBE	2				0.005	0.011
130	68701-71830	BOLZEN	2				0.005	0.011



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-65110	HALTER	1	<=11360			7.1	15.62
010	68191-65112	HALTER	1	>=11361	≠		6	13.2
020	01135-61020	BOLZEN	4				0.015	0.033
030	68191-65120	HALTER	1	<=10846			5.4	11.88
030	68191-65125	HALTER	1	>=10847	←		0	0
040	01135-61020	BOLZEN	4				0.015	0.033
050	08511-01615	BUCHSE	2				0.01	0.022
060	08511-01220	BUCHSE	2				0.004	0.0088
070	08511-01410	BUCHSE	2				0.005	0.011





↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-44233	GEHAEUSE LS	1	<=10407			3.56	7.832
010	68311-44234	GEHAEUSE LS	1	>=10408	←		0	0
020	68311-44240	STIFT	2				0.07	0.154
030	01123-60816	BOLZEN	2				0.01	0.022
040	68311-44220	DECKEL LS	1				0.41	0.902
050	03004-60612	SCHRAUBE	2				0.005	0.011
060	04013-60060	SCHEIBE	2				0.001	0.0022
070	68311-44260	FEDER	1				0.06	0.132
080	68311-44330	STOPFEN	1				0.04	0.088
090	01123-60820	BOLZEN	1				0.015	0.033
100	68311-44252	KIPPENHEBEL LS	1				0.215	0.473
110	08511-01420	BUCHSE	1				0.007	0.0154
120	68311-44270	FEDER	1				0.01	0.022
130	68311-44280	KIPPENHEBEL	1				0.18	0.396
140	68311-44290	KAPPE	1				0.01	0.022
150	04013-60100	SCHEIBE	1				0.004	0.0088
160	04512-60100	FEDERRING	1				0.002	0.0044
170	02118-60100	MUTTER	1				0.006	0.0132
180	68311-44485	GELAENDER	1				0.54	1.188
190	01123-60816	BOLZEN	2				0.01	0.022
200	99999-99999	LEERE SPALTE	0				0	0
210	68191-44310	HALTER LS	1			KE KDG KUK	0.5	1.1
210	68311-44310	HALTER LS	1			KTC KCL KTA	0.5	1.1
220	68311-44320	HEBEL	1				0.11	0.242
230	68311-44380	BOLZEN	1				0.03	0.066
240	04013-60080	SCHEIBE	2				0.002	0.0044
250	02114-60080	MUTTER	2				0.002	0.0044
260	68311-44430	FEDER	1				0.005	0.011
270	01133-61016	BOLZEN	2				0.018	0.0396
280	04013-60100	SCHEIBE	2				0.004	0.0088
290	68301-96380	GUMMITUELLE	1				0.005	0.011
300	01133-61035	BOLZEN	1				0.027	0.0594
310	04015-60100	SCHEIBE	1				0.015	0.033

KE KDG KUK



KTC KCL KTA




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68161-65362	STIFT	1				0.001	0.0022
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65210	ZWISCHENSTUECK	1				0.1	0.22
040	68311-65510	KABEL	1				0.73	1.606
050	68311-65230	KARDANGELENK	1				0.06	0.132
060	02114-60080	MUTTER	1				0.002	0.0044
070	04512-60080	FEDERRING	1				0.002	0.0044
080	68198-65240	HEBEL LS	1				0.42	0.924
085	08511-00810	BUCHSE	1				0.003	0.0066
090	68311-65250	STIFT	1				0.1	0.22
100	01023-60612	BOLZEN	1				0.008	0.0176
110	68311-65260	STIFT	1				0.14	0.308
120	68748-65550	NADELLAGER	1				0.03	0.066
130	08141-06002	KUGELLAGER	2				0.029	0.0638
140	04611-00320	SPRENGRING	2				0.002	0.0044
150	01125-60816	BOLZEN	1				0.01	0.022
160	68311-65270	HALTER LS	1				0.71	1.562
170	08511-01020	BUCHSE	2				0.005	0.011
180	68311-65360	HALTER LS	1				0.6	1.32
190	08511-02010	BUCHSE	2				0.01	0.022
200	08511-01510	BUCHSE	2				0.005	0.011
210	68311-65370	SCHEIBE	1				0.01	0.022
220	04612-00200	SPRENGRING AUSSEN	1				0.001	0.0022
230	68311-65380	STIFT	1				0.1	0.22
240	01023-60610	BOLZEN	1				0.01	0.022
250	68311-65390	HALTER LS	1				0.42	0.924
260	08511-01410	BUCHSE	2				0.005	0.011
270	01133-61016	BOLZEN	3				0.018	0.0396
280	01173-61030	BOLZEN	1				0.022	0.0484
290	02118-60100	MUTTER	1				0.006	0.0132
300	68311-65280	VERSCHLUSS	1				0.09	0.198
310	05112-50835	STIFT	1				0.016	0.0352
320	04013-60080	SCHEIBE	1				0.002	0.0044
330	05525-50800	SICHERUNGSSTIFT	1				0.001	0.0022
340	68311-44430	FEDER	1				0.005	0.011
350	68198-65320	HEBEL LS	1				0.25	0.55
360	68641-65330	BOLZEN	1				0.015	0.033
370	02112-60080	MUTTER	1				0.005	0.011
380	68641-65490	STIFT	1	<=11126			0.003	0.0066
380	68198-65490	STIFT	1	>=11127	←		0.003	0.0066
390	68641-65484	FEDER	1				0.002	0.0044
400	68641-65463	HUELSE	1				0.025	0.055
410	68641-65340	STIFT	1				0.01	0.022
420	04613-00050	SPRENGRING AUSSEN	2				0	0
430	68721-65270	GRIFF	1				0.04	0.088
440	68311-65350	BLASEBALG	1				0.21	0.462


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-65610	STIFT	2				0.001	0.0022
020	05525-50500	SICHERUNGSSTIFT	2				0	0
030	68191-65620	ZWISCHENSTUECK	1				0.13	0.286
040	68191-65630	ZWISCHENSTUECK	1				0.13	0.286
050	01155-60870	BOLZEN	2				0.03	0.066
060	04013-60080	SCHEIBE	2				0.002	0.0044
070	04512-60080	FEDERRING	2				0.002	0.0044
080	02114-60080	MUTTER	2				0.002	0.0044
090	68731-65250	SCHALTUNG	1				0.067	0.1474
100	68731-65240	MUTTER	1				0.01	0.022
110	68311-65910	STANGEN	1				0.11	0.242
120	68551-33250	SCHALTUNG	1				0.067	0.1474
130	02114-60100	MUTTER	1				0.008	0.0176
140	68311-65920	HEBEL	1				0.39	0.858
150	04011-50160	SCHEIBE	1				0	0
160	05511-50425	SPLINT	1				0.003	0.0066
170	68311-65930	EINSTELLBOLZEN	1				0.11	0.242
180	68311-65940	MUTTER	1				0.13	0.286
190	68311-65090	BOLZEN	2				0.03	0.066
200	02116-60100	MUTTER	2				0.004	0.0088
210	68311-65230	KARDANGELENK	2				0.06	0.132
220	02114-60080	MUTTER	2				0.002	0.0044
230	04512-60080	FEDERRING	2				0.002	0.0044
240	68391-65560	KABEL	1				0.89	1.958
250	68311-44190	DECKEL	1				0.01	0.022
260	68331-52480	KABELKLEMME	1	≤11080			0.003	0.0066
260	55311-41260	KORDBAND	1	≥11081	↔		0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-44410	GEHAEUSE RS	1			KE KDG KUK	4	8.8
010	68311-44413	GEHAEUSE RS	1			KTC KCL KTA	3.72	8.184
012	01155-60835	BOLZEN	1			KE KDG KUK	0.015	0.033
014	02112-60080	MUTTER	1			KE KDG KUK	0.005	0.011
020	68311-44240	STIFT	2				0.07	0.154
030	01123-60816	BOLZEN	2				0.01	0.022
040	68311-44440	DECKEL RS	1				0.42	0.924
050	03004-60612	SCHRAUBE	2				0.005	0.011
060	04013-60060	SCHEIBE	2				0.001	0.0022
070	68311-44260	FEDER	1				0.06	0.132
080	99999-99999	LEERE SPALTE	0				0	0
090	99999-99999	LEERE SPALTE	0				0	0
100	68311-44422	KIPPENHEBEL RS	1				0.19	0.418
110	08511-01420	BUCHSE	1				0.007	0.0154
120	68311-44270	FEDER	1				0.01	0.022
130	68311-44280	KIPPENHEBEL	1				0.18	0.396
140	68311-44290	KAPPE	1				0.01	0.022
150	04013-60100	SCHEIBE	1				0.004	0.0088
160	04512-60100	FEDERRING	1				0.002	0.0044
170	02118-60100	MUTTER	1				0.006	0.0132
180	90545-11340	STOPFEN	2			KE KDG KUK	0.002	0.0044
180	68198-44480	GELAENDR RS	1			KTC KCL KTA	0.068	0.1496
185	01123-60816	BOLZEN	2			KTC KCL KTA	0.01	0.022
190	68311-44400	MONT.HALTER RS	1				0.75	1.65
200	68311-44343	HALTER RS	1				0.6	1.32
210	68311-44320	HEBEL	1				0.11	0.242
220	68311-44380	BOLZEN	1				0.03	0.066
230	04013-60080	SCHEIBE	2				0.002	0.0044
240	02114-60080	MUTTER	2				0.002	0.0044
250	68311-44430	FEDER	1				0.005	0.011
260	01133-61016	BOLZEN	2				0.018	0.0396
270	04013-60100	SCHEIBE	2				0.004	0.0088
280	01133-61016	BOLZEN	1				0.018	0.0396
290	04015-60100	SCHEIBE	1				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-65440	HEBEL RS	1				0.4	0.88
020	68311-65250	STIFT	1				0.1	0.22
030	01023-60612	BOLZEN	1				0.008	0.0176
040	68311-65260	STIFT	1				0.14	0.308
050	68748-65550	NADELLAGER	1				0.03	0.066
060	08141-06002	KUGELLAGER	2				0.029	0.0638
070	04611-00320	SPRENGRING	2				0.002	0.0044
080	01125-60816	BOLZEN	1				0.01	0.022
090	68311-65450	HALTER RS	1				0.7	1.54
100	08511-01010	BUCHSE	2				0.003	0.0066
110	01133-61016	BOLZEN	4				0.018	0.0396
120	68311-65480	HALTER RS	1				0.8	1.76
130	08511-01410	BUCHSE	2				0.005	0.011
140	02174-60160	MUTTER	1				0.02	0.044
150	68198-65460	HEBEL RS	1				0.36	0.792
160	01133-61016	BOLZEN	3				0.018	0.0396
170	68541-65280	GRIFF	1				0	0
180	68311-65350	BLASEBALG	1				0.21	0.462
190	68161-65362	STIFT	1				0.001	0.0022
200	05525-50500	SICHERUNGSSTIFT	2				0	0
210	68191-65210	ZWISCHENSTUECK	1				0.1	0.22
220	68311-65560	KABEL	1				0.9	1.98
230	68311-44190	DECKEL	1				0.01	0.022
240	68331-52480	KABELKLEMME	1	≤11080			0.003	0.0066
240	55311-41260	KORDBAND	1	≥11081	↔		0.007	0.0154
250	68311-65230	KARDANGELENK	1				0.06	0.132
260	02114-60080	MUTTER	1				0.002	0.0044
270	04512-60080	FEDERRING	1				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68161-65362	STIFT	1				0.001	0.0022
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65210	ZWISCHENSTUECK	1				0.1	0.22
040	68311-65560	KABEL	1				0.9	1.98
050	68311-44190	DECKEL	1				0.01	0.022
060	68331-52480	KABELKLEMME	1	≤11080			0.003	0.0066
060	55311-41260	KORDBAND	1	≥11081	↔		0.007	0.0154
070	68311-65230	KARDANGELENK	1				0.06	0.132
080	02114-60080	MUTTER	1				0.002	0.0044
090	04512-60080	FEDERRING	1				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-65220	STIFT	1				0.003	0.0066
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65520	PLATTE	1				0.03	0.066
040	04013-60100	SCHEIBE	1				0.004	0.0088
050	05525-51000	SICHERUNGSSTIFT	1				0	0
060	68198-65572	FAHRBEWEGUNGHEBEL LS	1				1.5	3.3
070	68741-65360	NADELLAGER	2				0.02	0.044
080	68191-65550	STIFT	1				0.45	0.99
090	01176-61025	BOLZEN	1				0.02	0.044
100	04512-60100	FEDERRING	1				0.002	0.0044
110	59470-17850	GRIFF	1				0.062	0.1364
120	68161-65162	GUMMI BLASEBALG	1				0.062	0.1364




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-65220	STIFT	1				0.003	0.0066
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65520	PLATTE	1				0.03	0.066
040	04013-60100	SCHEIBE	1				0.004	0.0088
050	05525-51000	SICHERUNGSSTIFT	1				0	0
060	68198-65582	FAHRBEWEGUNGHEBEL RS	1				1.5	3.3
065	05122-51020	STIFT	1				0	0
070	68741-65360	NADELLAGER	2				0.02	0.044
080	68741-65430	KAPPE	1				0.001	0.0022
090	01176-61025	BOLZEN	1				0.02	0.044
100	04512-60100	FEDERRING	1				0.002	0.0044
110	59470-17850	GRIFF	1				0.062	0.1364
120	68161-65162	GUMMI BLASEBALG	1				0.062	0.1364




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-65840	RIEGESTIFT LS	1				0.095	0.209
020	68311-65850	RIEGESTIFT RS	1				0.1	0.22
030	68311-65860	RIEGELHEBEL LS	1				0.28	0.616
040	68311-65870	RIEGELHEBEL RS	1				0.11	0.242
050	04013-60140	SCHEIBE	4				0.01	0.022
060	68241-35190	FEDER PLATTE	2				0.003	0.0066
070	68198-65880	RIEGELHEBEL LS	1				0.53	1.166
080	68198-65890	RIEGELHEBEL RS	1				0.49	1.078
090	68311-65820	FEDER	2				0.02	0.044
100	04013-60100	SCHEIBE	2				0.004	0.0088
110	04013-60080	SCHEIBE	2				0.002	0.0044
120	01123-60814	BOLZEN	2				0.008	0.0176
130	37300-24560	GRIFF BESCHLEUNIGER	2				0.02	0.044
140	68311-65180	STOPFEN	2				0.005	0.011
150	68198-57310	AUFKLEBER	3	≥10847			0	0




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-65640	HEBEL	1				0.18	0.396
020	68311-65650	HUELSE	2				0.02	0.044
030	04612-00100	SPRENGRING AUSSEN	4				0.001	0.0022
040	68311-65660	FEDER	1				0.015	0.033
050	68311-65670	HEBEL	1				0.05	0.11
060	04013-60080	SCHEIBE	1				0.002	0.0044
070	04512-60080	FEDERRING	1				0.002	0.0044
080	02114-60080	MUTTER	1				0.002	0.0044
090	68191-65680	HEBEL	1				0.09	0.198
100	04013-60100	SCHEIBE	2				0.004	0.0088
110	68721-65740	FEDER PLATTE	1				0.002	0.0044
120	02118-60100	MUTTER	2				0.006	0.0132
130	68191-65690	HEBEL	1				0.18	0.396
140	68198-65720	PEDAL	1				0.3	0.66
150	65072-42140	BOLZEN KEIMLING	1				0.012	0.0264
160	02114-60080	MUTTER	1				0.002	0.0044
170	68311-65730	STOPFEN	1				0.03	0.066
180	68191-65970	BLASEBALG	1				0.03	0.066
190	68311-65952	HEBEL	1				0.17	0.374
200	68311-65650	HUELSE	2				0.02	0.044
210	04612-00100	SPRENGRING AUSSEN	4				0.001	0.0022
220	68311-65660	FEDER	1				0.015	0.033
230	68311-65960	HEBEL	1				0.05	0.11
240	04013-60080	SCHEIBE	1				0.002	0.0044
250	04512-60080	FEDERRING	1				0.002	0.0044
260	02114-60080	MUTTER	1				0.002	0.0044
270	68198-65980	HEBEL	1				0.2	0.44
280	31351-24130	GRIFF BESCHLEUNIGER	1				0.03	0.066
285	02116-60100	MUTTER	1				0.004	0.0088
290	04013-60080	SCHEIBE	1				0.002	0.0044
300	05525-50800	SICHERUNGSSSTIFT	1				0.001	0.0022
310	53227-73230	KEBELGUMMITUELLE	1				0.003	0.0066




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-65220	STIFT	1				0.003	0.0066
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65770	STANGEN	1				0.1	0.22
040	04013-60100	SCHEIBE	1				0.004	0.0088
050	05525-51000	SICHERUNGSSTIFT	1				0	0
055	68191-65760	MONT.HEBELPLANIER	1				0.6	1.32
060	68191-65780	HEBEL PLANIER	1				0.94	2.068
070	08511-01615	BUCHSE	2				0.01	0.022
080	04011-50160	SCHEIBE	1				0	0
090	05511-50425	SPLINT	1				0.003	0.0066
100	68198-65790	HEBEL PLANIER	1				0.94	2.068
110	01123-60816	BOLZEN	2				0.01	0.022
120	59470-17850	GRIFF	1				0.062	0.1364
130	68741-65580	GUMMI BLASEBALG	1				0.7	1.54




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68161-65362	STIFT	1				0.001	0.0022
020	05525-50500	SICHERUNGSSTIFT	1				0	0
030	68191-65210	ZWISCHENSTUECK	1				0.1	0.22
040	68311-65560	KABEL	1				0.9	1.98
050	68151-65750	ZWISCHENSTUECK	1				0.04	0.088
060	04013-60100	SCHEIBE	1				0.004	0.0088
070	05525-51000	SICHERUNGSSTIFT	1				0	0
080	68198-92100	GRP.GASHEBEL	1				0.035	0.077
090	99999-99999	LEERE SPALTE	0				0	0
100	08511-01220	BUCHSE	1				0.004	0.0088
110	05122-51245	STIFT	1				0	0
120	04013-60120	SCHEIBE	1				0.01	0.022
130	05511-50425	SPLINT	1				0.003	0.0066
140	68318-92180	PEDAL	1	<=11080			0.6	1.32
140	68318-92182	PEDAL	1	>=11081	←		0	0
150	68311-92192	STOPFEN	1	<=11080			0.02	0.044
150	68311-92170	STOPFEN	1	>=11081	←		0.015	0.033
160	01123-60820	BOLZEN	2				0.015	0.033
170	68161-65162	GUMMI BLASEBALG	1				0.062	0.1364
180	68311-44190	DECKEL	1				0.01	0.022
190	68331-52480	KABELKLEMME	1	<=11080			0.003	0.0066
190	55311-41260	KORDBAND	1	>=11081	↔		0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-93610	SCHLAUCH	1				0.6	1.32
020	68841-64130	ZWISCHENSTUECK	2				0.15	0.33
030	90038-11170	KLAMMER	1				0.025	0.055
040	68311-93680	ZWISCHENSTUECK	1				0.18	0.396
050	68311-93690	MUTTER	1				0.05	0.11
060	04011-50280	SCHEIBE	1				0	0
070	68198-93530	SCHLAUCH	1				0.26	0.572
080	68198-93540	SCHLAUCH	1				0.22	0.484
090	09318-89024	SCHLAUCHBINDER	2	<=11080			0.02	0.044
090	68311-72810	SCHLAUCHBINDER	2	>=11081	≠		0.02	0.044
100	55311-41260	KORDBAND	1				0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-63180	FLANSCH ANSAUGEN	2				0.49	1.078
020	68191-63190	FLANSCH ANSAUGEN	1				0.48	1.056
030	04811-00220	O RING	3				0.001	0.0022
040	01023-60640	BOLZEN	12				0.015	0.033
050	68191-63210	FLANSCH	3				0.57	1.254
060	04810-00200	O RING	3				0.001	0.0022
070	01023-60650	BOLZEN	12				0.015	0.033
080	99999-99999	LEERE SPALTE	0				0	0
090	68131-61730	ZWISCHENSTUECK	2				0	0
100	68331-63140	KRUEMMER ANSCHL.ST.	1				0.07	0.154
110	68191-63112	SCHLAUH ANSAUGEN	1				0.26	0.572
120	09318-89047	SCHLAUCHBINDER	4	≤11080			0.04	0.088
120	68311-72830	SCHLAUCHBINDER	4	≥11081	≠		0.03	0.066
120	68311-72830	SCHLAUCHBINDER	2	≥11590			0.03	0.066
130	68191-63123	ANSAUGROHR	1				1.4	3.08
140	01135-61020	BOLZEN	2				0.015	0.033
150	68191-63130	SCHLAUH ANSAUGEN	3				0.1	0.22
160	09318-89030	SCHLAUCHBINDER	12	≤11080			0.02	0.044
160	68311-72820	SCHLAUCHBINDER	12	≥11081	≠		0.03	0.066
160	68311-72820	SCHLAUCHBINDER	6	≥11590			0.03	0.066
170	68191-63230	SCHLAUCH	2				0.71	1.562
180	68191-63250	SCHLAUCH	1				0.38	0.836
190	68191-63260	SCHLAUCH	1				0.2	0.44
200	68191-63580	ROHR-HYDRAULISCHER	1				0.21	0.462
210	68221-68350	MUFFE	2				0.001	0.0022
220	68221-68340	MUTTER	2				0.018	0.0396






Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-63140	OLDRUCKREG.DER HAFEN	1				0.59	1.298
020	68198-63150	ROHR	1				0.08	0.176
030	68811-68920	KOERPER	2				0	0
040	68198-63160	ROHR	1				0.1	0.22
050	68811-68920	KOERPER	2				0	0
060	68198-63170	ROHR	1				0.085	0.187
070	68331-62680	KOERPER	2				0.05	0.11
080	06312-10020	STOPFEN	3				0.015	0.033






↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-63190	HUELSE	2				0.018	0.0396
020	68198-63152	ROHR	1				0.12	0.264
030	68331-62680	KOERPER	1				0.05	0.11
040	68198-63162	ROHR	1				0.132	0.2904
050	68331-62680	KOERPER	1				0.05	0.11
060	68198-63172	ROHR	1				0.12	0.264
070	68331-62680	KOERPER	1				0.05	0.11
080	68198-63110	HALTER	1				0.12	0.264
090	68198-63120	HALTER	1				0.28	0.616
100	68198-63130	GUMMI PUFFER	2				0.042	0.0924
110	01123-60845	BOLZEN	2				0.02	0.044
120	01135-61020	BOLZEN	1				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68171-63550	ZWISCHENSTUECK	1				0	0
020	68721-64590	ZWISCHENSTUECK	1				0.04	0.088
030	68191-63320	ROHR-HYDRAULISCHER	1				0.23	0.506
040	68741-68480	MUFFE	2				0.003	0.0066
050	68741-68460	MUTTER	2				0.024	0.0528
060	68131-63170	KNIESTUECK	1				0	0
070	68191-64262	ROHRSCHALTUNG	1				0.21	0.462
080	68191-63332	ROHR-HYDRAULISCHER	1	<=10898			0	0
080	68191-63333	ROHR-HYDRAULISCHER	1	>=10899	←		0.2	0.44
090	68741-68480	MUFFE	2				0.003	0.0066
100	68741-68460	MUTTER	2				0.024	0.0528
110	68191-63340	RUECKLEITUNG	1				1.22	2.684
120	68741-68410	KOERPER	1				0	0
130	99999-99999	LEERE SPALTE	0				0	0
140	68191-64280	ROHRSCHALTUNG	1				0.1	0.22
150	68191-63350	RUECKLENKURBEL	1				0.1	0.22
160	09318-89033	SCHLAUCHBINDER	4	<=11080			0.03	0.066
160	68311-72820	SCHLAUCHBINDER	4	>=11081	≠		0.03	0.066
160	68311-72820	SCHLAUCHBINDER	2	>=11590			0.03	0.066
170	68741-64560	ANSCHLUSSTEIL	1				0.04	0.088
180	68151-63420	SCHLAUCH GEWINN	1				0.1	0.22
190	68191-63440	SCHLAUCH	1				0.001	0.0022
200	09318-89020	SCHLAUCHBINDER	2	<=11080			0.02	0.044
200	68311-72810	SCHLAUCHBINDER	2	>=11081	≠		0.02	0.044
210	68151-63430	SCHLAUCH GEWINN	1				0.115	0.253
220	09318-89020	SCHLAUCHBINDER	2	<=11080			0.02	0.044
220	68311-72810	SCHLAUCHBINDER	2	>=11081	≠		0.02	0.044
230	68191-63450	SCHLAUCH	1				0.06	0.132
240	06312-10040	STOPFEN	1				0.04	0.088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68171-63550	ZWISCHENSTUECK	1				0	0
020	68721-64590	ZWISCHENSTUECK	1				0.04	0.088
030	68198-63320	SCHLAUCH	1				0.1	0.22
040	68311-72810	SCHLAUCHBINDER	2				0.02	0.044
050	68191-64280	ROHRSCHALTUNG	1				0.1	0.22
070	99999-99999	LEERE SPALTE	0				0	0
080	68191-63330	ROHR-HYDRAULISCHER	1				0.21	0.462
090	68741-68480	MUFFE	2				0.003	0.0066
100	68741-68460	MUTTER	2				0.024	0.0528
110	68191-63340	RUECKLEITUNG	1				1.22	2.684
120	68741-68410	KOERPER	1				0	0
130	99999-99999	LEERE SPALTE	0				0	0
140	68191-64280	ROHRSCHALTUNG	1				0.1	0.22
150	68191-63350	RUECKLENKURBEL	1				0.1	0.22
160	68311-72820	SCHLAUCHBINDER	2				0.03	0.066
170	99999-99999	LEERE SPALTE	0				0	0
180	68151-63420	SCHLAUCH GEWINN	1				0.1	0.22
190	68191-63440	SCHLAUCH	1				0.001	0.0022
200	68311-72810	SCHLAUCHBINDER	2				0.02	0.044
210	68151-63430	SCHLAUCH GEWINN	1				0.115	0.253
220	68311-72810	SCHLAUCHBINDER	2				0.02	0.044
230	68191-63450	SCHLAUCH	1				0.06	0.132
240	06312-10040	STOPFEN	1				0.04	0.088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-93510	OELKUEHLER	1				0.85	1.87
020	68191-93730	ZWISCHENSTUECK	2				0.05	0.11
030	68191-93720	HUELSE	3				0	0
040	01125-60816	BOLZEN	3				0.01	0.022
050	68671-63670	SCHLAUCH	1				0.12	0.264
060	68191-63380	SCHLAUCH	1				0.2	0.44
065	68721-64630	ROHR SPIRAL	2				0.02	0.044
070	09318-89024	SCHLAUCHBINDER	4	≤11080			0.02	0.044
070	68311-72810	SCHLAUCHBINDER	4	≥11081	≠		0.02	0.044
080	68198-93520	SCHLTUNGROHR	1				0.07	0.154
090	69371-65280	RUECKLENKURBEL	1				0.12	0.264
100	09318-89024	SCHLAUCHBINDER	2	≤11080			0.02	0.044
100	68311-72810	SCHLAUCHBINDER	2	≥11081	≠		0.02	0.044
110	55311-41260	KORDBAND	1				0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68301-64110	OELKUEHLER	1				1	2.2
020	01023-60612	BOLZEN	4				0.008	0.0176
030	04013-60060	SCEIBE	2				0.001	0.0022
040	68391-63380	SCHLAUCH	1				0	0
050	68198-93520	SCHLTUNGROHR	1				0.07	0.154
060	68198-63390	SCHLAUCH	1				0.2	0.44
070	09318-89024	SCHLAUCHBINDER	2				0.02	0.044
080	55311-41260	KORDBAND	2				0.007	0.0154
090	RC101-64530	SCHLAUCH	1				0.16	0.352
100	68311-72810	SCHLAUCHBINDER	4				0.02	0.044
110	68311-64150	STREBE	1				0.15	0.33
120	01123-60814	BOLZEN	2				0.008	0.0176




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68499-83730	ZWISCHENSTUECK	2				0	0
020	04810-00110	O RING	2				0.001	0.0022
030	68311-61890	ROHRSCHALTUNG	1				0.02	0.044
040	68221-68330	KOERPER	2				0	0
050	68171-76440	ZWISCHENSTUECK	2				0.03	0.066
060	68191-64590	ROHRSCHALTUNG	1				0.05	0.11
070	68191-63710	SCHLAUCH	1				0.45	0.99
080	68191-63750	SCHLAUCH	1				0.45	0.99
090	68191-63720	SCHLAUCH	1				0.15	0.33
100	68191-63730	SCHLAUCH	1				0.02	0.044
110	09318-89024	SCHLAUCHBINDER	2	<=11080			0.02	0.044
110	68311-72810	SCHLAUCHBINDER	2	>=11081	≠		0.02	0.044
120	68191-63840	ROHR-HYDRAULISCHER	1				0.23	0.506
130	68221-68350	MUFFE	2				0.001	0.0022
140	68221-68340	MUTTER	2				0.018	0.0396
150	68191-63850	ROHR-HYDRAULISCHER	1				0.26	0.572
160	68221-68350	MUFFE	2				0.001	0.0022
170	68221-68340	MUTTER	2				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68499-83730	ZWISCHENSTUECK	2				0	0
020	04810-00110	O RING	2				0.001	0.0022
030	68311-61890	ROHRSCHALTUNG	1				0.02	0.044
040	68221-68750	KOERPER	2				0	0
050	68171-76440	ZWISCHENSTUECK	2				0.03	0.066
060	68191-63710	SCHLAUCH	1				0.45	0.99
070	68191-63750	SCHLAUCH	1				0.45	0.99
080	68191-63720	SCHLAUCH	1				0.15	0.33
090	68191-63730	SCHLAUCH	1				0.02	0.044
100	09318-89024	SCHLAUCHBINDER	2	≤11080			0.02	0.044
100	68311-72810	SCHLAUCHBINDER	2	≥11081	≠		0.02	0.044
110	68191-63860	ROHR-HYDRAULISCHER	1				0.22	0.484
120	68221-68350	MUFFE	2				0.001	0.0022
130	68221-68340	MUTTER	2				0.018	0.0396
140	68191-63870	ROHR-HYDRAULISCHER	1				0.28	0.616
150	68221-68350	MUFFE	2				0.001	0.0022
160	68221-68340	MUTTER	2				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68051-63970	MONT.VARBINDUNG	2	<=10898			0.07	0.154
010	68051-63620	ZWISCHENSTUECK	2	>=10899	≠		0.06	0.132
020	04810-00140	O RING	3				0.001	0.0022
030	68051-64130	ZWISCHENSTUECK	1				0.05	0.11
040	68311-61890	ROHRSCHALTUNG	1				0.02	0.044
050	68191-63673	SCHLAUCH	1				0.09	0.198
060	09318-89024	SCHLAUCHBINDER	2	<=11080			0.02	0.044
060	68311-72810	SCHLAUCHBINDER	2	>=11081	≠		0.02	0.044
070	68191-63610	ROHR-HYDRAULISCHER	1	<=10898			0.14	0.308
070	68151-63610	SCHLAUCH	1	>=10899	≠		0.18	0.396
072	68221-68350	MUFFE	2	<=10898			0.001	0.0022
074	68221-68340	MUTTER	2	<=10898			0.018	0.0396
080	68191-63620	ROHR-HYDRAULISCHER	1	<=10898			0.23	0.506
080	68151-63620	SCHLAUCH	1	>=10899	≠		0.21	0.462
090	68221-68350	MUFFE	2	<=10898			0.001	0.0022
100	68221-68340	MUTTER	2	<=10898			0.018	0.0396




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68051-63620	ZWISCHENSTUECK	2				0.06	0.132
020	04810-00140	O RING	3				0.001	0.0022
030	68051-64130	ZWISCHENSTUECK	1				0.05	0.11
040	68198-61890	ROHRSCHALTUNG	1				0.044	0.0968
050	68198-63670	SCHLAUCH	1				0.15	0.33
060	68311-72810	SCHLAUCHBINDER	2				0.02	0.044
070	68151-63610	SCHLAUCH	1				0.18	0.396
080	68151-63620	SCHLAUCH	1				0.21	0.462




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-68480	ROHRSCHALTUNG	2				0.09	0.198
020	68191-63630	SCHLAUCH	1				0.4	0.88
030	68191-63640	SCHLAUCH	1				0.4	0.88




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68331-63230	KRUEMMER ANSCHL.ST.	2	<=10775			0	0
010	35533-63380	KNIESTUECK	1	>=10776	←		0	0
015	56713-28130	SWISCHENSTUECKZYLIN.	1	>=10776			0.052	0.1144
020	68198-68310	ROHR-HYDRAULISCHER	1				0.4	0.88
030	68198-68320	ROHR-HYDRAULISCHER	1				0.3	0.66
040	68318-68740	KLAMMER	1				0.04	0.088
050	01133-61030	BOLZEN	1				0.023	0.0506
060	01133-61020	BOLZEN	1				0.02	0.044
070	68198-63930	SCHLAUCH	2	<=10775		KE KDG KUK	0	0
070	68198-63932	SCHLAUCH	2	>=10776	←	KE KDG KUK	0.22	0.484
070	68191-63933	SCHLAUCH	2			KTC KCL KTA	0.19	0.418
080	68198-63530	SCHLAUCH	1			KE KDG KUK	1.4	3.08
080	68191-63533	SCHLAUCH	1			KTC KCL KTA	1.118	2.4596
090	68198-63540	SCHLAUCH	1			KE KDG KUK	0.08	0.176
090	68191-63543	SCHLAUCH	1			KTC KCL KTA	0.439	0.9658




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-68620	ROHR-HYDRAULISCHER	1				0.22	0.484
020	68198-68630	ROHR-HYDRAULISCHER	1				0.24	0.528
030	68318-68760	KLAMMER	2				0.09	0.198
040	01133-61030	BOLZEN	2				0.023	0.0506
050	68191-63910	SCHLAUCH	1	≤10846			0.19	0.418
050	68191-63913	SCHLAUCH	1	≥10847	≠		0.2	0.44
060	68191-63920	SCHLAUCH	1	≤10846			0.2	0.44
060	68191-63923	SCHLAUCH	1	≥10847	≠		0.2	0.44
070	68198-63510	SCHLAUCH	1			KE KDG KUK	1.2	2.64
070	68191-63513	SCHLAUCH	1			KTC KCL KTA	1.257	2.7654
080	68198-63520	SCHLAUCH	1			KE KDG KUK	0.85	1.87
080	68191-63523	SCHLAUCH	1			KTC KCL KTA	0.842	1.8524




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68331-63230	KRUEMMER ANSCHL.ST.	2				0	0
020	68198-67830	SCHUTZ	1	<=11469			0	0
020	68198-67832	SCHUTZ	1	>=11470	←		0.5	1.1
030	01133-61016	BOLZEN	2				0.018	0.0396
040	68198-68810	ROHR-HYDRAULISCHER	1				0.75	1.65
050	68198-68820	ROHR-HYDRAULISCHER	1				0.7	1.54
060	68318-68740	KLAMMER	2				0.04	0.088
070	01133-61030	BOLZEN	2				0.023	0.0506
080	01133-61025	BOLZEN	2	<=11392			0.02	0.044
080	01133-61025	BOLZEN	1	>=11393			0.02	0.044
085	01133-61030	BOLZEN	1	>=11393			0.023	0.0506
090	68191-63950	SCHLAUCH	2				0.39	0.858
090	68191-95130	SCHLAUCH	2			LONG ARM TYPE	0.5	1.1
100	68198-63550	SCHLAUCH	1			KE KDG KUK	1.15	2.53
100	68191-63553	SCHLAUCH	1			KTC KCL KTA	1.56	3.432
110	68198-63560	SCHLAUCH	1			KE KDG KUK	0.8	1.76
110	68191-63563	SCHLAUCH	1			KTC KCL KTA	0.799	1.7578




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68051-76190	ZWISCHENSTUECK	2				0.04	0.088
020	68198-75280	DECKEL	1				0.43	0.946
030	01153-60812	BOLZEN	3				0.01	0.022
040	04512-60080	FEDERRING	3				0.002	0.0044
050	68221-68330	KOERPER	2				0	0
060	68051-76190	ZWISCHENSTUECK	2				0.04	0.088
070	68191-63740	SCHLAUCH	2				0.25	0.55
080	68191-63810	ROHR-HYDRAULISCHER	1				0.24	0.528
090	68221-68350	MUFFE	2				0.001	0.0022
100	68221-68340	MUTTER	2				0.018	0.0396
110	68191-63820	ROHR-HYDRAULISCHER	1	<=10898			0	0
110	68191-63822	ROHR-HYDRAULISCHER	1	>=10899	←		0.23	0.506
120	68221-68350	MUFFE	2				0.001	0.0022
130	68221-68340	MUTTER	2				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-68110	KISSEN	2				0.03	0.066
020	68311-68120	KISSEN	1				0.01	0.022
030	68311-68130	KLAMMER	2				0.11	0.242
040	01173-61070	BOLZEN	1				0.043	0.0946
050	04512-60100	FEDERRING	1				0.002	0.0044
060	68311-68140	HUELSE	1				0.04	0.088
070	68191-68140	KISSEN	1				0.04	0.088
080	68311-68120	KISSEN	1				0.01	0.022
090	68311-68130	KLAMMER	1				0.11	0.242
100	68191-68150	PLATTE	1				0.09	0.198
110	01173-61070	BOLZEN	1				0.043	0.0946
120	99999-99999	LEERE SPALTE	0				0	0
130	68191-92510	KISSEN	1				0.04	0.088
140	68191-68520	KISSEN	1				0.045	0.099
150	68191-68530	KISSEN	1				0.008	0.0176
160	68198-68570	KLAMMER	1				0.75	1.65
170	68198-68580	KLAMMER	1				0.15	0.33
180	01133-61020	BOLZEN	4				0.02	0.044




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	2				0.001	0.0022
020	68721-68330	KRUEMMER ANSCHL.ST.	1				0.1	0.22
030	68881-34930	KNIESTUECK	1				0.18	0.396
040	68198-92810	SCHLAUCH	2			KE KDG KUK	1.3	2.86
040	68191-92813	SCHLAUCH	2			KTC KCL KTA	1.3	2.86
050	68311-68110	KISSEN	1				0.03	0.066
060	68311-68130	KLAMMER	1				0.11	0.242
070	01173-61075	BOLZEN	1				0.045	0.099
080	68311-68140	HUELSE	1				0.04	0.088
090	04512-60100	FEDERRING	1				0.002	0.0044
100	68318-92580	BLOCK	1	<=11741			0	0
100	68311-92582	BLOCK	1	>=11742	↔		0	0
100	68311-92583	BLOCK	1	>=11931	←		1.2	2.64
110	01133-61050	BOLZEN	2				0.035	0.077
120	68131-61860	ZWISCHENSTUECK	2				0.1	0.22
130	68191-92210	ROHRSCHALTUNG	1				0.14	0.308
140	68741-68440	KOERPER	1				0.08	0.176
150	06312-10040	STOPFEN	1				0.04	0.088
160	68198-92650	ROHR-HYDRAULISCHER	1				0	0
170	68741-68490	MUFFE	1				0.005	0.011
180	68741-68470	MUTTER	1				0.059	0.1298
190	68198-92660	ROHR-HYDRAULISCHER	1				1.7	3.74
200	68191-68450	MUFFE	1				0.01	0.022
210	68191-68460	MUTTER	1				0.07	0.154
220	01135-61020	BOLZEN	2	<=11392			0.015	0.033
220	01135-61020	BOLZEN	1	>=11393			0.015	0.033
223	68311-92690	PLATTE	1	>=11393			0.04	0.088
225	01135-61030	BOLZEN	1	>=11393			0.028	0.0616
230	68191-92830	SCHLAUCH	2	<=10859			0	0
230	68191-92832	SCHLAUCH	2	>=10860	←		0.9	1.98
240	68198-92670	VERBINDUNGSSTUECK	2	<=11741			0	0
240	68191-92670	VERBINDUNGSSTUECK	2	>=11742	↔		0	0
250	01133-61016	BOLZEN	2				0.018	0.0396
260	06312-10040	STOPFEN	2				0.04	0.088
270	68198-92640	KLAMMER	1				0.07	0.154
280	68311-92630	KISSEN	1	<=11844			0.01	0.022
290	01133-61016	BOLZEN	1				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-67700	MONT.ZYL.AUSLEGER	1				12.7	27.94
020	68198-71710	KOMP.ZYLINDERTUBE	1				7	15.4
030	68198-71340	MONT.KOLBENSTANGE	1				4	8.8
040	68198-71330	ZYLINDERKOPF	1				0	0
050	68841-93240	BUCHSE	1				0.03	0.066
060	68051-67430	U-RING	1				0.01	0.022
070	68511-71440	WISCHRING	1				0.01	0.022
080	68811-93370	O RING	1				0.002	0.0044
090	68811-93310	BUCHSE BOLZEN	2				0.132	0.2904
100	04811-50550	O RING	1				0.002	0.0044
110	68011-61910	SICHERUNGSSCHEIBE	1				0.01	0.022
120	68511-71460	STUETZRING	2				0.002	0.0044
130	68811-93350	O RING	1				0.002	0.0044
140	68191-71340	KOLBEN	1				0.48	1.056
150	68511-71490	MONT.AGEDICHTUNG	1				0.01	0.022
160	78620-32280	SCHIEBERRING	2				0.01	0.022
170	68191-71370	ANSCHLAGSCHRAUBE	1				0.005	0.011
180	68701-71650	KUGEL	1				0.005	0.011
190	68191-71360	DISTANZSCHEIBE	1				0.005	0.011
200	68191-71380	DISTANZSCHEIBE	1				0.1	0.22
210	68191-71390	LAGERBUECHSEKISSEN	1				0.09	0.198
220	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
230	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
240	68191-91020	MONT.DICHTUNG	1			OPTION	0.04	0.088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-67600	MONT.ZYL.ARM	1	≤10846			0	0
010	68198-67602	MONT.ZYL.ARM	1	≥10847	≠		11.8	25.96
020	68198-71510	KOMP.ZYLINDERTUBE	1	≤10846			0	0
020	68198-71512	KOMP.ZYLINDERTUBE	1	≥10847	≠		6.3	13.86
030	68198-71520	MONT.KOLBENSTANGE	1				3.78	8.316
040	68198-71530	ZYLINDERKOPF	1				0	0
050	68191-71540	KOLBEN A	1				0.39	0.858
060	68191-71550	KOLBEN B	1				0.221	0.4862
070	68721-71540	BUCHSE BOLZEN	2				0.11	0.242
080	68191-71560	MUTTER	1				0	0
090	68721-71410	SCHMIERNIPPEL	2				0.01	0.022
100	68721-71180	BUCHSE	1				0.04	0.088
110	68051-91190	STAUBDICHTUNG	1				0.002	0.0044
120	68191-71570	DICHTUNG RUTE	1				0	0
130	68721-71230	STUETZRING	1				0.002	0.0044
140	04810-50600	O RING	2				0.002	0.0044
150	68191-71580	DICHTUNG	1				0.006	0.0132
160	68191-71590	RING	2				0.001	0.0022
170	05511-50545	SPLINT	1				0.01	0.022
180	68198-99840	MONT.ZYLINDERARM	1			OPTION	12.5	27.5




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-67800	MONT.ZYL.KUEBEL	1				10.2	22.44
020	68198-71410	MONT.ROHR ZYLINDER	1				7	15.4
030	68198-71320	MONT.PLEUELSTANG	1				3.75	8.25
040	68198-71630	DECKEL STANGE	1				1.05	2.31
050	68721-71540	BUCHSE BOLZEN	2				0.11	0.242
060	68051-91190	STAUBDICHTUNG	1				0.002	0.0044
070	68511-71180	ABNUETZENDRING	2				0.01	0.022
080	68511-71140	KOLBEN	1				0.395	0.869
090	68511-71150	KOLBEN B	1				0.3	0.66
100	06611-15010	SCHMIERNIPPEL	2				0.01	0.022
110	68511-71170	DICHTUNG	1				0.007	0.0154
120	68721-71420	BUCHSE	1				0	0
130	68051-91240	DICHTUNG	1				0.004	0.0088
140	68721-71230	STUETZRING	1				0.002	0.0044
150	04810-50600	O RING	2				0.002	0.0044
160	68511-71160	MUTTER	1				0.09	0.198
170	05511-50540	SPLINT	1				0.009	0.0198
180	68511-91110	MONT.DICHTUNG AUSLE.	1			OPTION	0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-75100	MONT.ZYL.FRAESMESSER	1				11	24.2
020	68198-71910	MONT.ROHR ZYLINDER	1				5.5	12.1
030	68198-71920	MONT.PLEUELSTANG	1				2.5	5.5
040	68198-71930	DECKEL STANGE	1				1.56	3.432
050	68721-71940	BUCHSE BOLZEN	2				0.18	0.396
060	68511-71380	ABNUETZENDRING	2				0.015	0.033
070	68511-71340	KOLBEN	1				0.5	1.1
080	68511-71350	KOLBEN B	1				0.4	0.88
090	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
100	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
110	68721-71890	BUCHSE	1				0.05	0.11
120	68511-71370	DICHTUNG	1				0.015	0.033
130	04810-50650	O RING	1				0.002	0.0044
140	68051-91640	DICHTUNG	1				0.002	0.0044
150	68721-71240	STUETZRING	1				0.002	0.0044
160	04811-50700	O RING	1				0.002	0.0044
170	68051-91590	STAUBDICHTUNG	1				0.005	0.011
180	68511-71360	MUTTER	1				0.1	0.22
190	05511-50545	SPLINT	1				0.01	0.022
200	68511-91120	MONT.DICHTUNG PLANI.	1			OPTION	0.025	0.055




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-67400	MONT.CYL.SCHWENK	1	≤11080			12	26.4
010	68198-67402	MONT.CYL.SCHWENK	1	≥11081	≠		0	0
020	68191-71110	MONT.ROHR ZYLINDER	1	≤11080			6.6	14.52
020	68198-71210	MONT.ROHR ZYLINDER	1	≥11081	≠		5.9	12.98
030	68191-71120	MONT.KOLBENSTANGE	1	≤11080			3.6	7.92
030	68198-71220	MONT.KOLBENSTANGE	1	≥11081	≠		3	6.6
040	68191-71330	ZYLINDERKOPF	1	≤11080			0.93	2.046
040	68198-71230	ZYLINDERKOPF	1	≥11081	≠		0	0
050	68841-93240	BUCHSE	1				0.03	0.066
060	68051-67430	U-RING	1				0.01	0.022
070	68511-71440	WISCHRING	1				0.01	0.022
080	68811-93370	O RING	1				0.002	0.0044
090	06611-15010	SCHMIERNIPPEL	2				0.01	0.022
100	04811-50550	O RING	1				0.002	0.0044
110	68011-61910	SICHERUNGSSCHEIBE	1				0.01	0.022
120	68511-71460	STUETZRING	2	≤11080			0.002	0.0044
120	68511-71460	STUETZRING	1	≥11081			0.002	0.0044
130	68191-71340	KOLBEN	1				0.48	1.056
140	68511-71490	MONT.AGEDICHTUNG	1				0.01	0.022
150	78620-32280	SCHIEBERRING	2				0.01	0.022
160	68191-71370	ANSCHLAGSCHRAUBE	1				0.005	0.011
170	68701-71650	KUGEL	1				0.005	0.011
180	68191-71360	DISTANZSCHEIBE	1				0.005	0.011
190	68811-93310	BUCHSE BOLZEN	2				0.132	0.2904
200	68191-91010	MONT.DICHTUNGINGHEB.	1	≤11080		OPTION	0	0
200	68191-91012	MONT.DICHTUNGINGHEB.	1	≥11081	≠	OPTION	0.03	0.066
210	68811-93350	O RING	1	≤11080			0.002	0.0044
220	68191-71380	DISTANZSCHEIBE	1	≤11080			0.1	0.22
230	68191-71390	LAGERBUECHSEKISSEN	1	≤11080			0.09	0.198




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-66410	SCHWENKAUSLEGER	1	<=11126			34.8	76.56
010	68198-66412	SCHWENKAUSLEGER	1	>=11127	→		0	0
020	68191-66420	BUCHSE	2				0.08	0.176
030	68198-66490	STOPFEN	1				1.28	2.816
040	01133-61030	BOLZEN	2				0.023	0.0506
050	68191-66450	STIFT	1	<=11126			1.04	2.288
050	68191-66453	STIFT	1	>=11127	≠		0	0
060	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
070	68191-66460	STIFT	1	<=11126			0.88	1.936
070	68191-66462	STIFT	1	>=11127	≠		0	0
080	68191-66440	DRUCKRING	2				0	0
090	01173-61201	BOLZEN	2				0.091	0.2002
100	02174-60120	MUTTER	4				0.01	0.022
110	68511-67440	STIFT	1				0.62	1.364
120	68511-67450	PLATTE SCHLUESSEL	1				0.05	0.11
130	01133-61020	BOLZEN	2				0.02	0.044
140	68721-67460	STIFT	1				0.65	1.43
150	01517-51025	STEBOLZEN	1				0	0
160	02118-60100	MUTTER	2				0.006	0.0132
170	68721-66980	DISTANZSCHEIBE	3				0.01	0.022
180	68721-67390	ANSCHLUBE	1				0.035	0.077
190	68721-67480	ANSCHLUBE	1				0.02	0.044
200	68191-67470	SCHLAUCH ABSCHMIERF.	1				0.02	0.044
210	06611-15010	SCHMIERNIPPEL	1				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-66500	MONTAGE AUSLEGER	1				65	143
020	68721-66520	BUCHSE	2	<=11469			0	0
020	68721-66522	BUCHSE	1	>=11470	←		0.12	0.264
030	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
040	99999-99999	LEERE SPALTE	0				0	0
050	68191-66540	STIFT	1				1.24	2.728
060	01173-61201	BOLZEN	1				0.091	0.2002
070	02174-60120	MUTTER	2				0.01	0.022
080	68511-67552	STIFT	1				0.84	1.848
090	68511-67560	DISTANZSCHEIBE	1				0.007	0.0154
100	04015-60100	SCHEIBE	1				0.015	0.033
110	01133-61025	BOLZEN	1				0.02	0.044
120	68511-67540	HUELSE	2				0.058	0.1276
130	68721-67550	STIFT	1				0.67	1.474
140	01173-61065	BOLZEN	1				0.04	0.088
150	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-67530	ABDECKUNG	1				2.5	5.5
020	01173-61220	BOLZEN	1				0.029	0.0638
030	68541-66580	HUELSE	1				0	0
040	04013-60120	SCHEIBE	1				0.01	0.022
050	68541-66560	KISSEN	1	≤11469			0	0
050	68541-66562	KISSEN	1	≥11470	←		0.01	0.022
060	04015-60160	SCHEIBE	1				0.058	0.1276




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68701-66540	STIFT	1				0	0
020	01173-61065	BOLZEN	1				0.04	0.088
030	02118-60100	MUTTER	2				0.006	0.0132
040	68721-67550	STIFT	1				0.67	1.474
050	01173-61065	BOLZEN	1				0.04	0.088
060	02118-60100	MUTTER	2				0.006	0.0132
070	68198-66600	MONTAGE ARM	1	<=11469		900MM	0	0
070	68198-66603	MONTAGE ARM	1	>=11470	←	900MM	0	0
070	68198-66604	MONTAGE ARM	1	>=12411	←	900MM	0	0
070	68198-95100	MONTAGE ARM	1	<=12410		1150MM	0	0
070	68198-95103	MONTAGE ARM	1	>=12411	←	1150MM	34	74.8
080	68721-66520	BUCHSE	2	<=11469			0	0
080	68721-66522	BUCHSE	2	>=11470	←		0.12	0.264
090	68721-66630	BUCHSE	4				0.08	0.176
095	68721-66650	STAUBDICHTUNG	2	>=12411			0.006	0.0132
100	06611-15010	SCHMIERNIPPEL	2				0.01	0.022
110	68721-67550	STIFT	1				0.67	1.474
120	01173-61065	BOLZEN	1				0.04	0.088
130	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-66700	MONT VERB KUEBEL	1	<=12410			0	0
010	68198-66702	MONT VERB KUEBEL	1	>=12411	←		3.264	7.1808
020	68721-66770	BUCHSE	2				0.09	0.198
030	68721-66630	BUCHSE	2				0.08	0.176
035	68721-66650	STAUBDICHTUNG	2	>=12411			0.006	0.0132
040	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
050	68198-66720	VERBINDUNGSSTUECK	1				1.36	2.992
060	68198-66730	VERBINDUNGSSTUECK	1				1.4	3.08
070	68721-66750	STIFT	1				0.55	1.21
080	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
090	01173-61080	BOLZEN	1				0.048	0.1056
100	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68721-67550	STIFT	1				0.67	1.474
020	01173-61065	BOLZEN	1				0.04	0.088
030	02118-60100	MUTTER	2				0.006	0.0132
040	68721-66740	STIFT	1				0.76	1.672
050	06613-10010	SCHMIERNIPPEL	1				0.006	0.0132
060	01173-61080	BOLZEN	1				0.048	0.1056
070	02118-60100	MUTTER	2				0.006	0.0132
080	68721-66910	STIFT	2				0.77	1.694
090	68741-66920	DISTANZSCHEIBE	2				0.01	0.022
100	04015-60120	SCHEIBE	2				0.022	0.0484
110	01133-61225	BOLZEN	2				0.037	0.0814
120	68198-66010	MONT.KUEBEL	1			450MM KE KDG KUK KTA	33	72.6
130	68191-66900	MONTAGE ZAHUNG	4			KE KDG KUK KTA	0	0
140	68131-66910	ZAHUNG	4			KE KDG KUK KTA	0	0
150	68131-66930	DISTANZSCHEIBE	4			KE KDG KUK KTA	0.03	0.066
150	69201-71390	DISTANZSCHEIBE	4			KE KDG KUK KTA	0.012	0.0264
150	68721-66880	DISTANZSCHEIBE	4			KE KDG KUK KTA	0.05	0.11
150	68721-66890	DISTANZSCHEIBE	4			KE KDG KUK KTA	0.09	0.198
160	01176-61448	BOLZEN	8			KE KDG KUK KTA	0.07	0.154
170	04512-60140	FEDERRING	8			KE KDG KUK KTA	0.006	0.0132
180	68131-66920	MUTTER	4			KE KDG KUK KTA	0.14	0.308
190	68198-66200	MONT.SCHNEIDE LS	1	<=12399		KE KDG KUK KTA	1.3	2.86
190	RB108-66200	MONT.SCHNEIDE LS	1	>=12400	←	KE KDG KUK KTA	0	0
200	68198-66930	SEITENSCHNEIDE LS	1	<=12399		KE KDG KUK KTA	0	0
200	RB108-66930	SEITENSCHNEIDE LS	1	>=12400	←	KE KDG KUK KTA	0	0
210	68191-66952	BOLZEN	3			KE KDG KUK KTA	0.09	0.198
220	68191-66960	MUTTER	3			KE KDG KUK KTA	0.025	0.055
230	68198-66300	MONT.SCHNEIDE RS	1	<=12399		KE KDG KUK KTA	0	0
230	RB108-66300	MONT.SCHNEIDE RS	1	>=12400	←	KE KDG KUK KTA	0	0
240	68198-66940	SEITENSCHNEIDE RS	1	<=12399		KE KDG KUK KTA	0	0
240	RB108-66940	SEITENSCHNEIDE RS	1	>=12400	←	KE KDG KUK KTA	0	0
250	68191-66952	BOLZEN	3			KE KDG KUK KTA	0.09	0.198
260	68191-66960	MUTTER	3			KE KDG KUK KTA	0.025	0.055
270	68721-66850	O RING	4				0.004	0.0088
280	68051-66330	DISTANZSCHEIBE	8				0.015	0.033
280	68051-66340	DISTANZSCHEIBE	3				0.021	0.0462




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-74400	MONT.PLANIERSCHIL	1			960MM	45	99
020	06616-25010	SCHMIERNIPPEL	2				0.008	0.0176
030	68051-74420	STIFT	2				0.71	1.562
040	01173-61065	BOLZEN	2				0.04	0.088
050	02118-60100	MUTTER	4				0.006	0.0132
060	68721-74440	STIFT	1				0.68	1.496
070	69201-71240	PLATTE SCHLUESSEL	1				0.05	0.11
080	01133-61020	BOLZEN	2				0.02	0.044
090	68051-74430	STIFT	1				0.94	2.068
100	01173-61075	BOLZEN	1				0.045	0.099
110	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-21110	RAHMEN SPUR	1			KE KDG KUK	0	0
010	68198-21210	RAHMEN SPUR	1			KTC KCL KTA	0	0
020	68198-21140	DECKEL	2				0.15	0.33
030	01133-61020	BOLZEN	4				0.02	0.044
040	68198-21150	MOTORDEKEL LS	1				1.1	2.42
050	68198-21160	MOTORDEKEL RS	1				1.1	2.42
060	01135-61025	BOLZEN	10				0.04	0.088
070	68198-21170	DECKEL	1			KE KDG KUK	2.2	4.84
070	68191-21170	DECKEL	1			KTC KCL KTA	2.8	6.16
080	01135-61025	BOLZEN	4				0.04	0.088
090	68198-21180	FUEHRUNG	4				1.207	2.6554
100	68191-21190	BOLZEN	12				0.02	0.044
110	90545-11340	STOPFEN	2				0.002	0.0044
120	01133-61220	BOLZEN	2				0.033	0.0726



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-21300	GRP.LOSE ROLLE	2	<=12259			0	0
010	68198-21302	GRP.LOSE ROLLE	2	>=12260	←		11.8	25.96
020	68198-21320	HALTER	4				1.07	2.354
030	68051-21330	ACHWELLE SPANNRAD	2				0.558	1.2276
040	68198-21340	SPANNRAD	2	<=12259			0	0
040	68198-21342	SPANNRAD	2	>=12260	←		8.6	18.92
050	68741-21350	DICHTUNG SCHWIMM	4				0	0
060	08240-00001	KUGELLAGER	4				0.19	0.418
070	04811-00210	O RING	4				0.001	0.0022
080	05411-00663	FEDERSTIFT	2				0.009	0.0198
090	68051-21390	DRAHT	2				0.002	0.0044
100	68191-21410	GABELGELENK	2				3.3	7.26
110	68191-21420	DISTANZSCHEIBE	4				0.203	0.4466
120	01133-61230	BOLZEN	8				0.04	0.088
130	68191-21430	HALTBUEGEL FEDER	2	<=11180			1.86	4.092
130	68191-21433	HALTBUEGEL FEDER	2	>=11181	←		0	0
140	68051-21420	FEDER	2				2	4.4
150	68741-21420	MUTTER	2				0.04	0.088
160	05511-50430	SPLINT	2				0.004	0.0088
170	68191-21500	MONT.ZYLINDER LS	1				3.1	6.82
180	68191-21510	ZYLINDERSCHLAUCH LS	1				2	4.4
190	68511-21520	KOLBEN	2				0.81	1.782
200	68371-21533	NIPPLEZYLINDER	2	<=12272			0	0
200	68371-21535	NIPPLEZYLINDER	2	>=12273	←		0.045	0.099
210	04724-00120	DICHTUNG	2				0.002	0.0044
220	68511-21550	STANGENDICHTUNG	2				0.002	0.0044
230	04810-00300	O RING	2				0.001	0.0022
240	68511-21540	STUETZRING	2				0.001	0.0022
250	68191-21600	MONT.ZYLINDER RS	1				3.1	6.82
260	68191-21610	ZYLINDERSCHLAUCH RS	1				2	4.4
270	68191-21440	DISTANZSCHEIBE	2	<=11180		RUBBER CRAWLER TYPE	1.2	2.64
270	68721-94140	DISTANZSCHEIBE	2	>=11181	≠	RUBBER CRAWLER TYPE	0.3	0.66



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-21700	MONTAGE ROLLER EINZE	6				3.5	7.7
020	68198-21710	HALTER	12				0	0
030	68051-21720	SCHAFT LAUFROLLEN	6				0.46	1.012
040	68198-21750	LAUFROLLEN	6				1.48	3.256
050	08101-06205	KUGELLAGER	12				0.14	0.308
060	68741-21350	DICHTUNG SCHWIMM	12				0	0
070	68051-21730	STIFT	6				0.005	0.011
080	68051-21740	STIFT	6				0.005	0.011
090	04811-00210	O RING	12				0.001	0.0022
100	01173-61240	BOLZEN	24				0.045	0.099
110	04512-60120	FEDERRING	24				0.005	0.011
120	68191-21780	MUTTER	12				0.1	0.22
130	68198-21820	PLATTE	2				0.7	1.54
130	68191-21810	PLATTE	2			RUBBER CRAWLER TYPE	0	0
140	01135-61020	BOLZEN	4				0.015	0.033

RUBBER CRAWLER TYPE




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-22100	MONTAGE LAUFKETTE	2	≤12259		230MM	0	0
010	68195-22100	MONTAGE LAUFKETTE	2	≥12260	←	230MM	0	0
010	68191-22310	LAUFKETTEN	2			RUBBER CRAWLER TYPE	47.02	103.444
020	68051-22170	BUCHSE	64				0.07	0.154
030	68051-22150	HAUP BOLZEN	2				0.094	0.2068
040	68001-22220	HALTESTIFT	2				0.006	0.0132
050	68051-22160	BOLZEN SPUR	62				0.1	0.22
060	68191-22250	MONT.VERBINDUNG	2			OPTION	2.5	5.5




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-41110	RAHMEN SCHWENK	1	<=11293		KE KDG KUK	0	0
010	68198-41080	RAHMEN SCHWENK	1	>=11294	↔	KE KDG KUK	0	0
010	68198-41120	RAHMEN SCHWENK	1			KTC KCL KTA	150	330
020	68191-41120	BUCHSE	1				0	0
030	68191-41130	BUCHSE	1				0	0
040	06616-35010	SCHMIERNIPPEL	1				0.009	0.0198
050	68191-41320	GUMMITUELLE	1	<=11053			0.02	0.044
050	68311-41460	TRIMM	1	>=11054	↔		0.02	0.044
060	68311-41360	GUMMITUELLE	1	<=11053			0	0
060	68311-41470	TRIMM	1	>=11054	↔		0.02	0.044
070	68741-41280	GUMMITUELLE	2	<=11053			0	0
070	68311-41480	TRIMM	2	>=11054	↔		0.015	0.033
080	68311-53180	GUMMITUELLE	1	<=11053			0.02	0.044
080	68311-53190	TRIMM	1	>=11054	↔		0.015	0.033
090	68551-51250	KISSEN	1				0.001	0.0022
100	68311-41160	STOPFEN	1				0.02	0.044
110	68721-41170	STIFT SCHLOB	1	<=10898			0	0
110	68721-41173	STIFT SCHLOB	1	>=10899	←		0	0
120	68191-41190	SCHWUNGRIEGLHEBEL	1				0.17	0.374
130	05515-50800	SICHERUNGSSTIFT	1				0	0
140	68198-41140	DECKEL	1				1.4	3.08
150	01135-61020	BOLZEN	5				0.015	0.033
160	68191-41170	AUFIRAENGOESE	1	<=11126			1.18	2.596
170	01133-61225	BOLZEN	2	<=11126			0.037	0.0814
180	68198-41210	BOGENRAHMEN	1	<=10898		KE KDG KUK	40	88
180	68198-41212	BOGENRAHMEN	1	>=10899	≠	KE KDG KUK	36	79.2
180	68198-41220	BOGENRAHMEN	1			KTC KCL	44.5	97.9
180	68198-41310	BOGENRAHMEN	1			KTA	43.9	96.58
190	01135-61235	BOLZEN	2				0.06	0.132
200	01135-61225	BOLZEN	1				0.043	0.0946
210	68191-41450	BOLZEN	1				0.04	0.088
220	01135-61020	BOLZEN	2				0.015	0.033
230	68318-41220	GELENK	2				0.77	1.694
240	01133-61020	BOLZEN	4				0.02	0.044
250	04015-60100	SCHEIBE	4				0.015	0.033
260	68198-41230	DECKEL	1				1.3	2.86
270	01133-61016	BOLZEN	4				0.018	0.0396
280	68351-43220	KISSEN	2				0.004	0.0088
290	68198-41240	DECKEL	1				0.175	0.385
300	01053-60612	BOLZEN	2				0.006	0.0132
310	04012-50060	SCHEIBE	2				0.001	0.0022
320	68701-41240	FEDER HAKEN	1				0.01	0.022
330	01053-60512	BOLZEN	2				0.003	0.0066
340	04012-50050	SCHEIBE	2				0.001	0.0022
350	04512-60050	FEDERRING	2				0.002	0.0044
360	02054-60050	MUTTER	2				0.003	0.0066
370	68311-41170	HALTER	1				0.31	0.682
380	01133-61016	BOLZEN	2				0.018	0.0396
390	04013-60100	SCHEIBE	2				0.004	0.0088
400	68198-41410	DECKEL	1				0.5	1.1
410	68198-41420	DECKEL	1				0.38	0.836
420	68198-41430	DECKEL	1				0.35	0.77
430	68311-41450	BOLZEN	6	<=11223			0.015	0.033
430	01123-50820	BOLZEN	6	>=11224	↔		0.011	0.0242
440	04512-60080	FEDERRING	6	<=11223			0.002	0.0044
450	68158-41440	DECKEL	1			KE KDG KUK	0.1	0.22
460	03004-60816	SCHRAUBE	2			KE KDG KUK	0.011	0.0242




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-19110	LAGERPANDEL	1				17.1	37.62
020	01176-61225	BOLZEN	33				0.035	0.077
030	04512-60120	FEDERRING	33				0.005	0.011
040	68721-19210	SCHLAUCH NYLON	1				0.005	0.011
050	68581-19210	SCHLAUCH NYLON	1				0.01	0.022
060	68241-67470	ANSCHLUBE	2				0.013	0.0286
070	68241-67480	KOERPER ANSCHLUB	2				0.01	0.022
080	68331-41350	MUTTER	2				0.002	0.0044
090	68331-41340	MUFFE	2				0.001	0.0022
100	06611-15010	SCHMIERNIPPEL	2				0.01	0.022
110	68741-19220	ANSCHLUBE	2				0.02	0.044




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-44110	AUFSTEIGETRITT	1				2.6	5.72
020	01133-61225	BOLZEN	2				0.037	0.0814
030	04013-60120	SCHEIBE	2				0.01	0.022
040	68198-44130	FUSSGESTELL	1				1.9	4.18
050	01135-61020	BOLZEN	4				0.015	0.033
060	68198-92140	FUSSGESTELL	1				3.7	8.14
070	01135-61020	BOLZEN	5				0.015	0.033
080	68701-41240	FEDER HAKEN	1				0.01	0.022
090	03024-60512	SCHRAUBE	2				0.002	0.0044
100	04012-50050	SCHEIBE	2				0.001	0.0022
110	04512-60050	FEDERRING	2				0.002	0.0044
120	02054-60050	MUTTER	2				0.003	0.0066
130	68191-92170	STREBE	1				0.09	0.198
140	04013-60080	SCHEIBE	1				0.002	0.0044
150	05515-50800	SICHERUNGSSSTIFT	1				0	0
160	63052-34380	STOPFEN	1				0.01	0.022
170	04013-60060	SCHEIBE	2				0.001	0.0022
180	01202-60612	BOLZEN	2				0.006	0.0132
190	68198-44210	DECKEL	1			KE KDG KUK	3.7	8.14
190	68198-44240	DECKEL	1			KTC KCL KTA	3.366	7.4052
200	01135-61020	BOLZEN	2				0.015	0.033
210	01133-61016	BOLZEN	1				0.018	0.0396
220	04013-60100	SCHEIBE	1				0.004	0.0088
230	08511-01620	BUCHSE	2				0.008	0.0176
240	68198-44220	DECKEL	1				0.1	0.22
250	03004-60816	SCHRAUBE	4	≤11360			0.011	0.0242
250	03004-60816	SCHRAUBE	5	≥11361			0.011	0.0242
260	04013-60080	SCHEIBE	4	≤11360			0.002	0.0044
260	04013-60080	SCHEIBE	5	≥11361			0.002	0.0044
270	68191-92133	DECKE	1	≤11238			0	0
270	68191-92134	DECKE	1	≥11239	←		2.3	5.06
280	68191-44120	GELAENDER	1			KE KDG KUK	4	8.8
290	01173-61635	BOLZEN	2			KE KDG KUK	0.077	0.1694
300	04512-60160	FEDERRING	2			KE KDG KUK	0.01	0.022




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-43410	ABDECKUNG HAUBE	1	<=10898		EXCEPT KTA	19	41.8
010	68198-43412	ABDECKUNG HAUBE	1	>=10899	≠	EXCEPT KTA	18.5	40.7
010	68198-43510	HAUBE	1			KTA	34	74.8
020	68191-43520	TRIMM	1				0.17	0.374
030	01135-61020	BOLZEN	4				0.015	0.033
040	68198-43450	STREBE	1	<=10898			0.45	0.99
040	68158-43450	STREBE	1	>=10899	≠		0.32	0.704
050	04013-60100	SCHEIBE	2				0.004	0.0088
060	05122-51028	STIFT	2				0	0
070	05515-51000	SICHERUNGSSTIFT	2				0	0
080	68318-43420	HAKEN	1				0.3	0.66
090	68311-43430	FEDER	1				0.01	0.022
095	68311-43530	VERTEILUNGSPLATTE	1				0.01	0.022
100	05122-51080	STIFT	1				0	0
110	05515-51000	SICHERUNGSSTIFT	1				0	0
120	38240-29870	KISSEN	1				0.004	0.0088
130	68311-43440	MONTAGE SCHLUESSEL	1				0.09	0.198
135	68285-99910	KEIL KABINE	1				0.02	0.044
140	68191-43460	HALTER	1				1.1	2.42
150	68311-43480	DISTANZSCHEIBE	1				0.1	0.22
160	68311-43490	DISTANZSCHEIBE	2				0.05	0.11
170	01133-61040	BOLZEN	2				0.03	0.066
180	68191-43470	HALTER	1				1.19	2.618
190	01133-61025	BOLZEN	2				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-41500	MONT.SCHAUMGUMMI	1				0	0
020	68191-41513	SCHWAMM	1				0.083	0.1826
030	68191-41600	MONT.SCHAUMGUMMI	1	<=10899			1	2.2
030	68191-41602	MONT.SCHAUMGUMMI	1	>=10899	≠		0.5	1.1
040	68191-41610	SCHWAMM	1				0.003	0.0066
050	68191-41620	SCHWAMM	1	<=10898			0.05	0.11
050	68191-41622	SCHWAMM	1	>=10899	≠		0.04	0.088
060	68191-41630	SCHWAMM	1	<=11360			0	0
060	68191-41633	SCHWAMM	1	>=11361	←		0.02	0.044
070	68191-41640	SCHWAMM	1				0.05	0.11
080	68191-41650	SCHWAMM	1				0.05	0.11
090	68191-41660	SCHWAMM	1				0.09	0.198
100	68191-41670	SCHWAMM	1				0.05	0.11
110	68191-41682	SCHWAMM	1				0.1	0.22
120	68191-41690	SCHWAMM	1				0.02	0.044
130	68191-41710	SCHWAMM	1				0.05	0.11
140	68191-41720	SCHWAMM	1				0.07	0.154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-41500	MONT.SCHAUMGUMMI	1				0.09	0.198
020	68198-41510	SCHWAMM	1				0.02	0.044
030	68198-41520	SCHWAMM	1				0.015	0.033
040	68198-41600	MONT.SCHAUMGUMMI	1			KTC KCL	0.2	0.44
040	68198-41800	MONT.SCHAUMGUMMI	1			KTA	0.4	0.88
050	68198-41610	SCHWAMM	1				0.005	0.011
060	68198-41620	SCHWAMM	1				0.01	0.022
070	68198-41720	SCHWAMM	1				0.005	0.011
080	68198-41630	SCHWAMM	1				0.012	0.0264
090	68191-41640	SCHWAMM	1				0.05	0.11
100	68198-41640	SCHWAMM	1				0.02	0.044
110	68198-41650	SCHWAMM	1				0.02	0.044
120	68198-41660	SCHWAMM	1				0.008	0.0176
130	68198-41670	SCHWAMM	1				0.01	0.022
140	68198-41680	SCHWAMM	1				0.01	0.022
150	68198-41690	SCHWAMM	1				0.015	0.033
160	68198-41710	SCHWAMM	1				0.01	0.022
170	68191-41710	SCHWAMM	1			KTC KCL	0.05	0.11
170	68198-41810	SCHWAMM	1			KTA	0.02	0.044
180	68191-41720	SCHWAMM	1				0.07	0.154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-42900	MONT.SCHAUMGUMMI	1				0.01	0.022
020	68191-42910	SCHWAMM	2				0.005	0.011
030	68191-42920	SCHWAMM	1				0.005	0.011
040	68191-43700	MONT.SCHAUMGUMMI	1	<=10898		EXCEPT KTA	1.2	2.64
040	68191-43702	MONT.SCHAUMGUMMI	1	>=10899	≠	EXCEPT KTA	0.7	1.54
040	68198-43700	MONT.SCHAUMGUMMI	1			KTA	0.4	0.88
050	68191-43710	SCHWAMM	1				0.015	0.033
060	68191-43720	SCHWAMM	1				0.02	0.044
070	68191-43730	SCHWAMM	1				0.07	0.154
080	68191-43740	SCHWAMM	1				0.07	0.154
090	68191-43750	SCHWAMM	1	<=10898			0.15	0.33
090	68191-43753	SCHWAMM	1	>=10899	≠		0.1	0.22
100	68191-43760	SCHWAMM	1			EXCEPT KTA	0.18	0.396
100	68198-43760	SCHWAMM	1			KTA	0.04	0.088
110	68191-43770	SCHWAMM	2				0.01	0.022
120	68191-44600	MONT.SCHAUMGUMMI	1				0.1	0.22
130	68191-44610	SCHWAMM	1				0.05	0.11
140	68191-44620	SCHWAMM	1				0.05	0.11




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-48210	GEWICHT LS	1				24	52.8
020	68198-48220	GEWICHT RS	1				24	52.8
030	01370-11255	BOLZEN	2	≤12327			0.064	0.1408
030	01370-11240	BOLZEN	2	≥12328	←		0.05	0.11
040	01173-61235	BOLZEN	2				0.04	0.088
050	04015-60120	SCHEIBE	2				0.022	0.0484
060	04512-60120	FEDERRING	2				0.005	0.011
070	68198-48230	GEWICHT	1				50.2	110.44
080	01173-61640	BOLZEN	2				0.085	0.187
090	04015-60160	SCHEIBE	2				0.058	0.1276
100	04512-60160	FEDERRING	2				0.01	0.022
110	90545-11340	STOPFEN	2				0.002	0.0044
120	68198-48314	SCHUTZ LS	1				0	0
130	68198-48324	SCHUTZ RS	1				0	0
140	01135-61220	BOLZEN	4				0	0
150	68311-48240	SCHEIBE	2				0.15	0.33
160	01175-61045	BOLZEN	2				0.04	0.088
165	02116-60100	MUTTER	2	≥11239			0.004	0.0088
170	68311-48380	GUMMITUELLE	4				0.02	0.044
180	01173-61235	BOLZEN	2				0.04	0.088
190	04013-60120	SCHEIBE	4				0.01	0.022
200	04512-60120	FEDERRING	2				0.005	0.011
210	68311-48390	GUMMITUELLE	2				0.01	0.022




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

[illegible]






Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-45200	MONT.KABINEHAUBE	1				120	264
020	68198-45210	PFOSTEN	1				39.8	87.56
030	01176-61650	BOLZEN	2				0.1	0.22
040	04512-60160	FEDERRING	2				0.01	0.022
050	04012-60160	SCHEIBE	2				0.008	0.0176
060	68198-45220	PFOSTEN	1				31	68.2
070	01176-61240	BOLZEN	4				0.044	0.0968
080	04512-60120	FEDERRING	4				0.005	0.011
090	04015-60120	SCHEIBE	4				0.022	0.0484
100	68198-45230	DACH	1				51.2	112.64
110	01176-61230	BOLZEN	12				0.036	0.0792
120	04512-60120	FEDERRING	12				0.005	0.011
130	04013-60120	SCHEIBE	12				0.01	0.022
140	68318-46150	GELAENDER	2				1.3	2.86
150	01135-61020	BOLZEN	8				0.015	0.033
160	68198-57320	TAFEL	1				0.017	0.0374
170	54102-24420	NIET	4				0.001	0.0022




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-53130	ARMATURENRERKLEIDUNG	1			KE KDG KUK	0	0
010	68191-53130	ARMATURENRERKLEIDUNG	1			KTC KCL KTA	0.445	0.979
020	01125-60816	BOLZEN	3				0.01	0.022
030	68311-53160	PLATTE	2				0.05	0.11
040	03054-60512	SCHRAUBE	4				0.002	0.0044
050	04512-60050	FEDERRING	4				0.002	0.0044
060	68198-53110	GEHAEUSE ARMATUREN	1	<=11223		KE KDG KUK	7.5	16.5
060	68198-53114	GEHAEUSE ARMATUREN	1	>=11224	≠	KE KDG KUK	8	17.6
060	68198-53140	GEHAEUSE ARMATUREN	1	<=11223		KTC KCL	7.9	17.38
060	68198-53142	GEHAEUSE ARMATUREN	1	>=11224	≠	KTC KCL KTA	8	17.6
070	01135-61020	BOLZEN	4				0.015	0.033
080	08511-01620	BUCHSE	2				0.008	0.0176
090	68311-44560	GUMMITUELLE	1	<=11053			0	0
090	68311-44520	TRIMM	1	>=11054	↔		0.05	0.11
095	68331-51430	GUMMITUELLE	2				0.01	0.022
100	68311-53180	GUMMITUELLE	1	<=11053			0.02	0.044
100	68311-53190	TRIMM	1	>=11054	↔		0.015	0.033
110	90407-11210	GUMMITUELLE	1				0.006	0.0132
120	68198-53120	DECKEL	1	<=11223			1.37	3.014
120	68198-53123	DECKEL	1	>=11224	≠		1.6	3.52
130	01202-60612	BOLZEN	4				0.006	0.0132
140	68741-41280	GUMMITUELLE	1	<=11053			0	0
140	68311-41480	TRIMM	1	>=11054	↔		0.015	0.033
150	63052-34380	STOPFEN	1				0.01	0.022
160	04013-60060	SCHEIBE	2				0.001	0.0022
170	01202-60612	BOLZEN	2				0.006	0.0132






Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	69728-38000	SITZEINHEIT	1				0	0
020	69568-38500	SITZ	1				0	0
030	69568-38400	MONT.HALTERUNG SITZE	1				0	0
040	69728-38300	ARMLEHNE	1				0	0
050	68198-38110	SITZTRAGER	1				0.86	1.892
060	68198-38120	SITZTRAGER	1				1.58	3.476
070	01135-61020	BOLZEN	4				0.015	0.033
080	01125-60825	BOLZEN	4				0.016	0.0352






↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	69738-38000	GRP.SITZEINHEIT	1			CANOPY TYPE	0	0
015	69738-38500	OBERSITZE	1			CANOPY TYPE	0	0
020	69738-38010	DECKEL	1			CANOPY TYPE	0	0
030	69738-38020	RUECKENLEHNEN-SCHAUM	1				0	0
040	69738-38030	RAHMEN	1				0	0
050	69738-38040	SITZDECKEL	1			CANOPY TYPE	0	0
060	69738-38050	SITZ-SCHAUMSTOFF	1				0	0
070	69738-38060	KOPFSTUETZE	1				0	0
080	69738-38070	GLEITSCHIENE	1				0	0
085	69738-38400	GRP.HALTERUNG	1				0	0
090	69738-38080	HALTERUNG	1				0	0
100	69738-38090	GEWICHTSEINSTELLER	1				0	0
110	69738-38110	DAEMPFERANSCHLAG	1				0	0
120	69738-38120	HOEHENEINSTELLER	1				0	0
130	69732-38130	DAEMPFER	1				0	0
140	69738-38140	HALTERUNGSDECKEL	1				0	0
150	69738-38150	ADAPTERPLATTE	1				0	0
160	69738-38160	ARMLEHNE LS	1				0	0
170	69738-38170	ARMLEHNE RS	1				0	0
180	68198-38110	SITZTRAGER	1				0.86	1.892
190	68198-38120	SITZTRAGER	1				1.58	3.476
200	01135-61020	BOLZEN	4				0.015	0.033
210	01125-60825	BOLZEN	4				0.016	0.0352



↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68191-38000	SITZEINHEIT	1	<=11360			9	19.8
010	68191-38002	SITZEINHEIT	1	>=11361	←		0	0
011	68191-38200	MONT.ARMLEHNE	1	>=11361			0.7	1.54
012	68191-38210	HUELSE	2	>=11361			0.005	0.011
013	68191-38220	ARMLEHNE	1	>=11361			0.7	1.54
014	68191-38230	MUTTER	1	>=11361			0.01	0.022
015	68191-38240	FEDERRING	1	>=11361			0.008	0.0176
016	68191-38250	FEDER PLATTE	1	>=11361			0.005	0.011
020	68198-38210	HALTER	1				1	2.2
030	01123-60816	BOLZEN	2				0.01	0.022
040	68198-38220	HALTER	1				2	4.4
050	68191-38130	STIFT	1				0.18	0.396
060	04011-50100	SCHEIBE	2				0.002	0.0044
070	05515-51000	SICHERUNGSSTIFT	2				0	0
080	01133-61016	BOLZEN	2				0.018	0.0396
090	68198-38230	HALTER	1				0.5	1.1
100	01123-60816	BOLZEN	2				0.01	0.022
110	32160-18440	KISSEN	2				0.013	0.0286
120	68328-41230	HALTER LS	1			KTC KCL KTA	0.8	1.76
130	68198-41250	HALTER RS	1			KTC KCL KTA	0.084	0.1848
140	01133-61230	BOLZEN	5			KTC KCL KTA	0.04	0.088
150	68817-43380	MONT.SITZGURTEL	1			KTC KCL KTA	0.85	1.87



$\leftrightarrow$ Auswechselbar; $\neq$ Nicht auswechselbar; $\leftarrow$ Neu für alt; $\rightarrow$ Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-53430	GRP.GLUEHLAMPE	1				0.5	1.1
020	68311-53440	GLUEHLAMPE	1				0.03	0.066
030	68311-53450	GLASLINSE	1				0.11	0.242
040	68311-53460	KISSEN	1				0.01	0.022
050	04013-60100	SCHEIBE	1				0.004	0.0088
060	04512-60100	FEDERRING	1				0.002	0.0044
070	02118-60100	MUTTER	1				0.006	0.0132
080	68328-53450	SCHUTZLAMPE	1				0	0

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68328-57050	MONT.AUFKLEBER	1	<=11238		KE	0	0
010	68328-57052	MONT.AUFKLEBER	1	>=11239	←	KE	0.1	0.22
010	68328-57020	MONT.AUFKLEBER	1	<=11238		KDG	0.065	0.143
010	68328-57022	MONT.AUFKLEBER	1	>=11239	←	KDG	0	0
010	68328-57080	MONT.AUFKLEBER	1	<=11238		KUK	0	0
010	68328-57082	MONT.AUFKLEBER	1	>=11239	←	KUK	0.09	0.198
020	68328-57410	AUFKLEBER	1				0.003	0.0066
030	99999-99999	LEERE SPALTE	0				0	0
040	68311-57430	AUFKLEBER	1				0.002	0.0044
050	68748-57310	AUFKLEBER	1	<=11053		KE KUK	0.001	0.0022
050	68328-57390	AUFKLEBER	1	>=11054	≠	KE KUK	0.002	0.0044
050	68165-59330	AUFKLEBER	1	<=11053		KDG	0.001	0.0022
050	68328-57420	AUFKLEBER	1	>=11054	≠	KDG	0.001	0.0022
060	68328-57460	AUFKLEBER	1			KE	0.003	0.0066
060	68328-57470	AUFKLEBER	1			KDG	0.003	0.0066
060	68328-57450	AUFKLEBER	1			KUK	0.002	0.0044
070	68658-57460	AUFKLEBER	1			KE	0.003	0.0066
070	68658-57470	AUFKLEBER	1			KDG	0.002	0.0044
070	68658-57450	AUFKLEBER	1			KUK	0.002	0.0044
080	68311-57470	AUFKLEBER	1				0.001	0.0022
090	68311-57490	AUFKLEBER	1				0.002	0.0044
100	68328-57510	AUFKLEBER	1			KE KUK	0.005	0.011
100	68658-57510	AUFKLEBER	1			KDG	0.005	0.011
110	68328-57520	AUFKLEBER	3			KE KUK	0.005	0.011
110	68658-57520	AUFKLEBER	3			KDG	0.005	0.011
120	68311-57530	AUFKLEBER	2				0.001	0.0022
130	68328-57540	AUFKLEBER	1			KE	0.003	0.0066
130	68658-57540	AUFKLEBER	1			KDG	0.003	0.0066
130	68328-57530	AUFKLEBER	1			KUK	0.003	0.0066
140	68328-57550	AUFKLEBER	1			KE KUK	0.003	0.0066
140	68658-57550	AUFKLEBER	1			KDG	0.003	0.0066
150	68311-57610	AUFKLEBER	2				0.001	0.0022
160	68328-57250	MARKIERUNG KUBOTA	1				0.025	0.055
170	68708-87430	AUFKLEBER	2				0	0
175	68198-57180	AUFKLEBER	1	>=11561		KE	0	0
175	68198-57190	AUFKLEBER	1	>=11561		KDG	0.001	0.0022
175	68198-57170	AUFKLEBER	1	>=11561		KUK	0.001	0.0022
180	68328-57620	AUFKLEBER	1			KE	0.005	0.011
180	68328-57630	AUFKLEBER	1			KDG	0.002	0.0044
180	68328-57610	AUFKLEBER	1			KUK	0.005	0.011
190	68198-57060	MONT.AUFKLEBER	1			KE	0.16	0.352
190	68198-57030	MONT.AUFKLEBER	1			KDG	0.2	0.44
190	68198-57090	MONT.AUFKLEBER	1			KUK	0.195	0.429
200	68198-57370	AUFKLEBER ACHTUNG	1			KE	0.003	0.0066
200	68198-57380	AUFKLEBER ACHTUNG	1			KDG	0.003	0.0066
200	68198-57360	AUFKLEBER ACHTUNG	1			KUK	0.005	0.011
210	68198-57120	MARKIERUNG	1				0.01	0.022
220	68158-57360	MARKIERUNG	1				0.01	0.022
230	68198-57350	MARKIERUNG	1				0.005	0.011
240	68191-57130	MARKIERUNG LS	1				0.03	0.066
250	68191-57330	MARKIERUNG LS	1				0.01	0.022
260	68191-57140	MARKIERUNG RS	1				0.02	0.044
270	68191-57340	MARKIERUNG RS	1				0.02	0.044
280	68191-57170	MARKIERUNG MOTORHAU.	2				0.012	0.0264
290	68191-57370	MARKIERUNG MOTORHAU.	2				0.001	0.0022
300	68191-57180	MARKIERUNG SCHWEINE	1	<=11238			0.001	0.0022
300	68198-57450	MARKIERUNG SCHWEINE	1	>=11239	≠		0.001	0.0022
310	68191-57190	MARKIERUNG SCHWEINE	1	<=11238			0.01	0.022
310	68198-57460	MARKIERUNG SCHWEINE	1	>=11239	≠		0.001	0.0022
320	68191-57310	MARKIERUNG SCHWEINE	1	<=11238			0.001	0.0022
320	68198-57470	MARKIERUNG SCHWEINE	1	>=11239	≠		0.001	0.0022
330	68191-57320	MARKIERUNG SCHWEINE	1				0.001	0.0022
340	68191-57210	MARKIERUNG SCHWEINE	1				0.001	0.0022
350	68191-57220	MARKIERUNG SCHWEINE	1				0.005	0.011
360	68198-57230	MARKIERUNG	1				0.005	0.011

↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
370	68198-57390	MARKIERUNG	1	<=12337		KDG KUK	0.005	0.011
380	68191-57240	MARKIERUNG	1				0.001	0.0022
390	68191-57260	MARKIERUNG KUBOTA	1				0.007	0.0154
400	76611-47694	AUFKLEBER KUBOTA	2				0.01	0.022
410	68386-57140	AUFKLEBER	1				0.002	0.0044
420	18682-88830	ETIKETTIERUNG	2				0.005	0.011
430	68198-57910	AUFKLEBER EEC	1				0.003	0.0066
440	68508-57920	AUFKLEBER LPA	1				0.004	0.0088



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-57100	MONT.AUFKLEBER	1			KTC	0.26	0.572
010	68198-57200	MONT.AUFKLEBER	1			KCL	0.26	0.572
020	68198-57140	MONT.AUFKLEBER	1			KTC	0.135	0.297
020	68198-57240	MONT.AUFKLEBER	1			KCL KTA	0.125	0.275
030	68311-57430	AUFKLEBER	1				0.002	0.0044
040	68198-57760	AUFKLEBER	1			KTC	0.001	0.0022
040	68328-57390	AUFKLEBER	1			KCL KTA	0.002	0.0044
050	68328-57450	AUFKLEBER	1			KTC	0.002	0.0044
050	68198-57410	AUFKLEBER	1			KCL KTA	0.001	0.0022
060	68658-57450	AUFKLEBER	1			KTC	0.002	0.0044
060	68198-57420	AUFKLEBER	1			KCL KTA	0.001	0.0022
070	68311-57470	AUFKLEBER	1				0.001	0.0022
080	68311-57490	AUFKLEBER	1				0.002	0.0044
090	68548-57420	AUFKLEBER	1	<=11238		KTC	0.001	0.0022
090	68548-57422	AUFKLEBER	1	>=11239	←	KTC	0.002	0.0044
095	68328-57510	AUFKLEBER	1			KCL KTA	0.005	0.011
100	68728-57262	AUFKLEBER	5	<=11238		KTC	0	0
100	68728-57264	AUFKLEBER	5	>=11239	←	KTC	0.001	0.0022
100	68518-57260	AUFKLEBER	5	<=11238		KCL	0	0
100	68518-57262	AUFKLEBER	5	>=11239	←	KCL KTA	0.003	0.0066
110	68198-57750	AUFKLEBER	1			KTC	0.002	0.0044
110	68328-57850	AUFKLEBER	1			KCL KTA	0.005	0.011
120	68328-57330	AUFKLEBER	2			KTC	0.001	0.0022
120	68328-57550	AUFKLEBER	2			KCL KTA	0.003	0.0066
130	68311-57610	AUFKLEBER	1				0.001	0.0022
140	68328-57250	MARKIERUNG KUBOTA	1				0.025	0.055
150	68198-57770	AUFKLEBER ACHTUNG	1			KTC	0.002	0.0044
150	68328-57660	AUFKLEBER ACHTUNG	1			KCL KTA	0.001	0.0022
160	68328-57890	AUFKLEBER	1				0.003	0.0066
170	68328-57350	AUFKLEBER	2			KTC	0.003	0.0066
170	68328-57360	AUFKLEBER	2			KCL KTA	0.001	0.0022
180	68285-57890	AUFKLEBER	1			KTC	0.001	0.0022
190	68198-57790	AUFKLEBER ACHTUNG	1			KTC	0.005	0.011
190	68328-57670	AUFKLEBER	1			KCL KTA	0.001	0.0022
200	68198-57740	AUFKLEBER	1			KTC	0.001	0.0022
210	68328-57310	AUFKLEBER ACHTUNG	1	<=11238		KTC	0.005	0.011
210	68328-57314	AUFKLEBER ACHTUNG	1	>=11239	←	KTC	0.005	0.011
210	68328-57680	AUFKLEBER ACHTUNG	1			KCL KTA	0.005	0.011
220	68198-57160	MONT.AUFKLEBER	1			KTC	0.195	0.429
220	68198-57260	MONT.AUFKLEBER	1			KCL	0.19	0.418
220	68198-58260	MONT.AUFKLEBER	1			KTA	0.185	0.407
230	68328-57480	AUFKLEBER	1			KTC KCL	0.001	0.0022
230	68328-57410	AUFKLEBER	1			KTA	0.003	0.0066
240	68198-57120	MARKIERUNG	1				0.01	0.022
250	68158-57360	MARKIERUNG	1				0.01	0.022
260	68198-57350	MARKIERUNG	1				0.005	0.011
270	68191-57130	MARKIERUNG LS	1			KTC KCL	0.03	0.066
270	68198-57130	MARKIERUNG LS	1			KTA	0.003	0.0066
280	68191-57330	MARKIERUNG LS	1			KTC KCL	0.01	0.022
280	68198-57330	MARKIERUNG LS	1			KTA	0.002	0.0044
290	68191-57140	MARKIERUNG RS	1				0.02	0.044
300	68191-57340	MARKIERUNG RS	1				0.02	0.044
310	68191-57170	MARKIERUNG MOTORHAU.	2				0.012	0.0264
320	68191-57370	MARKIERUNG MOTORHAU.	2				0.001	0.0022
330	68191-57180	MARKIERUNG SCHWEINE	1	<=11293			0.001	0.0022
330	68198-57450	MARKIERUNG SCHWEINE	1	>=11294	≠		0.001	0.0022
340	68191-57190	MARKIERUNG SCHWEINE	1	<=11293			0.01	0.022
340	68198-57460	MARKIERUNG SCHWEINE	1	>=11294	≠		0.001	0.0022
350	68191-57310	MARKIERUNG SCHWEINE	1	<=11293			0.001	0.0022
350	68198-57470	MARKIERUNG SCHWEINE	1	>=11294	≠		0.001	0.0022
360	68191-57320	MARKIERUNG SCHWEINE	1				0.001	0.0022
370	68191-57210	MARKIERUNG SCHWEINE	1				0.001	0.0022
380	68191-57220	MARKIERUNG SCHWEINE	1				0.005	0.011
390	68198-57230	MARKIERUNG	1				0.005	0.011
400	68198-57390	MARKIERUNG	1				0.005	0.011

**BESCHRIFTUNG [KTC KCL KTA]**

↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
410	68191-57240	MARKIERUNG	1				0.001	0.0022
420	68191-57260	MARKIERUNG KUBOTA	1				0.007	0.0154
430	76611-47694	AUFKLEBER KUBOTA	2				0.01	0.022
440	68548-57340	AUFKLEBER	1				0.001	0.0022
450	68198-57640	AUFKLEBER	2			KTC	0.009	0.0198
450	68198-57650	AUFKLEBER	2			KCL KTA	0.001	0.0022
460	68328-57780	AUFKLEBER	2			KTC	0.005	0.011
460	68328-57790	AUFKLEBER	2			KCL KTA	0.001	0.0022
470	76611-47694	AUFKLEBER KUBOTA	2	>=11444			0.01	0.022
480	68198-57210	AUFKLEBER	1	>=12299		KTA	0.002	0.0044