






↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16684-01012	KOMP.KURBELGEHAEUSE	1	<=YB0607			0	0
010	16684-01013	KOMP.KURBELGEHAEUSE	1	>=YC0001	←		0	0
010	16684-01014	KOMP.KURBELGEHAEUSE	1	>=YL0001	≠		32	70.4
010	16684-01015	KOMP.KURBELGEHAEUSE	1	>=YG0001	←		0	0
020	15451-96270	STEPSEL ABDICHTU	4				0.012	0.0264
030	15221-03490	STEPSEL ABDICHTU	1				0.02	0.044
040	15261-96010	STOPFEN	3				0.002	0.0044
050	16683-96020	STOPFEN	1				0.47	1.034
060	16241-96010	STOPFEN	3				0.007	0.0154
070	15521-96020	STOPFEN	2				0.003	0.0066
080	17391-96160	STOEPSSEL AUSDEHNUNG	3				0.003	0.0066
090	16271-96160	STOEPSSEL AUSDEHNUNG	1				0.025	0.055
100	05012-00508	ZYLINDERSTIFT	2	<=WT2678			0.001	0.0022
100	16225-94510	ZYLINDERSTIFT	2	>=WU0001	↔		0.001	0.0022
110	05012-00814	ZYLINDERSTIFT	2	<=WT2678			0.006	0.0132
110	16221-94530	ZYLINDERSTIFT	2	>=WU0001	↔		0.006	0.0132
120	05012-00610	ZYLINDERSTIFT	2	<=WT2678			0.003	0.0066
120	16221-94520	ZYLINDERSTIFT	2	>=WU0001	↔		0.005	0.011
130	15231-33960	ROHRSTIFT	2				0.001	0.0022
140	16241-33650	ROHRSTIFT	1				0.002	0.0044
150	16241-96262	STOPFEN	1				0.007	0.0154
160	16261-56280	STARTFEDERSTIFT	1				0.004	0.0088
170	16282-96010	STOPFEN	1				0.09	0.198
180	16271-55350	BUCHSE	1				0.06	0.132
190	15221-33610	STOPFEN	1				0.009	0.0198
200	15021-33660	DICHTUNGSPLATTE	1				0.001	0.0022
210	15221-33700	O RING	1				0.001	0.0022
220	06311-55020	STOPFEN	1				0.031	0.0682
230	15531-39010	OELDRUCKSCHALTER	1				0.032	0.0704
240	04714-00200	DICHTUNGSPLATTE	1				0.002	0.0044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16217-01610	OELWANNE	1				5.5	12.1
020	16261-01630	DICHTUNG OEL FAENGER	1				0.001	0.0022
030	01023-50665	BOLZEN	22				0.015	0.033
040	15221-33750	STOPFEN	1				0.032	0.0704
050	15109-33660	DICHTUNGSPLATTE	1	<=WP2119			0.001	0.0022
050	6C090-58960	DICHTUNGSPLATTE	1	>=WQ0001	←		0.002	0.0044
060	16261-32113	OELFILTER	1	<=XG9803			0	0
060	16261-32114	OELFILTER	1	>=XJ0001	←		0.21	0.462
070	01123-60816	BOLZEN	1				0.01	0.022
080	04814-00160	O RING	1				0.001	0.0022
090	17421-36410	OELMESSSTAB	1	<=XS9983			0.04	0.088
090	17456-36410	OELMESSSTAB	1	>=XU0001	≠		0.12	0.264
100	17456-36420	FUEHRUNG OEL-MEBSTAB	1	>=XU0001			0.033	0.0726






ZYLINDERKOPF


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-01750	MOTOR-ANKERHAKEN	1				0.08	0.176
020	16241-01770	MOTOR-ANKERHAKEN	1				0.17	0.374
030	01123-60814	BOLZEN	2				0.008	0.0176
040	16032-03042	KOMP.ZYLINDERKOPF	1				9.2	20.24
050	15321-96260	STEPSSEL ABDICHTU	1				0.014	0.0308
060	15261-96010	STOPFEN	2				0.002	0.0044
070	16241-13540	EINLASSVENTILFUHRUNG	3				0.02	0.044
080	16241-13560	AUSLASSVENTILFUHRUNG	3				0.01	0.022
090	15261-03370	STEPSSEL ABDICHTU	2				0.005	0.011
100	16241-03450	ZYLINDERKOPFSCHRAUBE	14				0.07	0.154
110	1E038-03310	DICHTUNG ZYLINDERKOP	1				0.07	0.154
120	31351-32830	THERMOSTAT	1				0.02	0.044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16259-04020	KMP.GETRIEBEGEHAEUSE	1				3.04	6.688
020	16241-96020	STOPFEN	5				0.015	0.033
030	15241-32290	VERBINDUNGSSTUECK	1				0.053	0.1166
040	16241-36950	FEDER	1				0.015	0.033
050	16241-36930	SITZ VENTIL	1				0.012	0.0264
060	07715-00201	KUGEL	1				0.008	0.0176
070	16241-35070	OLFORDERPUMPE LAUFER	1				0.27	0.594
080	16259-35132	OELPUMPEDECKEL	1				0.07	0.154
090	16241-93120	SCHRAUBE	5				0.005	0.011
100	16264-04130	DICHTUNGGETRIEBEGEH.	1				0.01	0.022
110	01023-50645	BOLZEN	3				0.01	0.022
120	01023-60650	BOLZEN	4				0.015	0.033
130	01023-50655	BOLZEN	2				0.012	0.0264
140	15841-91040	BOLZEN	1				0.01	0.022
150	16241-91040	BOLZEN	2				0.015	0.033
160	16259-91040	BOLZEN	1				0.02	0.044
170	16245-91530	STEBBOLZEN	1				0.01	0.022
180	02056-50060	MUTTER	1				0.002	0.0044
190	04512-60060	FEDERRING	1				0.001	0.0022
200	16259-04210	OELDICHTUNGSRING	1				0.015	0.033
210	04814-06100	O RING	2				0.003	0.0066
220	04814-00150	O RING	2				0.001	0.0022
230	16245-91540	STEBBOLZEN	2				0.005	0.011
240	15241-32090	MONTAGE ZUSAMMENBAU	1				0.35	0.77
250	58417-25950	GRP.GETRIEBEGEHAEUSE	1				0.29	0.638
260	16264-88130	DICHTUNG STUNDENMESS	1				0.002	0.0044
270	01023-50618	BOLZEN	2				0.006	0.0132
280	16259-32882	DECKEL	1				0.09	0.198
290	16259-32900	BOLZEN	1				0.08	0.176
300	04814-50600	O RING	1				0.002	0.0044
310	04814-00150	O RING	1				0.001	0.0022
320	15852-33140	OELINFUELLSSTOPFEN	1				0.038	0.0836
330	04814-50300	O RING	1				0.001	0.0022



16611-002-20


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-14503	ZYLINDERKOPFHAUBE	1				0.78	1.716
020	16261-14520	DICHTUNG KOPFDECKEL	1				0.01	0.022
030	16241-05550	ANSCHLUSSTEIL	1				0.02	0.044
040	16241-05140	PLATTE ELEMENT	1				0.005	0.011
050	16241-05150	PLATTE ELEMENT	1				0.01	0.022
060	16241-05670	ENTLUEFTUNGSELEMENT	1				0.01	0.022
070	16241-05370	OELSCHILD ENTLUEFTER	1				0.01	0.022
080	03024-50510	SCHRAUBE	2				0.002	0.0044
090	15952-92330	MUTTER	3				0.01	0.022
100	15951-96660	DICHTUNGSPLATTE	3				0.001	0.0022
110	15852-33140	OELEINFUELLSSTOPFEN	1				0.038	0.0836
120	04814-50300	O RING	1				0.001	0.0022
130	16264-05510	ENTLUFTUNGSROHR	1				0.068	0.1496




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-04092	GRP.LAGERGEHAEUSE	1				1.13	2.486
020	16241-04540	BOLZEN LAGERKASTEN	2				0.02	0.044
030	16264-04360	DICHTUNG LAGER	1				0.002	0.0044
040	16241-04813	DECKEL LAGERKASTEN	1				0.22	0.484
050	16241-04460	OELDICHTUNGSRING	1				0.02	0.044
060	16264-04820	DICHTUNGSPLATTE	1				0.008	0.0176
070	01023-50625	BOLZEN	8				0.007	0.0154
080	01023-50620	BOLZEN	9				0.006	0.0132
090	16261-04040	GRP.LAGERGEHAEUSE	1				0.9	1.98
100	16241-04540	BOLZEN LAGERKASTEN	2				0.02	0.044
110	16241-04560	BOLZEN LAGERKASTEN	2				0.03	0.066
120	16261-04050	GRP.LAGERGEHAEUSE	1				1.11	2.442
130	16241-04540	BOLZEN LAGERKASTEN	2				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-15550	STOSSEL	6				0.035	0.077
020	16241-15110	STOSSELSTANGE	6				0.03	0.066
030	16261-16010	GRP.NOCKENWELLE	1				1.7	3.74
040	15521-93610	ANSCHLAGSCHRAUBE	1				0.002	0.0044
050	16241-16510	ZAHNRAD	1				0.45	0.99
060	05712-00518	KEIL	1				0.003	0.0066
070	16241-16270	NOCKENWELLESPIERRPLA.	1				0.04	0.088
080	01023-50614	BOLZEN	2				0.005	0.011
090	16271-24010	KOMP.LEERLAUFGETRIEB	1				0.6	1.32
100	16271-24980	BUCHSE LEERLAUFGETR.	1				0.02	0.044
110	16241-24360	HALSRING	1				0.01	0.022
120	16241-24370	HALSRING	1				0.012	0.0264
130	16241-24320	SEEGERING	1				0.003	0.0066
140	16241-24250	WELLE FREILAUFGETR.	1				0.255	0.561
150	01023-50616	BOLZEN	3				0.005	0.011




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16060-21110	KOLBEN	3			STD	0.4	0.88
010	16060-21910	KOLBEN	3			+0.5MM	0.415	0.913
020	16261-21050	GRP.KOLBENRING	3			STD	0.042	0.0924
020	16261-21090	GRP.KOLBENRING	3			+0.5MM	0.05	0.11
030	16241-21310	KOLBENBOLZEN	3				0.135	0.297
040	16241-21330	SEEGERING	6				0.002	0.0044
050	16241-22012	TRIEBSTANGE KOMP	3				0.545	1.199
060	16241-21980	BUCHSE KOLBENSTIFT	3				0.03	0.066
070	16241-22140	BOLZEN	6				0.024	0.0528
080	16241-22310	METALLTEIL	3			STD SET	0.038	0.0836
080	16241-22970	METALLTEIL	3			-0.2MM SET	0.08	0.176
080	16241-22980	METALLTEIL	3			-0.4MM SET	0.1	0.22
090	16265-23013	KOMP.KURBELWELLE	1				9.6	21.12
100	07715-00401	KUGEL	3				0.001	0.0022
110	16241-24110	ZAHNRAD	1				0.15	0.33
120	16271-95230	KEIL	1				0.005	0.011
130	16241-35630	GETRIEBE	1				0.102	0.2244
140	16241-23280	MUFFE	1				0.06	0.132
150	16241-23250	HALSRING	1				0.05	0.11
160	04814-10280	O RING	1				0.001	0.0022
170	16241-23470	METALLTEIL	1			STD	0.06	0.132
170	16241-23910	METALLTEIL	1			-0.2MM	0.03	0.066
170	16241-23920	METALLTEIL	1			-0.4MM	0.068	0.1496
180	16241-23480	METALLTEIL	2			STD SET	0.05	0.11
180	16241-23930	METALLTEIL	2			-0.2MM SET	0.1	0.22
180	16241-23940	METALLTEIL	2			-0.4MM SET	0.05	0.11
190	16241-23490	METALLTEIL	1	≤XC9968		STD SET	0	0
190	16292-23490	METALLTEIL	1	≥XE0001	↔	STD SET	0.07	0.154
190	16241-23860	METALLTEIL	1	≤XC9968		-0.2MM SET	0.1	0.22
190	16292-23860	METALLTEIL	1	≥XE0001	↔	-0.2MM SET	0.05	0.11
190	16241-23870	METALLTEIL	1	≤XC9968		-0.4MM SET	0.068	0.1496
190	16292-23870	METALLTEIL	1	≥XE0001	↔	-0.4MM SET	0.05	0.11
200	15521-23530	METALLSEITENRING	2			STD	0.01	0.022
200	15521-23950	METALLSEITENRING	2			+0.2MM	0.01	0.022
200	15521-23960	METALLSEITENRING	2			+0.4MM	0.01	0.022
210	19202-23540	METALLSEITENRING	2			STD	0.01	0.022
210	19202-23970	METALLSEITENRING	2			+0.2MM	0.01	0.022
210	19202-23980	METALLSEITENRING	2			+0.4MM	0.01	0.022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16692-25013	KOMP.SCHWUNGRAD	1				13.1	28.82
015	16813-63820	ZAHNKRANZ	1				0.62	1.364
020	16241-25160	BOLZEN SCHWUNGRAD	6				0.03	0.066
030	16264-04623	PLATTE	1				2.7	5.94
040	15261-91190	BOLZEN	8				0.03	0.066
050	05012-00814	ZYLINDERSTIFT	1	≤WT2678			0.006	0.0132
050	16221-94530	ZYLINDERSTIFT	1	≥WU0001	↔		0.006	0.0132



16264-006-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16020-16170	NOCKENWELLE	1				0.38	0.836
020	08103-06202	KUGELLAGER	1				0.05	0.11
030	08103-06204	KUGELLAGER	1				0.105	0.231
040	16241-92330	MUTTER	1				0.035	0.077
050	16241-95230	SCHEIBEN-KEIL	1				0.001	0.0022
060	16272-51150	GETRIEBEZAHNRAD	1				0.49	1.078
070	16241-16320	STOPFENNOCKENWELLE	1				0.04	0.088
080	01023-50612	BOLZEN	2				0.005	0.011
090	16265-55013	ACHSE	1				1.22	2.684
100	16241-55392	HALTER	1				0.34	0.748
110	16282-55320	REGELERZAHNRAD	1				0.24	0.528
120	16241-55270	HALTER GEWICHT	1				0.085	0.187
130	16241-55062	GEWICHT KOMP.	2				0.085	0.187
140	16241-55260	WELLE	2				0.013	0.0286
145	19484-55440	ROLLE	2				0.005	0.011
150	16241-55450	REGLERMUFFE	1				0.04	0.088
160	16241-55463	DRUCKSCHEIBE	1				0.005	0.011
170	08101-06304	KUGELLAGER	1				0.146	0.3212
180	16271-55410	SPRENGRING	1				0.005	0.011
190	16241-55554	ANSCHLAGSCHRAUBE	1				0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16264-54090	GRP.FREILAUFAPPARAT	1				0.025	0.055
020	16264-54100	GRP.ENSTELLBOLZEN	1				0.008	0.0176
030	15841-92020	MUTTER	1				0.004	0.0088
040	15841-92330	MUTTER	1				0.006	0.0132
050	15601-96650	DICHTUNGSPLATTE	2				0.001	0.0022
060	16221-54420	KAPPE	1				0.001	0.0022
070	16241-54120	EINSTELLBOLZEN	1				0.005	0.011
080	15841-92020	MUTTER	1				0.004	0.0088
090	15841-92330	MUTTER	1				0.006	0.0132
100	15601-96650	DICHTUNGSPLATTE	2				0.001	0.0022
110	16241-54420	KAPPE	1	≤YB0607			0.004	0.0088
110	16221-54420	KAPPE	1	≥YC0001	≠		0.001	0.0022
120	16271-60012	DRAHTSPULE KOMP	1				0.35	0.77
130	16299-60150	DICHTUNGSPLATTE	1				0.003	0.0066
140	01311-10614	BOLZEN	2				0.005	0.011
150	16264-83152	DECKELHYDRAULIKPUMPE	1				0.028	0.0616
160	04512-60060	FEDERRING	2				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16271-95690	VERBINDUNGSSTUCK	1				0.046	0.1012
020	16032-51010	GRP.EINSPRITZPUMPE	1				1	2.2
030	16006-52092	ABSTANDSSCHEIBE	1			0.20MM	0.004	0.0088
040	16006-52112	ABSTANDSSCHEIBE	1			0.25MM	0.004	0.0088
045	16006-52122	ABSTANDSSCHEIBE	1			0.30MM	0.006	0.0132
050	01311-10620	BOLZEN	2				0.012	0.0264
060	15841-91500	STEBOLZEN	2				0.04	0.088
070	15841-92320	MUTTER	2				0.01	0.022
080	04512-60060	FEDERRING	4				0.001	0.0022
090	15852-52850	DECKEL	1				0.06	0.132
100	16264-52140	DICHTUNG PUMPE	1				0.001	0.0022
110	02056-50060	MUTTER	2				0.002	0.0044
120	04512-60060	FEDERRING	2				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16032-51010	GRP.EINSPRITZPUMPE	1				1	2.2
020	16030-51052	PUMPENKOLBEN	3				0.024	0.0528
030	15841-51030	VENTIL	3				0.015	0.033
040	15841-51230	FEDER	3				0.004	0.0088
050	15841-51240	DICHTUNG DRUCKVENTIL	3				0.001	0.0022
060	16271-51220	ENTLAST-VENTILHALTER	3				0.045	0.099
070	15841-96760	O RING	3				0.001	0.0022
080	15841-51560	FLANSCH	3				0.06	0.132
090	15841-94570	STIFT	3				0.001	0.0022
100	15841-51200	O RING	6				0.001	0.0022
110	15862-91430	SCHRAUBE	6				0.01	0.022
120	15841-51070	GRP.VENTILSTOESSEL	3				0.03	0.066
130	15841-51250	STOESSELFUHRUNGSTIFT	3				0.001	0.0022
140	15861-51430	STIFT	1				0.002	0.0044
150	15841-51280	KOLBENFEDER	3				0.015	0.033
160	15841-51270	FEDERTELLER OBERE	3				0.005	0.011
170	15841-51290	FEDERTELLER UNTERE	3				0.005	0.011
180	15841-51490	BEILAGE	3				0.005	0.011
190	16030-51060	STEUERUNGSTEIL	1				0.027	0.0594
200	16030-51540	PLATTE	1				0.035	0.077
210	15841-93110	SCHRAUBE	4				0.001	0.0022
220	15841-51380	MUFFE	3				0.006	0.0132
230	16271-51320	SCHRAUBE	1				0.031	0.0682
240	15841-96650	DICHTUNGSPLATTE	2				0.001	0.0022
250	16030-96010	STOPFEN	1				0.008	0.0176
260	15861-96650	DICHTUNGSPLATTE	1				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-56480	STARTERFEDER	1				0.002	0.0044
020	16271-56412	REGLERFEDER	1	<=WJ9533			0	0
020	16271-56413	REGLERFEDER	1	>=WL0001	←		0.02	0.044
020	16271-56414	REGLERFEDER	1	>=XE0001	→		0.022	0.0484
030	16207-56052	GRP.GABELHEBEL	1	<=WX2480			0	0
030	16207-56055	GRP.GABELHEBEL	1	>=WY0001	←		0.25	0.55
040	19484-55440	ROLLE	2				0.005	0.011
050	16222-54232	FEDER	1				0.001	0.0022
055	07715-03205	KUGEL	1				0.001	0.0022
060	16222-56130	HEBEL GABEL	1				0.06	0.132
070	16241-56153	GABELHEBELWELLE	1				0.04	0.088
080	16241-94010	SCHEIBE	1				0.002	0.0044
090	16241-56330	KUGELLAGER	1				0.007	0.0154
100	04612-00090	SPRENGRING AUSSEN	1				0.001	0.0022
110	16241-56250	DECKEL	1				0.013	0.0286
120	16299-56260	DICHTUNGSPLATTE	1				0.002	0.0044
130	01023-50614	BOLZEN	2				0.005	0.011
140	16241-56210	HUELSE	1				0.008	0.0176
150	16241-56340	KUGELLAGER	1				0.007	0.0154



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16205-57010	GRP.REGELPLATTE	1				0.34	0.748
020	16205-57150	DREHZAHLVERSTELHEBEL	1				0.033	0.0726
030	16205-57160	DREHZAHLVERSTELHEBEL	2				0.03	0.066
040	04814-00100	O RING	1				0.001	0.0022
050	05411-00420	STIFT FEDR	2				0.001	0.0022
060	05411-02520	STIFT FEDR	2				0.001	0.0022
070	01023-50612	BOLZEN	2				0.005	0.011
080	16205-56020	KOMP.REGLERHEBEL	1				0.02	0.044
090	16205-57720	MOTOR-STOPHEBEL	1				0.02	0.044
100	04814-10070	O RING	1				0.001	0.0022
110	16205-57510	RUECKZUGFEDER	1				0.002	0.0044
120	16205-57740	MOTORABSTELLENHEBEL	1				0.046	0.1012
130	16264-57210	DICHTUNGSPLATTE	1				0.002	0.0044
140	01023-50616	BOLZEN	1				0.005	0.011
150	16245-91540	STEBOLZEN	2				0.005	0.011
160	02056-50060	MUTTER	2				0.002	0.0044
170	04512-60060	FEDERRING	2				0.001	0.0022
180	01053-50618	BOLZEN	1				0.006	0.0132
190	15601-96650	DICHTUNGSPLATTE	1				0.001	0.0022



16264-003-12


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-42502	GRP.UEBERLAUFROHR	1				0.04	0.088
020	15841-51360	SCHRAUBE	1				0.008	0.0176
030	15601-96650	DICHTUNGSPLATTE	1				0.001	0.0022
040	15841-42500	GRP.UEBERLAUFROHR	1				0.015	0.033
050	14971-42750	ROHRKLEMME	2				0.001	0.0022
060	16032-53000	GRP.DUESENHALTER	3				0.14	0.308
070	15841-53622	DICHTUNGSPLATTE	3				0.002	0.0044
075	19077-53650	DICHTUNG	3				0.005	0.011
080	16271-53712	EINSPRITZROHR	1				0.12	0.264
090	16271-53722	EINSPRITZROHR	1				0.12	0.264
100	16271-53732	EINSPRITZROHR	1				0.118	0.2596
110	15841-53850	ROHRKLEMME	2				0.01	0.022
120	15841-53860	ROHRKLEMME	2				0.009	0.0198
130	03024-50520	SCHRAUBE	2				0.004	0.0088
140	16851-65510	GLUEHSTOEPSEL	3				0.02	0.044
150	16261-65560	GLUEHKERZEKORD	1				0.01	0.022
155	02761-50040	FLANSCHEN-MUTTER	3				0.002	0.0044
160	16264-42030	GRP.UEBERLAUFROHR	1				0.005	0.011
170	09661-40080	KRAFTSTOFFROHR	1				0.01	0.022
180	14971-42750	ROHRKLEMME	2				0.001	0.0022
190	16261-42040	GRP.UEBERLAUFROHR	1				0.015	0.033
200	09661-40260	KRAFTSTOFFROHR	1				0.015	0.033
210	14971-42750	ROHRKLEMME	2				0.001	0.0022
220	15101-42572	VERBINDUNGSSTUECK	1	≤XE9803			0	0
220	K3511-58390	VERBINDUNGSSTUECK	1	≥XG0001	↔		0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16032-53000	GRP.DUESENHALTER	3				0.14	0.308
020	16032-92030	MUTTER	3				0.007	0.0154
030	16032-53230	EINSTELLSCHEIBE	3				0.001	0.0022
040	16032-53170	FEDER	3				0.007	0.0154
050	16032-53350	DISTANZSCHEIBE	3				0.02	0.044
060	16032-53160	STOSSELSTANGE	3				0.001	0.0022
070	16032-53280	MUTTER	3				0.037	0.0814
080	16032-94040	SCHEIBE	3				0.002	0.0044
090	16032-53610	DUESENSTUECK	3				0.021	0.0462
100	16032-98100	GRP.EINSTELLSCHEIBE	3			OPTION	0.016	0.0352
110	16032-98500	EINSTELLSCHEIBE	3			0.10MM	0.001	0.0022
110	16032-98510	EINSTELLSCHEIBE	3			0.20MM	0.001	0.0022
110	16032-98520	EINSTELLSCHEIBE	3			0.30MM	0.001	0.0022
110	16032-98530	EINSTELLSCHEIBE	3			0.40MM	0.001	0.0022
110	16032-98540	EINSTELLSCHEIBE	3			0.50MM	0.001	0.0022
110	16032-98550	EINSTELLSCHEIBE	3			0.52MM	0.001	0.0022
110	16032-98560	EINSTELLSCHEIBE	3			0.54MM	0.001	0.0022
110	16032-98570	EINSTELLSCHEIBE	3			0.56MM	0.001	0.0022
110	16032-98580	EINSTELLSCHEIBE	3			0.58MM	0.001	0.0022
110	16032-98590	EINSTELLSCHEIBE	3			0.80MM	0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-64010	GRP.WECHSELSTROMDYN.	1	≤YF1894			3	6.6
010	1K574-64013	GRP.WECHSELSTROMDYN.	1	≥YG0001	≠		2.99	6.578
020	16241-64420	DYNAMOSTANGE	1				0.095	0.209
030	01123-50830	BOLZEN	1				0.015	0.033
040	01173-51085	BOLZEN	1				0.051	0.1122
050	02176-50100	MUTTER	1				0.005	0.011
060	04011-50100	SCHEIBE	1				0.002	0.0044
070	04512-60100	FEDERRING	1				0.002	0.0044
080	04015-60080	SCHEIBE	1				0.01	0.022
090	01023-50616	BOLZEN	1				0.005	0.011
100	04012-50060	SCHEIBE	1				0.001	0.0022
110	16271-83370	KABELKLEMME	1				0.005	0.011
120	16219-74110	VENTILATOR	1				0.48	1.056
130	16217-74250	VENTILATORSCHIEBE	1				0.2	0.44
140	01754-50610	FLANSCHEN-BOLZEN	4				0.006	0.0132
150	16261-74280	RIEMENSCHIEBE	1				1.14	2.508
160	16241-91020	BOLZEN	1				0.1	0.22
170	16241-97010	RIEMEN	1				0.08	0.176



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	1K574-64013	GRP.WECHSELSTROMDYN.	1				2.99	6.578
020	15881-64110	RIEMENSCHLEIBE DYNAMO	1				0.16	0.352
030	15881-92010	MUTTER	1				0.02	0.044
040	15881-64150	HUELSE	1				0.004	0.0088
050	66436-64040	ROTOR	1				1.2	2.64
060	15881-64800	DECKEL	1				0.001	0.0022
070	16652-64770	KUGELLAGER	1				0.045	0.099
080	15881-64810	DRUCKSCHEIBE	1				0.002	0.0044
090	66436-64020	ANTRIEBSRAHMEN	1				1.11	2.442
100	15881-64710	HALTEPLATTE	1				0.01	0.022
110	15881-93010	RUNDKOPFSCHRAUBE	4				0.003	0.0066
120	15881-64260	DURCHGEHENDERBOLZEN	2				0.01	0.022
130	16652-64780	KUGELLAGER	1				0.05	0.11
140	16241-64060	RAHMEN	1				0.2	0.44
150	16678-64230	DECKEL	1				0.03	0.066
160	15881-64850	MONT.GLEICHRICHTER	1				0.15	0.33
170	15881-64900	BUCHSE	1				0.006	0.0132
180	16652-64310	BUERSTEN HALTER	1				0.025	0.055
190	15881-64090	BUERSTE	2				0.002	0.0044
200	15881-64330	SCHLEIFBUERSTENFEDER	2				0.002	0.0044
210	15881-93020	RUNDKOPFSCHRAUBE	2				0.005	0.011
220	15881-93030	RUNDKOPFSCHRAUBE	6				0.003	0.0066
230	15881-93040	RUNDKOPFSCHRAUBE	1				0.003	0.0066
240	15881-91040	BOLZEN	3				0.005	0.011
250	15881-92020	MUTTER	2				0.02	0.044
260	15881-91050	BOLZEN	2				0.01	0.022
270	14182-92030	MUTTER	1				0.003	0.0066
280	1K574-64600	REGULATOR	1				0.09	0.198




16219-007-10



ANLASSER

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16611-63010	GRP.ANLASSER	1				3.95	8.69
020	01123-50830	BOLZEN	2				0.015	0.033



16615-005-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16611-63010	GRP.ANLASSER	1				3.95	8.69
020	16661-63080	GRP.GABELGELENK	1				0.96	2.112
030	11197-63070	GRP.ARMATUR	1				0.8	1.76
040	11460-63500	LAGER	1				0.03	0.066
050	11460-63530	LAGER	1				0.02	0.044
060	16611-63040	AUFLAUFKUPPLUNG	1				0.08	0.176
070	16611-63030	ANTRIEBSRAHMEN	1				0.1	0.22
080	16285-63020	GRP.MAGNETSCHALTER	1	<=WP2119			0.95	2.09
080	16611-63020	MAGNETSCHALTER	1	>=WQ0001	≠		0.91	2.002
090	17341-63200	RAHMEN	1				0.13	0.286
100	11197-63380	GRP.BUERSTENHALTER	1				0.05	0.11
110	15401-63390	SCHLEIFBUERSTENFEDER	4				0.003	0.0066
120	11460-63270	GETRIEBE	1				0.04	0.088
130	11460-63110	HALTESCHEIBE	1				0.01	0.022
140	19212-63100	ROLLE	5				0.002	0.0044
150	11460-63120	FEDER	1				0.01	0.022
160	19212-97130	KUGEL	1				0.003	0.0066
170	11460-93310	BOLZEN	2				0.01	0.022
180	15511-96660	O RING	2				0.005	0.011
190	11197-63320	BOLZEN	2				0.02	0.044
200	15511-63760	GRP.BOLZEN	2				0.005	0.011
210	16611-63450	DECKEL	1				0.03	0.066
220	16611-92020	MUTTER	1				0.005	0.011
230	16611-63660	CABLESTOPSOLENOID	1				0.005	0.011
240	16285-92010	MUTTER	1				0.005	0.011
250	16285-63570	DRANLEITUNG	1				0.005	0.011
260	16612-63100	FLACHRIEMEN	1				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16282-72863	WASSERROHR	1				0.24	0.528
020	06311-55010	STOPFEN	1				0.015	0.033
030	16241-72870	WASSERROHR	1				0.06	0.132
040	36200-82720	KLAMMER	2				0.025	0.055
050	16233-72700	KOMP.FLANSCH	1				0.274	0.6028
060	16241-73370	WASSERROHR	1				0.007	0.0154
070	06311-55030	STOPFEN	1				0.05	0.11
080	16261-96710	DICHTUNGSPLATTE	1				0.002	0.0044
090	16264-72920	DICHTUNG	1				0.001	0.0022
100	01023-50616	BOLZEN	3				0.005	0.011
110	01023-50655	BOLZEN	1				0.012	0.0264
120	16241-73350	WASSERROHR	1				0.015	0.033
130	16241-73360	ROHRBAND	2				0.003	0.0066
140	15321-73010	GRP.THERMOSTAT	1	<=1D1132			0	0
140	15321-73014	GRP.THERMOSTAT	1	>=1E0001	←		0	0
150	16219-73260	DECKEL THERMOSTAT	1				0.094	0.2068
160	15313-73270	DICHTUNG	1	<=WX2480			0.001	0.0022
160	16221-73270	DICHTUNG	1	>=WY0001	↔		0.003	0.0066
170	01123-50835	BOLZEN	2				0.02	0.044
180	04724-00100	DICHTUNGSPLATTE	1				0.001	0.0022




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16259-73032	GRUPPE WASSERPUMPE	1				0.89	1.958
020	16259-73550	LAGER	1				0	0
030	15481-73050	GRP.MECH.DICHTUNG	1				0.02	0.044
040	16259-73510	FLUEGELRAD	1				0.1	0.22
050	16241-73340	WASSERROHR	1				0.006	0.0132
055	16259-73520	FLANSCH PUMPE	1				0.15	0.33
060	16239-73430	DICHTUNG WASSERPUMPE	1				0.007	0.0154
070	01023-50630	BOLZEN	4				0.008	0.0176
080	01023-50680	BOLZEN	2				0.017	0.0374




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16241-13110	EINLASSVENTIL	3				0.05	0.11
020	16241-13120	AUSLASSVENTIL	3				0.045	0.099
030	16271-13240	VENTIL-FEDER	6				0.015	0.033
040	16241-13330	ZURUECKHALTER	6				0.012	0.0264
050	15261-13360	KLEMMSCHEIBE	6			SET	0.004	0.0088
060	1C010-13150	VENTILDICHTUNG	6				0.002	0.0044
070	16241-13280	VENTILKAPPE	6				0.005	0.011
080	16261-14264	KIPPHEBELWELLE	1				0.16	0.352
090	01023-50610	BOLZEN	2				0.005	0.011
100	16241-14350	KIPPHEBELHALTER	3				0.04	0.088
110	05411-00428	STIFT FEDR	1				0.002	0.0044
120	16241-14430	SCHEIBE	2				0.002	0.0044
130	15841-94022	SCHEIBE	2				0.005	0.011
140	16241-14310	FEDER KIPPHEBEL	2				0.004	0.0088
150	99999-99999	LEERE SPALTE	0				0	0
160	16241-14032	GRP.KIPPHEBEL	6				0.052	0.1144
170	16241-14230	STELLSCHRAUBE	6				0.008	0.0176
180	16241-14240	MUTTER	6				0.004	0.0088
190	16241-14410	STEBOLZEN	3				0.022	0.0484
200	15261-92010	MUTTER	3				0.005	0.011
210	15261-94010	SCHEIBE	3				0.002	0.0044




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	16261-11770	GRP.ANSAUG-ROHRKRUE.	1				0.3	0.66
020	16261-11822	DICHTUNG ANSAUGROHR	1				0.01	0.022
030	01023-50618	BOLZEN	3				0.006	0.0132
040	01023-50630	BOLZEN	1				0.008	0.0176
050	01023-60650	BOLZEN	2				0.015	0.033
060	15272-67590	KABELKLEMME	1				0.004	0.0088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

[illegible]




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-42110	TRAEGER MOTOR	1				1.99	4.378
020	RB401-42120	TRAEGER MOTOR	1				1.99	4.378
030	01133-61025	BOLZEN	6				0.02	0.044
040	RB401-42130	TRAEGER MOTOR	1				1.53	3.366
050	RB401-42140	TRAEGER MOTOR	1				0.95	2.09
060	09664-80130	KRAFTSTOFFROHR	1				0	0
070	01173-61430	BOLZEN	4				0.05	0.11
080	04512-60140	FEDERRING	4				0.006	0.0132
090	68051-42160	BUFFER GUMMI	4				0.37	0.814
100	04512-60100	FEDERRING	8				0.002	0.0044
110	02118-60100	MUTTER	8				0.006	0.0132
120	RC101-42170	DECKEL	2				0.004	0.0088




070 RB401-4232-0



RB408-800-10


↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-42302	GRP.KUEHLER	1				6	13.2
020	15272-72020	GRP.VERSCHLUSS	1				0.071	0.1562
030	19077-87240	AUFKLEBER ACHTUNG	1				0.002	0.0044
040	RB401-42360	STREBE	1	<=13040			0.339	0.7458
040	RB401-42362	STREBE	1	>=13041	≠		0.35	0.77
050	RB401-42570	STREBE	1				0.27	0.594
060	01123-60816	BOLZEN	4				0.01	0.022
070	RB401-42320	LUFTLEITBLECH	1	<=13040			2.02	4.444
070	RB401-42323	LUFTLEITBLECH	1	>=13041	≠		2.5	5.5
070	RB401-42323	LUFTLEITBLECH	1		↔		2.5	5.5
080	68768-42530	GUMMITUELLE	2				0.01	0.022
090	01023-60612	BOLZEN	4				0.008	0.0176
100	04013-60060	SCHEIBE	4				0.001	0.0022
110	RB401-42390	KUEHLERFUSS	1				0.748	1.6456
120	01133-61030	BOLZEN	2				0.023	0.0506
130	04013-60100	SCHEIBE	2				0.004	0.0088
140	15108-72380	BOLZEN	2				0.04	0.088
150	15111-72200	SCHEIBE	4				0.013	0.0286
160	15111-72180	KISSEN	2				0.015	0.033
170	15111-72190	KISSEN	2				0.016	0.0352
180	05515-61000	SICHERUNGSTIFT	2				0.003	0.0066
190	15272-67590	KABELKLEMME	2				0.004	0.0088



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-42350	KUEHLERFUSS	1				0.045	0.099
020	01133-61020	BOLZEN	1				0.02	0.044
022	02118-60100	MUTTER	1				0.006	0.0132
024	04512-60100	FEDERRING	1				0.002	0.0044
030	04013-60100	SCHEIBE	2				0.004	0.0088
040	RB401-42514	VERTEILUNGSPLATTE	1				0.34	0.748
050	01202-60612	BOLZEN	2				0.006	0.0132
060	04013-60060	SCHEIBE	2				0.001	0.0022
070	RB401-42543	VERTEILUNGSPLATTE	1				0.35	0.77
080	01202-60612	BOLZEN	2				0.006	0.0132
090	04013-60060	SCHEIBE	2				0.001	0.0022
100	RB401-42370	VERTEILUNGSPLATTE	1				0.36	0.792
110	01202-60612	BOLZEN	2				0.006	0.0132
120	04013-60060	SCHEIBE	2				0.001	0.0022
130	RB401-42382	VENTILATORDECKEL	1				0.53	1.166
140	01202-60612	BOLZEN	2				0.006	0.0132
150	04013-60060	SCHEIBE	2				0.001	0.0022
160	RB401-42590	STREBE	1				0.26	0.572
170	01125-60816	BOLZEN	2				0.01	0.022
180	RB401-42550	VERTEILUNGSPLATTE	1				0.39	0.858
190	68493-42750	GUMMITUELLE	1				0.001	0.0022
195	68493-42750	GUMMITUELLE	1	≥13239			0.001	0.0022
200	RB401-42564	VERTEILUNGSPLATTE	1				0.32	0.704
210	01125-60816	BOLZEN	4				0.01	0.022
220	RB401-42580	VERTEILUNGSPLATTE	1				0.27	0.594
230	01123-60820	BOLZEN	2				0.015	0.033
240	04013-60080	SCHEIBE	2				0.002	0.0044



RB408-010-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-42330	SCHLAUCH	1				0.146	0.3212
020	RB401-42340	SCHLAUCH	1				0.179	0.3938
030	09318-89039	SCHLAUCHBINDER	4				0.02	0.044
040	RC101-42470	GRP.RESERVEBEHAELTER	1				0.32	0.704
050	56331-41500	GRP.RESERVEBEHAELTER	1				0.225	0.495
060	15531-72410	KOEPER	1				0.4	0.88
070	15531-72422	KAPPE	1				0.001	0.0022
080	15531-72432	DICHTUNGSPLATTE	1				0.002	0.0044
090	15501-72470	ROHRKLEMME	3				0.005	0.011
100	56363-41520	SCHLAUCH	1				0.077	0.1694
110	RC301-47480	WEHRSCHLAUCH	1				0.01	0.022
120	RB401-42460	STEREBE	1				0.2	0.44
130	01133-61020	BOLZEN	2				0.02	0.044




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	69198-58302	GRP.LUFTFILTER	1				0.69	1.518
020	69198-58312	LUFTFILTERKOEPER	1				0.25	0.55
025	32721-58220	GEHAUSE LUFTFILER	1				0.2	0.44
030	6A100-82530	DICHTUNGSPLATTE	1				0.03	0.066
040	67980-82530	BOGEN	1				0.037	0.0814
050	32721-58282	AUFKLEBER ACHTUNG	1				0.001	0.0022
060	67980-58330	GRP.ABDECKUNG	1				0.14	0.308
062	6A100-82570	FEDER	2				0.005	0.011
064	67980-82580	VENTIL	1				0.011	0.0242
070	6A100-82630	FILTEREINSATZ	1				0.24	0.528
080	32721-58242	INNENELEMENT	1				0.2	0.44
090	69191-42250	BASIS LUFTFILTER	1				0.21	0.462
100	02114-60080	MUTTER	2				0.002	0.0044
110	04512-60080	FEDERRING	2				0.002	0.0044
120	67401-54290	LUFTFILTERBAND	1				0.06	0.132
130	RB401-42220	SCHLAUCH	1				0.248	0.5456
140	15221-11720	ROHRBAND	2				0.03	0.066
150	RB401-42210	AUSPUFFTOPF	1				1.428	3.1416
160	01123-60820	BOLZEN	2				0.015	0.033
170	RB401-42230	SCHLAUCH	1				0.156	0.3432
180	RB401-42253	SCHLAUCH	1				0.28	0.616
190	15221-11720	ROHRBAND	3				0.03	0.066




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	15313-12370	DICHTUNGSPLATTE	1				0.008	0.0176
020	RB401-42440	VORAUSPFFOPE	1				2.51	5.522
030	RB401-42842	KLAMMER	1				0.019	0.0418
040	68311-72820	SCHLAUCHBINDER	1				0.03	0.066
050	RB401-42490	BOLZEN	2				0.02	0.044
060	04512-60100	FEDERRING	2				0.002	0.0044
070	RB401-42450	AUSPUFFTOPFROHR	1				0.3	0.66
080	RB401-42410	AUSPUFFTOPF	1	<=14204			0	0
080	RB401-42413	AUSPUFFTOPF	1	>=14205	←		0	0
090	RB401-42892	KLAMMER	3				0.017	0.0374
100	66711-54420	ROHRBAND	2				0.038	0.0836
110	01153-60865	BOLZEN	2				0.04	0.088
120	04013-60080	SCHEIBE	4				0.002	0.0044
130	04512-60080	FEDERRING	2				0.002	0.0044
140	02114-60080	MUTTER	2				0.002	0.0044
150	RB401-42420	TRAEGER AUSPUFFTOPF	2				0.72	1.584
160	01135-61020	BOLZEN	4				0.015	0.033
170	RB401-42430	ROHRBAND	2				0.3	0.66
180	04013-60100	SCHEIBE	2				0.004	0.0088
190	02118-60100	MUTTER	4				0.006	0.0132
200	01133-61020	BOLZEN	2				0.02	0.044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-35100	GRP.BESCHLEUNIGER	1				0.59	1.298
020	08511-01615	BUCHSE	2				0.01	0.022
030	RC101-35120	FEDER	1				0.13	0.286
040	RB401-35170	PLATTE	1				0.036	0.0792
050	RC101-35210	PLATTE	1				0.027	0.0594
060	01133-61030	BOLZEN	1				0.023	0.0506
070	01175-61045	BOLZEN	1				0.04	0.088
080	01175-61035	BOLZEN	1				0.03	0.066
090	02118-60100	MUTTER	2				0.006	0.0132
100	55611-31460	GRIFF	1				0.03	0.066
110	RB401-35070	ZWISCHENSTUECK	1				0.027	0.0594
120	05122-50616	STIFT	1				0.004	0.0088
130	04012-50060	SCHEIBE	1				0.001	0.0022
140	05511-51612	SPLINTSTIFT	1				0.001	0.0022
150	RB401-35132	HANDGASKABEL	1				0.43	0.946
160	68311-35170	HEBEL	1				0.07	0.154
170	04012-50080	SCHEIBE	1				0.001	0.0022
180	05511-50215	SPLINTSTIFT	1				0.001	0.0022




060 16851-5203-0



RB401-820-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-51260	MONTAGE FILTER	1				0.3	0.66
020	68311-68780	HUELSE	2				0.015	0.033
030	68731-51270	PROTECTORSCHLAUCH	1				0.23	0.506
040	01123-60865	BOLZEN	1				0.025	0.055
050	04013-60080	SCHEIBE	1				0.002	0.0044
060	16851-52030	GRP.KRAFTSTOFFPUMPE	1	<=12870			0.2	0.44
060	RC601-51350	GRP.KRAFTSTOFFPUMPE	1	>=12871	↔		0.31	0.682
070	66591-54560	BUFFER GUMMI	1				0.014	0.0308
080	01123-60814	BOLZEN	1				0.008	0.0176
090	01202-60612	BOLZEN	1				0.006	0.0132
100	17288-43010	GRP.KRAFTSTOFFFILTER	1				0.52	1.144
110	01123-60850	BOLZEN	2				0.03	0.066
120	09664-80730	KRAFTSTOFFROHR	1				0.09	0.198
130	RB101-51250	KRAFTSTOFFROHR	1				0.017	0.0374
140	69181-51320	VERBINDUNGSSTUECK	1				0.006	0.0132
150	09664-80440	KRAFTSTOFFROHR	1				0.05	0.11
160	09664-80170	KRAFTSTOFFROHR	1				0.02	0.044
170	09664-80270	KRAFTSTOFFROHR	1				0.18	0.396
180	14301-42750	ROHRKLEMME	10	<=13581			0.005	0.011
180	14911-42750	ROHRKLEMME	10	>=13582	←		0.002	0.0044
190	09664-42000	KRAFTSTOFFROHR	1				0.13	0.286
200	34150-29390	KABELKLEMME	1				0.004	0.0088
210	01125-60816	BOLZEN	1				0.01	0.022
220	RC301-51170	BESCHLEUNIGER	1				0.001	0.0022
230	14971-42750	ROHRKLEMME	3				0.001	0.0022
240	55311-41260	KORDBAND	4				0.007	0.0154
250	34150-29390	KABELKLEMME	1				0.004	0.0088
260	68721-51342	PROTECTORSCHLAUCH	1				0.08	0.176
270	68701-51360	PROTECTORSCHLAUCH	1	<=13893			0.04	0.088
270	RC101-51150	SCHLAUCH	1	>=13894	←		0.03	0.066



RB408-006-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-51260	MONTAGE FILTER	1				0.3	0.66
020	15831-43110	KOERPER KOMP.	1				0.14	0.308
030	RB101-51270	FILTERTOPF	1				0.025	0.055
040	16271-43590	HALTERING	1				0.075	0.165
050	16271-43570	O RING	1				0.001	0.0022
060	RB101-51280	ELEMENT	1				0.035	0.077
070	15831-43930	FEDER	1				0.005	0.011
080	15831-43250	SCHWIMMER	1				0.001	0.0022
090	15231-43283	SCHRAUBE	1				0.003	0.0066
100	15831-43340	DICHTUNGSPLATTE	1				0.001	0.0022
110	15831-87462	AUFKLEBER	1				0.001	0.0022
120	17288-43010	GRP.KRAFTSTOFFFILTER	1				0.52	1.144
130	15221-43170	FILTEREINSATZ	1				0.3	0.66
140	17288-43200	GRP.DECKEL	1				0.215	0.473
150	15221-43210	FILTERDECKELEINHEIT	1				0.25	0.55
160	15108-43610	SCHALTUNG	1				0.02	0.044
170	15108-43780	SCHALTUNG	1				0.02	0.044
180	19222-43280	STOUPSEL FILTER ENTL	1				0.01	0.022
190	15108-43290	O RING	1				0.001	0.0022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-51110	KRAFTSTOFFBEHAELTER	1				2.65	5.83
020	RB401-51140	BAND TANK	1				0.22	0.484
030	RB401-51150	STREBE	1				0.19	0.418
040	01125-60816	BOLZEN	2				0.01	0.022
050	01123-60820	BOLZEN	1				0.015	0.033
060	02114-60080	MUTTER	2				0.002	0.0044
070	04013-60080	SCHEIBE	1				0.002	0.0044
080	RB401-51162	VERTEILUNGSPLATTE	1				0.167	0.3674
090	35569-70020	KISSEN	1				0.02	0.044
100	RB401-51190	KISSEN	1				0.058	0.1276
110	RB401-51210	KISSEN	1				0.06	0.132
120	RB401-51220	KISSEN	2				0.093	0.2046
130	68701-51120	GRP.VERSCHLUSS TANK	1				0.01	0.022
140	35450-41060	GRP.KRAFTSTOFFFILTER	1				0.015	0.033
150	99999-99999	LEERE SPALTE	0				0	0
160	10211-41340	DICHTUNGSPLATTE	1				0.003	0.0066
170	RP401-51280	DISTANZSCHEIBE	1				0.456	1.0032
180	RP401-51150	O RING	1				0.001	0.0022
190	01311-10612	BOLZEN	6				0.01	0.022
200	RB401-51120	GRP.KRAFTSTOFFHAHN	1				0.13	0.286
210	01774-51010	FLANSCHEN-BOLZEN	1				0.08	0.176
220	04717-01000	GUMMIUNTERLAGE	1				0.001	0.0022
230	RP201-51210	SCHALTUNG	1				0.081	0.1782
240	RP401-51160	O RING	1				0.001	0.0022
250	RP201-51230	SCHALTUNG	1				0.058	0.1276
260	RP401-51170	O RING	1				0.001	0.0022
270	01023-60616	BOLZEN	6				0.005	0.011
280	RB401-51190	KISSEN	1				0.058	0.1276




R8408-011-11

**BATTERIE**


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68198-99610	BATTERIE	1	>=13501			12	26.4
015	T1060-30090	AUFKLEBER	1				0	0
020	RB401-53270	KISSEN	2				0.045	0.099
030	RB401-53222	BAND BATTERIE	1				0.43	0.946
040	RB401-53240	KISSEN	3				0.009	0.0198
050	01517-51035	STEBOLZEN	1				0.028	0.0616
060	04013-60100	SCHEIBE	1				0.004	0.0088
070	02118-60100	MUTTER	2				0.006	0.0132
080	01135-61025	BOLZEN	1				0.04	0.088
090	68311-53250	KABEL ERDUNG	1				0.04	0.088
100	RB401-53280	KABEL ERDE	1				0.33	0.726
110	01135-61020	BOLZEN	2				0.015	0.033
120	RB401-53290	KABEL BATTERIE	1				0.51	1.122



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-53120	STREBE	1	<=13834			0.189	0.4158
010	RB401-53124	STREBE	1	>=13835	←		0	0
020	01133-61016	BOLZEN	2				0.018	0.0396
030	15694-65990	LAMPETREMBLEUR	1				0.03	0.066
040	RC101-53650	RELAISTREMBLEUR	1				0.1	0.22
050	36530-55630	RELAIS	1				0.06	0.132
060	03004-60616	SCHRAUBE	2				0.01	0.022
070	04013-60060	SCHEIBE	2				0.001	0.0022
080	RC101-53360	GRP.HUPE	1				0.26	0.572
090	01202-60620	BOLZEN	2				0.002	0.0044
100	04015-60060	SCHEIBE	2				0.005	0.011
110	RB401-53250	EINHEIT KRAFTSTOFF	1				0.178	0.3916
120	RC101-51342	DICHTUNGSPLATTE	1				0.008	0.0176
130	RC101-51330	PLATTE BRENNSTOF	1				0.054	0.1188
140	03024-60516	SCHRAUBE	5				0.003	0.0066
150	68881-53540	KOMP.RELAIS	1	>=13835			0.04	0.088
160	03004-60616	SCHRAUBE	1	>=13835			0.01	0.022
170	04013-60060	SCHEIBE	1	>=13835			0.001	0.0022



RB408-013-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-53150	ZAEHLER	1				0.94	2.068
011	RC101-53170	GRP.MESSEN	1				0.05	0.11
012	RC101-53182	GRP.MESSEN	1				0.02	0.044
013	RC101-53190	GRP.GEHAUSE	1				0.35	0.77
014	RC401-53080	GRP.TACHOMETER	1				0.21	0.462
015	RC101-53090	VORNEFENSTER	1				0.24	0.528
016	RB401-53460	DICHTBAND	2				0.004	0.0088
020	03024-60416	SCHRAUBE	4				0.001	0.0022
030	04013-60040	SCHEIBE	4				0.002	0.0044
040	36919-54222	ZUENDSCHALTERARBEIT.	1				0.04	0.088
050	RC101-53602	ANLASSERSCHALTER	1				0.354	0.7788
055	RA111-53690	ANLASSERSCHALTER	1				0.27	0.594
060	66706-55150	AUFKLEBER	1				0.001	0.0022
070	RC101-53630	GRP.KEIL ANLASSER	1				0.032	0.0704
080	54611-41120	ABDECKUNG ANLASSER	1				0.012	0.0264
090	RA111-53340	STAUBSCHUTZDECKEL	1				0.03	0.066
100	RB401-53232	KABEL ZAEHLER	1				0.12	0.264




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RC101-53670	GRP.LAMPE	1				0	0
020	68311-53440	GLUEHLAMPE	1				0.03	0.066
030	68311-53450	GLASLINSE	1				0.11	0.242
040	68311-53460	KISSEN	1				0.01	0.022
050	04013-60100	SCHEIBE	1				0.004	0.0088
060	04512-60100	FEDERRING	1				0.002	0.0044
070	02118-60100	MUTTER	1				0.006	0.0132
080	RC601-53580	SCHUTZLAMPE	1				0.87	1.914




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-53313	KABELGESCHIRR	1	<=13834			0.4	0.88
010	RB401-53410	KABELGESCHIRR	1	>=13835	≠		0.001	0.0022
020	03004-60616	SCHRAUBE	2				0.01	0.022
030	04013-60060	SCHEIBE	2				0.001	0.0022
040	RB401-53322	KABELGESCHIRR	1	<=13834			0	0
040	RB401-53324	KABELGESCHIRR	1	>=13835	←		0	0
050	04512-60060	FEDERRING	1				0.001	0.0022
060	02014-60060	MUTTER	1				0.002	0.0044
070	04512-60080	FEDERRING	1				0.002	0.0044
080	02114-60080	MUTTER	1				0.002	0.0044
090	RB401-53332	KABELGESCHIRR	1	<=13834			0.04	0.088
090	RB401-53430	KABELGESCHIRR	1	>=13835	≠		0.32	0.704
100	48200-55870	SICHER AUTO A	3				0.001	0.0022
110	31351-33640	SICHERUNG	2				0.002	0.0044
120	RB401-53343	KABELGESCHIRR	1	<=13003			0.11	0.242
120	RB401-53344	KABELGESCHIRR	1	>=13004	≠		0.12	0.264
130	RB401-53352	KABELGESCHIRR	1				0.042	0.0924
132	RB408-53410	KABELGESCHIRR	1				0.01	0.022
135	RB401-53360	KABELGESCHIRR	1				0.14	0.308
140	68271-65900	GRP.ANSCHLUBKLEMME	1				0.001	0.0022
150	68741-53400	GRP.ANSCHLUBKLEMME	1				0.002	0.0044
160	RB101-53390	SCHLAUCH	1				0.002	0.0044
170	55311-41260	KORDBAND	1				0.007	0.0154
180	34260-29380	KABELKLEMME	1				0	0
190	34150-29390	KABELKLEMME	1				0.004	0.0088
200	55311-41260	KORDBAND	11				0.007	0.0154
210	68011-51160	KABELKLEMME	7				0.008	0.0176
220	01133-61016	BOLZEN	5				0.018	0.0396
230	90038-11170	KLAMMER	1				0.025	0.055
240	01133-61016	BOLZEN	1				0.018	0.0396
250	36200-77610	GRP.KABELKLEMME	2				0.002	0.0044
260	68111-53510	KABELKLEMME	2				0.02	0.044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-42610	PUMPENGEHAEUSE	1				5	11
020	01133-61030	BOLZEN	2				0.023	0.0506
030	01123-60820	BOLZEN	2				0.015	0.033
040	01123-60845	BOLZEN	2				0.02	0.044
050	01123-60875	BOLZEN	4				0.028	0.0616
060	05012-00814	ZYLINDERSTIFT	2				0.006	0.0132
070	RB401-42620	KUPPLUNG	1				1.32	2.904
080	RB401-42660	BOLZEN	3				0.03	0.066
090	RB401-61110	GRP.PUMPEKOLBEN	1	<=13500			17.1	37.62
090	RB401-61113	GRP.PUMPEKOLBEN	1	>=13501	←		17	37.4
100	01133-61230	BOLZEN	2				0.04	0.088



230 RB401-6902-0

460 RB401-6927-0


470 04810-00180



RB401-818-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61110	GRP.PUMPEKOLBEN	1	<=13500			17.1	37.62
010	RB401-61113	GRP.PUMPEKOLBEN	1	>=13501	←		17	37.4
020	RB401-69280	GRP.ZYLINDER	1				1.58	3.476
030	RB401-69140	ZYLINDER	1				0.95	2.09
040	RB401-69060	PLATTE VENTIL	1				0.17	0.374
050	RB401-69080	GRP.KOLBEN	1				0.03	0.066
060	99999-99999	LEERE SPALTE	0				0	0
070	99999-99999	LEERE SPALTE	0				0	0
080	RB401-69210	HALTER	1				0.07	0.154
090	RB401-69320	HALTER	1				0.026	0.0572
100	RB401-69180	STIFT	3				0.001	0.0022
110	RB401-69150	FEDER	1				0.035	0.077
120	RB401-69230	HALTESCHEIBE	2				0.005	0.011
130	04611-00340	SPRENGRING	1				0.003	0.0066
140	RB401-69290	DICHTUNGBAUSATZ	1	<=13500			0.05	0.11
140	RB401-69400	DICHTUNGBAUSATZ	1	>=13501	≠		0.06	0.132
150	RB401-69220	DICHTUNGSPLATTE	1				0.01	0.022
160	RB401-69350	OELDICHTUNGSRING	1				0.033	0.0726
170	04810-00110	O RING	1				0.001	0.0022
180	04810-00120	O RING	2				0.001	0.0022
190	04810-00110	O RING	1				0.001	0.0022
200	RB401-69390	DICHTSCHEIRE	1				0.002	0.0044
205	04810-00070	O RING	1	>=13501			0.001	0.0022
210	04810-50550	O RING	1				0.002	0.0044
220	04810-00080	O RING	1				0.001	0.0022
230	RB401-69020	GRP.PUMPE GETR	1	<=13500			2.93	6.446
230	RB401-69410	GRP.PUMPE GETR	1	>=13501	≠		3.67	8.074
240	RB401-69160	WELLE	1				0.57	1.254
250	RB401-69110	PLATTE	1				0.89	1.958
260	RB401-69030	STIFT	2				0.015	0.033
270	RB401-69170	FEDER	1				0.26	0.572
280	RB401-69250	HALTERUNG	1				0.04	0.088
290	RB401-69050	FEDERKETTEN	1				0.14	0.308
300	RB401-69310	STIFT	1				0.003	0.0066
310	RB401-69090	STANGEN	1				0.007	0.0154
320	RB401-69240	SCHEIBE	2				0.006	0.0132
330	RB401-69120	STIFT	1				0.028	0.0616
340	RB401-69130	STIFT	1				0.028	0.0616
350	RB401-69100	STIFT	1				0.002	0.0044
360	RB401-69010	KUGELLAGER	1				0.12	0.264
370	RB401-69340	FEDER-PLATTE	4				0.006	0.0132
380	04611-00520	SPRENGRING	1				0.009	0.0198
390	99999-99999	LEERE SPALTE	0				0	0
400	04612-00250	SPRENGRING AUSSEN	1				0.002	0.0044
410	RB401-69260	STOPFEN	1				0.012	0.0264
420	RC401-69150	BOLZEN	5				0.029	0.0638
430	RC401-69190	STOPFEN	5				0.015	0.033
440	RB401-69260	STOPFEN	1				0.012	0.0264
450	RC401-69230	FEDERRING	5				0.003	0.0066
460	RB401-69270	STOPFEN	1	<=13500			0.041	0.0902
470	04810-00180	O RING	1	<=13500			0.001	0.0022
480	05411-00616	STIFT FEDR	1				0.002	0.0044
490	RB401-69370	ANSCHLAGSCHRAUBE	1				0.009	0.0198
500	RC401-69290	MUTTER	1				0.005	0.011
510	RB401-69040	KUPPLUNG	1				0.04	0.088
520	RB401-69190	HUELSE	1				0.008	0.0176
530	RB401-69360	BOLZEN	2				0.014	0.0308
540	04013-60080	SCHEIBE	2				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-14430	REGELUNGSVENTILFEDER	2				6.75	14.85
020	01128-61025	BOLZEN	18				0.23	0.506
030	RB401-61290	GRP.RADMOTOR	2				26.2	57.64
040	07715-03219	KUGEL	4				0.014	0.0308
050	RB401-78000	BREMSSYSTM	2				1.818	3.9996
060	RB401-78020	DICHTUNG SCHWIMM	2				0.33	0.726
070	RB401-78030	LAGER	2				0.82	1.804
080	RB401-78040	RINGMUTTER	2				0.29	0.638
090	68311-13350	STOPFEN	4				0.01	0.022
100	07715-03205	KUGEL	218				0.001	0.0022
110	68311-13380	STOPFEN	6				0.003	0.0066
120	RB401-78090	GETRIEBE	8				0.05	0.11
130	RB401-78110	NADELLAGER	8				0.023	0.0506
140	RB401-78120	HUELSE	8				0.03	0.066
150	RB401-78130	DRUCKSCHEIBE	8				0.008	0.0176
160	RB401-78140	PLATTE	2				0.18	0.396
170	68311-13450	SCHRAUBE	8				0.005	0.011
180	RB401-78160	GETRIEBE	2				0.15	0.33
190	04612-00350	SPRENGRING AUSSEN	2				0.01	0.022
200	RB401-78180	HALTER	2				0.54	1.188
210	RB401-78190	GETRIEBE	6				0.17	0.374
220	68311-13510	ROLLENLAGER	6				0.01	0.022
230	68311-13520	LAGER	6				0.015	0.033
240	05411-00520	STIFT FEDR	6				0.002	0.0044
250	RB401-78240	ANTRIEBSRAD	2				0.11	0.242
260	RB401-78250	PLATTE	2				0.14	0.308
260	RB401-78260	PLATTE	2				0.18	0.396
260	RB401-78270	PLATTE	2				0.23	0.506
270	RB401-78280	DECKEL	2				1.25	2.75
280	RB401-78470	O RING	2				0.014	0.0308
290	RB401-78310	EISENDRAHT	2				0.01	0.022
300	68311-13620	STOPFEN	4				0.02	0.044
310	RB401-78330	WELLE	2				0.18	0.396
320	08103-06004	KUGELLAGER	2				0.066	0.1452
330	RB401-78350	OELDICHTUNGSRING	2				0.012	0.0264
340	RB401-78360	SCHEIBEPLATTE	2				0.38	0.836
350	RB401-72100	GRP.ZYLINDERBLOCK	2				0.98	2.156
360	RB401-78600	GRP.KOLBEN	4				0.02	0.044
370	RB401-78610	FEDER	4				0.001	0.0022
380	RB401-78650	RING	2				0.005	0.011
390	01128-61025	BOLZEN	16				0.23	0.506




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-78620	PLATTE VENTIL	2				0.1	0.22
020	RB401-78630	STIFT	2				0.001	0.0022
030	08103-06002	KUGELLAGER	2				0.03	0.066
040	04810-00070	O RING	4				0.001	0.0022
050	99999-99999	LEERE SPALTE	0				0	0
060	99999-99999	LEERE SPALTE	0				0	0
070	RB401-78710	ELEMENT PUMPE	2				0.05	0.11
080	RB401-78720	REGELUNGSVENTIL	4				0.004	0.0088
090	RB401-78730	FEDER	4				0.001	0.0022
100	RB401-78740	STOPFEN	4				0.007	0.0154
110	RB401-78750	RING	4				0.001	0.0022
120	RB401-78760	SITZFEDER	4				0.001	0.0022
130	RB401-78770	FEDER	4				0.005	0.011
140	RB401-78780	KAPPE	4				0.13	0.286
150	04810-00240	O RING	4				0.001	0.0022
160	RB401-78810	OELLOCH	4				0.001	0.0022
170	RB401-72200	GRP.PLATTE	2				3.6	7.92
180	RB101-78490	FEDER	2				0.001	0.0022
190	68651-72380	STOPFEN	6				0.018	0.0396
200	04810-00110	O RING	8				0.001	0.0022
210	68518-71460	STOPFEN	4				0.003	0.0066
220	RB401-78870	STOPFEN	2				0.04	0.088
230	68671-72410	OELLOCH	8				0.001	0.0022
240	01311-10620	BOLZEN	12				0.012	0.0264
250	68493-71450	ZYLINDERSTIFT	4				0.003	0.0066
260	RB401-79000	GRP.SCHLAGRELIEF	2				2.74	6.028
270	RB401-79010	VENTILKOERPER	2				2.35	5.17
280	RB401-79100	GRP.UEBERDRUCKVENTIL	4				0.18	0.396
290	04810-00240	O RING	4				0.001	0.0022
300	04810-00120	O RING	4				0.001	0.0022
310	68493-71590	STUETZRING	8				0.001	0.0022
320	RB401-79140	KOLBEN	4				0.01	0.022
330	04810-00150	O RING	4				0.001	0.0022
340	RC401-79170	STUETZRING	8				0.001	0.0022
350	01311-10640	BOLZEN	8				0.01	0.022
360	04810-00070	O RING	8				0.001	0.0022
370	04810-00100	O RING	4				0.001	0.0022
380	RB101-78540	STOPFEN	4				0.001	0.0022
390	RB401-72000	DICHTUNGBAUSATZ	2				0.37	0.814



PB408-018-11


430 01176-61448
440 04512-60140



RB408-801-10


↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61280	GRP.DREHESTIFTMOTOR	1				26	57.2
020	RB401-69550	GRP.KOERPER MOTOR	1	<=13238			22	48.4
020	RB401-69610	GRP.KOERPER MOTOR	1	>=13239	↔		10	22
030	RB401-69560	DIFF.-KEGELRAD	1	<=13238			1.78	3.916
030	RB401-69630	DIFF.-KEGELRAD	1	>=13239	≠		1.78	3.916
040	RB301-69130	KUGELLAGER	1				1.114	2.4508
050	RB301-69140	NADELLAGER	1				0.088	0.1936
060	RB301-69150	HUELSE	1	<=13238			0.31	0.682
060	RB401-69640	DISTANZSCHEIBE	1	>=13239	≠		0.025	0.055
070	RB301-69160	SPRENGRING	1				0.07	0.154
080	RB301-69170	SPRENGRING AUSSEN	1				0.009	0.0198
090	99999-99999	LEERE SPALTE	0				0	0
100	RB301-69210	SPRENGRING	1				0.009	0.0198
110	RB301-69110	GEHAEUSE KUGELLAGE	1	<=13238			6	13.2
110	RB401-69660	GEHAEUSE KUGELLAGE	1	>=13239	≠		6.3	13.86
120	RB301-69220	PLATTE	1				2.11	4.642
130	RB301-69230	ANTRIEB	1				0.25	0.55
140	RB301-69240	ROLLE	1				1.885	4.147
150	RB301-69250	PLATTE VENTIL	1				1.27	2.794
160	RB301-69260	ANTRIEBVENTIL	1				0.142	0.3124
170	RB301-69270	VENTIL	1				0.52	1.144
180	RB401-69570	FEDER	2				0.002	0.0044
190	RB301-69320	SCHWANKEN	1				0.11	0.242
200	99999-99999	LEERE SPALTE	0				0	0
210	99999-99999	LEERE SPALTE	0				0	0
220	RB301-69350	GEHAEUSE VENTIL	1				5	11
230	RC101-69390	STOPFEN	2				0.022	0.0484
240	RC101-69440	FEDER	2				0.001	0.0022
250	RC101-69380	KUGEL	2				0.006	0.0132
260	RC101-69430	STOPFEN	2				0.003	0.0066
270	RB301-69420	BOLZEN	2				0.12	0.264
280	RB301-69430	BOLZEN	2				0.125	0.275
290	RB301-69450	DICHTUNGBAUSATZ	1	<=13238			0.025	0.055
290	RB401-69620	DICHTUNGBAUSATZ	1	>=13239	≠		0.02	0.044
300	RB301-69180	X-RING	1	<=13238			0.008	0.0176
300	RB401-69650	X-RING	1	>=13239	≠		0.004	0.0088
310	RB301-69280	DICHTUNGEN	1				0.005	0.011
320	RB301-69290	DICHTUNGEN	1				0.002	0.0044
330	RC101-69410	O RING	2				0.001	0.0022
340	RB301-69370	O RING	3				0.001	0.0022
350	RB301-69380	O RING	1				0.001	0.0022
360	RB301-69390	O RING	2				0.001	0.0022
370	RB301-69410	O RING	1				0.001	0.0022
380	RB301-69440	DICHTUNGEN	1				0.003	0.0066
390	RB401-69500	GRP.KOERPER BREMSSEN	1				2	4.4
400	RB401-69510	GRP.BREMSEVENTIL	2				0.54	1.188
410	RB401-69530	BOLZEN	6				0.023	0.0506
420	RB401-69520	DICHTUNGBAUSATZ	1				0.01	0.022
430	01176-61448	BOLZEN	4	<=12980			0.07	0.154
430	01138-51448	BOLZEN	4	>=12981	←		0.078	0.1716
440	04512-60140	FEDERRING	4	<=12980			0.006	0.0132




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-62300	GRP.KNOCHENGELNK	1	<=13959			0	0
010	RB401-62308	GRP.KNOCHENGELNK	1	>=13960	←		0	0
020	RB401-62325	WELLE KNOCHENGELNK	1	<=13959			7.93	17.446
020	RB401-62326	WELLE KNOCHENGELNK	1	>=13960	←		0	0
030	RB401-62410	DICHTUNG U	1				0.007	0.0154
040	RB401-62362	RING D	9				0.004	0.0088
045	RB401-62440	O RING	1				0.006	0.0132
050	RB401-62420	STUETZRING	17				0.002	0.0044
055	RB401-62430	STUETZRING	1				0.002	0.0044
060	99999-99999	LEERE SPALTE	0				0	0
070	RB401-62340	HUELSE	1				0.03	0.066
080	04612-00600	SPRENGRING AUSSEN	1				0.012	0.0264
090	04811-10850	O RING	1				0.002	0.0044
100	RB401-62332	DECKEL	1				0.56	1.232
110	01123-60820	BOLZEN	4				0.015	0.033
120	06312-10020	STOPFEN	4				0.015	0.033
130	06312-10010	STOPFEN	5				0.007	0.0154
140	RB401-62354	STOPFEN	1				0.2	0.44
150	01133-61020	BOLZEN	2				0.02	0.044
160	01133-61030	BOLZEN	4				0.023	0.0506




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-62113	DRUCKOELTANK	1				20	44
020	06312-10010	STOPFEN	1				0.007	0.0154
030	RC101-62134	STOPFEN	1				0.229	0.5038
040	04811-11300	O RING	1				0.001	0.0022
050	RB401-62160	STUETZE FILTER	1				0.05	0.11
060	01155-60850	BOLZEN	1				0.02	0.044
070	02114-60080	MUTTER	1				0.002	0.0044
080	RC101-62230	DICHTUNGSPLATTE	1				0.01	0.022
090	04810-00210	O RING	1				0.001	0.0022
100	68701-62192	FILTER	1				0.44	0.968
110	68311-62180	ANSAUGEFILTER	1				0.24	0.528
120	68841-62170	OEL-MESS-STAB HEBEL.	1				0.02	0.044
130	04810-00250	O RING	1				0.001	0.0022
140	06331-35016	STOPFEN	1				0.04	0.088
150	04717-01610	GUMMIUNTERLAGE	1				0.022	0.0484
160	01135-61230	BOLZEN	2				0.05	0.11
170	01135-61020	BOLZEN	2				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61134	GRP.REGELUNGSVENTIL	1				27.8	61.16
020	RB401-61530	KISSEN	3				0.008	0.0176
030	RB101-61550	KISSEN	3				0.001	0.0022
040	RB101-61560	HUELSE	2				0.004	0.0088
050	RB401-61560	HUELSE	1				0.01	0.022
060	68311-61570	SCHEIBE	6				0.005	0.011
070	01153-60835	BOLZEN	2				0.02	0.044
080	01153-60865	BOLZEN	1				0.04	0.088
090	04512-60080	FEDERRING	3				0.002	0.0044
100	02114-60080	MUTTER	3				0.002	0.0044
110	04810-00140	O RING	29				0.001	0.0022
120	RB401-64060	SCHALTUNG G	2				0.35	0.77
125	RB401-64100	SCHALTUNG G	2				0.46	1.012
130	RB201-63880	ROHR SCHALTUNG	2				0.095	0.209
140	06312-10010	STOPFEN	2				0.007	0.0154
150	68881-34930	KNIESTUECK	1				0.18	0.396
160	RB401-64050	SCHALTUNG G	2				0.26	0.572
170	RP201-61810	SCHALTUNG	4				0.1	0.22
180	RB301-63820	ZWISCHENSTUECK	1				0.1	0.22
190	RB401-64030	ROHRSCHALTUNG	1				0.19	0.418
200	RB401-64070	SCHALTUNG LG-G	2				0.13	0.286
210	RC601-63720	SCHALTUNG	2				0.06	0.132
220	68191-61810	ROHRSCHALTUNG	1				0.11	0.242
225	68191-61710	ROHRSCHALTUNG	1				0.12	0.264
230	68051-63620	ZWISCHENSTUECK	1				0.06	0.132
240	RB101-63810	ROHRSCHALTUNG	1				0.13	0.286
250	RP201-61810	SCHALTUNG	1				0.1	0.22
255	RB401-64080	SCHALTUNG LG-G	1				0.13	0.286
260	RB401-64040	SCHALTUNG G	2				0.14	0.308
270	RP201-61810	SCHALTUNG	2				0.1	0.22
280	68191-61710	ROHRSCHALTUNG	1				0.12	0.264
290	RC601-63720	SCHALTUNG	1				0.06	0.132
295	RB401-64020	SCHALTUNG LG-G	1				0.16	0.352
300	04810-00180	O RING	2				0.001	0.0022
310	RB401-63910	GRP.REGELUNGSVENTIL	1				0.33	0.726
320	68171-76110	VENTILKEGEL	1				0.015	0.033
330	RB101-63930	FEDER	1				0.002	0.0044
340	68191-95710	HUELSE	1				0.001	0.0022
350	04611-00150	SPRENGRING	1				0.001	0.0022
360	68391-68220	ROHRSCHALTUNG	1				0.18	0.396
370	04810-00110	O RING	15				0.001	0.0022
380	RB401-63880	SCHALTUNG	3				0.06	0.132
390	RC601-63720	SCHALTUNG	5				0.06	0.132
400	69254-78490	SCHALTUNG	1				0.1	0.22
410	68728-76150	ZWISCHENSTUECK	1				0.02	0.044
420	RC101-63890	ROHRSCHALTUNG	1				0.05	0.11
430	RC101-63910	GRP.REGELUNGSVENTIL	1				0.15	0.33
440	68301-96460	VENTILKEGEL	1				0.01	0.022
450	90715-12130	FEDER	1				0.002	0.0044
460	90715-12140	HALTBUEGEL FEDER	1				0.004	0.0088
470	04611-00110	SPRENGRING	1				0.001	0.0022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61134	GRP.REGELUNGSVENTIL	1				27.8	61.16
020	RB401-70110	GRP. VENTIL	1				1.3	2.86
030	RB401-70120	GRP. VENTIL	1				1.81	3.982
040	RB401-70130	GRP.DREHENVETIL	1				1.81	3.982
050	RB401-70140	GRP.FRAESMESSERVEN.	1				1.59	3.498
060	RB401-70150	GRP.SCHWUNGVENTIL	1				1.62	3.564
070	RB401-70220	GRP. VENTIL	1				1.89	4.158
080	RB401-70160	GRP.S/P-VENTIL	1				1.68	3.696
090	RB401-70170	GRP.ARMVENTIL	1				1.79	3.938
100	RB401-70180	GRP.FAHRENVENTIL RS	1				1.53	3.366
110	RB401-70230	GRP. VENTIL	1				1.5	3.3
120	RB401-70190	GRP.FAHRENVENTIL LS	1				1.54	3.388
130	RB401-70202	GRP.AUSEGERVENTIL	1				3.05	6.71
140	RB401-70240	GRP. VENTIL	1				1.47	3.234
150	RB401-70210	GRP.KUEBELVENTIL	1				1.77	3.894
160	RB401-70070	GRP. VENTIL	1				1.4	3.08
170	RB401-70360	GRP.UEBERDRUCKVENTIL	1				0.155	0.341
180	RB401-70320	GRP. VENTIL	2	<=13180 >=13181			0.11	0.242
180	RB401-70320	GRP. VENTIL	1				0.11	0.242
190	RB401-70380	GRP.UEBERDRUCKVENTIL	5				0.155	0.341
200	99999-99999	LEERE SPALTE	0				0	0
210	RB401-70350	GRP.UEBERDRUCKVENTIL	2				0.155	0.341
220	99999-99999	LEERE SPALTE	0				0	0
230	RB401-70020	O RING	14				0.002	0.0044
240	RB401-70480	STANGEN	4				0.15	0.33
250	RB401-70010	MUTTER	8				0.005	0.011



RB408-093-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70190	GRP.FAHRENVENTIL LS	1				1.54	3.388
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70690	GRP.SPULE	1				0.147	0.3234
040	RB401-70300	PLATTE DICHTUNG	1				0.008	0.0176
050	04811-00120	O RING	1				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	1				0.001	0.0022
070	RB401-70330	SPULE	1				0.009	0.0198
080	RB401-70540	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70410	STOPFEN	1				0.032	0.0704
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70470	STOPFEN	2				0.001	0.0022
150	RB401-70020	O RING	2				0.002	0.0044
160	04811-00180	O RING	1				0.001	0.0022
170	04811-00060	O RING	2				0.001	0.0022



RE408-094-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70180	GRP.FAHRENVENTIL RS	1				1.53	3.366
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70690	GRP.SPULE	1				0.147	0.3234
040	RB401-70300	PLATTE DICHUNG	1				0.008	0.0176
050	04811-00120	O RING	1				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	1				0.001	0.0022
070	RB401-70330	SPULE	1				0.009	0.0198
080	RB401-70540	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70410	STOPFEN	1				0.032	0.0704
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70470	STOPFEN	2				0.001	0.0022
150	RB401-70020	O RING	2				0.002	0.0044
160	04811-00180	O RING	1				0.001	0.0022
170	04811-00060	O RING	2				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70130	GRP.DREHENVETIL	1				1.81	3.982
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70630	GRP.SPULE	1				0.155	0.341
040	RB401-70340	SPULE	1				0.007	0.0154
050	RB401-70530	FEDER	1				0.001	0.0022
060	04810-00110	O RING	1				0.001	0.0022
070	RB401-70400	STOPFEN	1				0.027	0.0594
080	RB401-70500	RING	2				0.001	0.0022
090	RB401-70250	KAPPE	1				0.08	0.176
100	RB401-70260	KAPPE	1				0.16	0.352
110	01350-10518	BOLZEN	4	≤13180			0.005	0.011
110	RB401-70830	BOLZEN	4	≥13181	←		0.005	0.011
120	RB401-70020	O RING	1				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70202	GRP.AUSEGERVENTIL	1				3.05	6.71
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70712	GRP.SPULE	1				0.16	0.352
040	RB401-70340	SPULE	1				0.007	0.0154
050	RB401-70530	FEDER	1				0.001	0.0022
060	04810-00110	O RING	1				0.001	0.0022
070	RB401-70400	STOPFEN	1				0.027	0.0594
080	RB401-70500	RING	2				0.001	0.0022
090	RB401-70250	KAPPE	1				0.08	0.176
100	RB401-70260	KAPPE	1				0.16	0.352
110	01350-10518	BOLZEN	4	≤13180			0.005	0.011
110	RB401-70830	BOLZEN	4	≥13181	←		0.005	0.011
120	RB401-70020	O RING	1				0.002	0.0044
130	04811-00180	O RING	1				0.001	0.0022
140	RB401-70240	GRP. VENTIL	1				1.47	3.234
150	RB401-70330	SPULE	1				0.009	0.0198
160	RB401-70540	FEDER	1				0.001	0.0022
170	04810-00110	O RING	1				0.001	0.0022
180	RB401-70410	STOPFEN	1				0.032	0.0704
190	RB401-70020	O RING	1				0.002	0.0044
200	04811-00180	O RING	1				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70170	GRP.ARMVENTIL	1				1.79	3.938
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70770	GRP.SPULE	1				0.147	0.3234
040	RB401-70340	SPULE	1				0.007	0.0154
050	RB401-70530	FEDER	1				0.001	0.0022
060	04810-00110	O RING	2				0.001	0.0022
070	RB401-70400	STOPFEN	1				0.027	0.0594
080	RB401-70440	STOPFEN	1				0.011	0.0242
090	RB401-70490	RING	1				0.001	0.0022
100	RB401-70420	SPULE	1				0.001	0.0022
110	RB401-70430	STOPFEN	1				0.026	0.0572
120	RB401-70550	FEDER	1				0.001	0.0022
130	RB401-70500	RING	2				0.001	0.0022
140	RB401-70250	KAPPE	1				0.08	0.176
150	RB401-70260	KAPPE	1				0.16	0.352
160	01350-10518	BOLZEN	4	≤13180			0.005	0.011
160	RB401-70830	BOLZEN	4	≥13181	←		0.005	0.011
170	RB401-70020	O RING	1				0.002	0.0044
180	04811-00180	O RING	1				0.001	0.0022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70210	GRP.KUEBELVENTIL	1				1.77	3.894
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70730	GRP.SPULE	1				0.15	0.33
040	RB401-70340	SPULE	1				0.007	0.0154
050	RB401-70530	FEDER	1				0.001	0.0022
060	04810-00110	O RING	1				0.001	0.0022
070	RB401-70400	STOPFEN	1				0.027	0.0594
080	RB401-70500	RING	2				0.001	0.0022
090	RB401-70250	KAPPE	1				0.08	0.176
100	RB401-70260	KAPPE	1				0.16	0.352
110	01350-10518	BOLZEN	4	≤13180			0.005	0.011
110	RB401-70830	BOLZEN	4	≥13181	←		0.005	0.011
120	RB401-70470	STOPFEN	1				0.001	0.0022
130	RB401-70020	O RING	1				0.002	0.0044



RE406-099-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70150	GRP.SCHWUNGVENTIL	1				1.62	3.564
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70670	GRP.SPULE	1				0.17	0.374
040	RB401-70300	PLATTE DICHTUNG	1				0.008	0.0176
050	04811-00120	O RING	1				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	1				0.001	0.0022
070	RB401-70340	SPULE	1				0.007	0.0154
080	RB401-70530	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70400	STOPFEN	1				0.027	0.0594
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70020	O RING	1				0.002	0.0044



RB408-100-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70140	GRP.FRAESMESSERVEN.	1				1.59	3.498
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70650	GRP.SPULE	1				0.16	0.352
040	RB401-70300	PLATTE DICHUNG	1				0.008	0.0176
050	04811-00120	O RING	1				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	1				0.001	0.0022
070	RB401-70340	SPULE	1				0.007	0.0154
080	RB401-70530	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70400	STOPFEN	1				0.027	0.0594
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70020	O RING	1				0.002	0.0044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70160	GRP.S/P-VENTIL	1				1.68	3.696
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70750	GRP.SPULE	1				0.157	0.3454
040	RB401-70300	PLATTE DICHUNG	1				0.008	0.0176
050	04811-00120	O RING	1				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	1				0.001	0.0022
070	RB401-70340	SPULE	1				0.007	0.0154
080	RB401-70530	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70400	STOPFEN	1				0.027	0.0594
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70030	STOPFEN	2				0.04	0.088
150	04810-00140	O RING	2				0.001	0.0022
160	RB401-70020	O RING	1				0.002	0.0044
170	04811-00180	O RING	1				0.001	0.0022



RE408-102-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70220	GRP. VENTIL	1				1.89	4.158
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70330	SPULE	2				0.009	0.0198
040	RB401-70540	FEDER	2				0.001	0.0022
050	04810-00110	O RING	3				0.001	0.0022
060	RB401-70410	STOPFEN	2				0.032	0.0704
070	04811-06100	O RING	1				0.001	0.0022
080	RB401-70460	GEHAEUSE FILTER	1				0.022	0.0484
090	RB401-70520	DRUCKFILTER	1				0.001	0.0022
095	RB401-70590	SPRENGRING	1				0.001	0.0022
100	RB401-70500	RING	2				0.001	0.0022
110	RB401-70250	KAPPE	1				0.08	0.176
120	01350-10518	BOLZEN	4	≤13180			0.005	0.011
120	RB401-70830	BOLZEN	4	≥13181	←		0.005	0.011
130	RB401-70270	KAPPE	1				0.2	0.44
140	RB401-70310	STOPFEN	1	≤13180			0.036	0.0792
140	RB401-70820	STOPFEN	1	≥13181	←		0.009	0.0198
150	RB401-70560	FEDER	1				0.016	0.0352
160	RB401-70040	STOPFEN	1				0.014	0.0308



RB408-104-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Bemerkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70230	GRP. VENTIL	1				1.5	3.3
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70500	RING	2				0.001	0.0022
040	RB401-70300	PLATTE DICHTUNG	4				0.008	0.0176
050	01350-10510	BOLZEN	4				0.003	0.0066
060	RB401-70450	PLATTE	2				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-70120	GRP. VENTIL	1				1.81	3.982
020	99999-99999	LEERE SPALTE	0				0	0
030	RB401-70610	GRP.SPULE	1				0.16	0.352
040	RB401-70300	PLATTE DICHUNG	2				0.008	0.0176
050	04811-00120	O RING	2				0.001	0.0022
060	RB401-70510	SCHEIBEN-WISCHER	2				0.001	0.0022
070	RB401-70340	SPULE	1				0.007	0.0154
080	RB401-70530	FEDER	1				0.001	0.0022
090	04810-00110	O RING	1				0.001	0.0022
100	RB401-70400	STOPFEN	1				0.027	0.0594
110	01350-10510	BOLZEN	2				0.003	0.0066
120	RB401-70290	KAPPE	1				0.031	0.0682
130	01350-10518	BOLZEN	2				0.005	0.011
140	RB401-70020	O RING	1				0.002	0.0044




RB408-024-10

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61250	GRP.AENDERUNGVENTIL	1				3.15	6.93
020	01133-61020	BOLZEN	2				0.02	0.044
030	04810-00110	O RING	4				0.001	0.0022
040	RC101-63820	ROHRSCHALTUNG	3				0.075	0.165
050	RP201-61870	VERBINDUNGSSTUECK	1				0.095	0.209
060	RC601-63720	SCHALTUNG	1				0.06	0.132



Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RD401-61912	GRP.AENDERUNGVENTIL	1				1.25	2.75
020	01125-51020	BOLZEN	2				0.005	0.011
030	04810-00110	O RING	4				0.001	0.0022
040	RC101-63820	ROHRSCHALTUNG	3	<=13238			0.075	0.165
040	RC101-63820	ROHRSCHALTUNG	2	>=13239			0.075	0.165
045	RC601-63720	SCHALTUNG	1	>=13239			0.06	0.132
050	RP201-61870	VERBINDUNGSSTUECK	1				0.095	0.209
060	RC601-63720	SCHALTUNG	1				0.06	0.132




**AENDERUNGVENTIL (EINZEL-TEIL)**

S.No.A:<=13003

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-61250	GRP.AENDERUNGVENTIL	1				3.15	6.93
020	RB401-76110	BEILAGE	1				0.001	0.0022
030	RB401-76120	STOPFEN	1				0.09	0.198
040	RB401-76160	KOLBENFEDER	1				0.011	0.0242
050	RB401-76180	FEDER	1				0.015	0.033
060	RB401-76190	SOLENOID	1				0.33	0.726
070	RB401-76210	SOLENOID	1				0.33	0.726
080	RB401-76230	STOPFEN	1				0.012	0.0264
090	01350-10510	BOLZEN	4				0.003	0.0066
100	RB401-76250	SCHEIBE	2				0.001	0.0022
110	04811-00160	O RING	2				0.001	0.0022
120	04810-00110	O RING	1				0.001	0.0022
130	04810-00180	O RING	1				0.001	0.0022




**AENDERUNGVENTIL (EINZEL-TEIL)**

S.No.A:>=13004


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RD401-61912	GRP.AENDERUNGVENTIL	1				1.25	2.75
020	RB401-76110	BEILAGE	1			0.5MM	0.001	0.0022
020	RD401-61930	BEILAGE	2			0.2MM	0.001	0.0022
030	99999-99999	LEERE SPALTE	0				0	0
040	RD401-61940	DECKEL	1				0.04	0.088
050	RC601-61920	GRP.FEDER	2				0.001	0.0022
060	RC601-61930	SOLENOID	2				0.33	0.726
070	RD401-61950	SCHLAUCH	1				0.001	0.0022
080	RD401-61960	ELEMENT PUMPE	1				0.01	0.022
090	RD401-61970	GRP.FEDER	1				0.01	0.022
100	RC601-61940	STOPFEN	3				0.012	0.0264
110	01350-10510	BOLZEN	6				0.003	0.0066
120	04811-00160	O RING	2				0.001	0.0022
130	04810-00110	O RING	3				0.001	0.0022
140	04810-00200	O RING	1				0.001	0.0022
150	RD401-61990	KLAMMER	1				0.001	0.0022




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-65110	HALTER	1	<=13003			10	22
010	RB401-65116	HALTER	1	>=13004	≠		10	22
020	68741-92160	BUCHSE	1				0.03	0.066
030	RB401-65120	HALTER	1				0.3	0.66
040	01135-61025	BOLZEN	3				0.04	0.088
050	RB401-65130	HALTER	1				2.41	5.302
060	01135-61025	BOLZEN	3				0.04	0.088
070	01135-61020	BOLZEN	5				0.015	0.033
080	05012-01016	ZYLINDERSTIFT	2				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-44180	VORDERDECKEL	1				0.5	1.1
020	RB401-44200	GRP. HINTER DECKEL	1				0.5	1.1
030	01820-50615	BOLZEN	1				0.017	0.0374
040	69181-65160	STOPFEN	1				0.002	0.0044
050	RC101-41140	BOLZEN	4				0.01	0.022
060	04512-60080	FEDERRING	4				0.002	0.0044
070	04013-60080	SCHEIBE	4				0.002	0.0044
080	01125-60816	BOLZEN	2				0.01	0.022
090	RB101-44140	SCHRAUBE	1				0.03	0.066
100	04012-50060	SCHEIBE	1				0.001	0.0022
110	04512-60060	FEDERRING	1				0.001	0.0022
120	RB401-65170	TRAGACHSE	1	<=12749			0	0
120	RB401-65174	TRAGACHSE	1	>=12750	←		5	11
130	RB401-65180	HALTER	1	<=12749			0.4	0.88
130	RB401-65183	HALTER	1	>=12750	←		2.05	4.51
140	01133-61020	BOLZEN	4				0.02	0.044
150	01133-61035	BOLZEN	1				0.027	0.0594
160	04013-60100	SCHEIBE	1				0.004	0.0088
170	01135-61020	BOLZEN	3				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-61717	GRP.ANZEIGEVENTIL	1				3.8	8.36
020	RB101-61230	PLATTE	1				0.252	0.5544
030	RB101-61240	PLATTE	2				0.037	0.0814
040	01123-60825	BOLZEN	4				0.012	0.0264
050	04512-60080	FEDERRING	4				0.002	0.0044
060	02114-60080	MUTTER	4				0.002	0.0044
070	RC101-65170	HEBEL LS	1				0.07	0.154
080	RB101-65210	HEBLE SCHALT LH	1				0.24	0.528
090	RC101-65190	FEDER	1				0.007	0.0154
100	04011-50140	SCHEIBE	1				0.007	0.0154
110	05411-00620	STIFT FEDR	1				0.002	0.0044
120	02052-60140	MUTTER	1				0.018	0.0396
130	RB101-65610	GRIFF LS	1				0.15	0.33
140	04013-60120	SCHEIBE	1				0.01	0.022
150	RC101-65240	MUTTER	1				0.01	0.022
160	RB101-65250	SCHLAUCH	1				0.005	0.011
170	RB101-65260	SCHLAUCH	1				0.005	0.011
180	RC101-65230	BLASEBALG	1				0.18	0.396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-61717	GRP.ANZEIGEVENTIL	1				3.8	8.36
020	RC101-77130	PLATTE	1				0.07	0.154
030	RC101-77142	SPULE	4				0.01	0.022
040	RC101-77155	STOPFEN	4				0.044	0.0968
050	RB101-77165	STOSSELSTANGE	2				0.033	0.0726
060	RB101-77324	STOSSELSTANGE	2				0.031	0.0682
070	31351-37150	STOPFEN	1				0.007	0.0154
080	RC101-77182	DICHTRINGSTAEUBEMIT.	4				0.001	0.0022
090	04810-00200	O RING	4				0.001	0.0022
100	RC101-77190	FEDERTRAEGER	4				0.003	0.0066
110	RC101-77210	BEILAGE	4				0.001	0.0022
110	RC101-77310	BEILAGE	2				0.001	0.0022
110	66611-36330	AUSGLEICHSRING	4				0.001	0.0022
110	31391-39140	BEILAGE	4				0.001	0.0022
110	31391-39150	BEILAGE	4				0.001	0.0022
120	RB101-77220	FEDER	2				0.013	0.0286
130	RB101-77230	FEDER	2				0.012	0.0264
140	RB101-77240	FEDER	4				0.003	0.0066
150	RC101-77270	KARDANGELENK	1				0.1	0.22
160	RC101-77280	MUTTER	1				0.146	0.3212
170	RC101-77290	EINSTELLMUTTER	1				0.06	0.132
180	04613-50040	SPRENGRING AUSSEN	4				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-61727	GRP.ANZEIGEVENTIL	1				4	8.8
020	01123-60820	BOLZEN	4				0.015	0.033
030	RB401-65230	HEBLE SCHALT RH	1	≤13238			0	0
030	RB101-65225	HEBLE SCHALT RH	1	≥13239	↔		0.1	0.22
040	02052-60140	MUTTER	1				0.018	0.0396
050	RB101-65620	GRIFF RS	1				0.135	0.297
060	04013-60120	SCHEIBE	1				0.01	0.022
070	RC101-65240	MUTTER	1				0.01	0.022
080	RB101-65250	SCHLAUCH	1				0.005	0.011
090	RB101-65260	SCHLAUCH	1				0.005	0.011
100	RC101-65230	BLASEBALG	1				0.18	0.396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-61727	GRP.ANZEIGEVENTIL	1				4	8.8
020	RC101-77130	PLATTE	1				0.07	0.154
030	RC101-77142	SPULE	4				0.01	0.022
040	RC101-77155	STOPFEN	4				0.044	0.0968
050	RB101-77165	STOSSELSTANGE	1				0.033	0.0726
060	RB101-77175	STOESSEL	1				0.035	0.077
070	RB101-77324	STOSSELSTANGE	2				0.031	0.0682
080	31351-37150	STOPFEN	1				0.007	0.0154
090	RC101-77182	DICHTRINGSTAEUBEMIT.	4				0.001	0.0022
100	04810-00200	O RING	4				0.001	0.0022
110	RC101-77190	FEDERTRAEGER	4				0.003	0.0066
120	RC101-77210	BEILAGE	4				0.001	0.0022
120	RC101-77310	BEILAGE	2				0.001	0.0022
120	66611-36330	AUSGLEICHSRING	4				0.001	0.0022
120	31391-39140	BEILAGE	4				0.001	0.0022
120	31391-39150	BEILAGE	4				0.001	0.0022
130	RB101-77220	FEDER	2				0.013	0.0286
140	RB101-77230	FEDER	2				0.012	0.0264
150	RB101-77240	FEDER	3				0.003	0.0066
160	RB101-77260	FEDER	1				0.003	0.0066
170	RC101-77270	KARDANGELENK	1				0.1	0.22
180	RC101-77280	MUTTER	1				0.146	0.3212
190	RC101-77290	EINSTELLMUTTER	1				0.06	0.132
200	04613-50040	SPRENGRING AUSSEN	4				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-65280	PLATTE	1				0.044	0.0968
020	04011-50100	SCHEIBE	1				0.002	0.0044
030	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
040	RB401-65020	GRP.HEBELANTRIED LS	1				0.65	1.43
050	08511-02025	BUCHSE	2				0.02	0.044
060	68221-34310	ENDSTUECKE LS	1	≤14323			0.096	0.2112
060	52300-75190	SCHUBSTANGEKUGEL	1	≥14324	↔		0.115	0.253
070	02118-60100	MUTTER	1				0.006	0.0132
080	04512-60100	FEDERRING	1				0.002	0.0044
090	68221-34330	ENDSTUECKE RS	1	≤14323			0.1	0.22
090	52300-75170	SCHUBSTANGEKUGEL	1	≥14324	↔		0.1	0.22
100	02118-60100	MUTTER	1				0.006	0.0132
110	04512-60100	FEDERRING	1				0.002	0.0044
120	RB401-65480	VORDEREPLATTE	1				0.038	0.0836
130	RB401-65490	PLATTE	1				0.041	0.0902
140	01153-60816	BOLZEN	4				0.01	0.022
150	04013-60080	SCHEIBE	4				0.002	0.0044
160	RB401-65032	GRP.HEBELANTRIED LS	1				0.32	0.704
170	RB101-65370	NADELLAGER	2				0.012	0.0264
180	68191-65220	STIFT	1				0.003	0.0066
190	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
200	68011-32680	MUTTER	1				0.006	0.0132
210	68748-65390	STANGE STEUER	1				0.2	0.44
220	02114-60100	MUTTER	1				0.008	0.0176
230	RC101-65280	GRIFFFAHRBEWEGUNG	1				0.16	0.352
240	02174-60120	MUTTER	1				0.01	0.022
250	RB101-65390	KAPPE	1				0.004	0.0088
260	RB101-65380	GUMMITUELLE	1				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-65280	PLATTE	1				0.044	0.0968
020	04011-50100	SCHEIBE	1				0.002	0.0044
030	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
040	RB401-65310	FAHRBEWEGUNGHEBEL RS	1	<=14323			1.07	2.354
040	RB401-65312	FAHRBEWEGUNGHEBEL RS	1	>=14324	←		0	0
050	04011-50200	SCHEIBE	1				0.015	0.033
060	RB401-65320	FAHRBEWEGUNGHEBEL RS	1	<=14323			0.188	0.4136
060	RB401-65322	FAHRBEWEGUNGHEBEL RS	1	>=14324	←		0	0
070	01133-61025	BOLZEN	1				0.02	0.044
080	RC101-65330	BUCHSE	1				0.145	0.319
090	01123-60816	BOLZEN	2				0.01	0.022
100	68221-34310	ENDSTUECKE LS	1	<=14323			0.096	0.2112
100	52300-75190	SCHUBSTANGEKUGEL	1	>=14324	↔		0.115	0.253
110	02118-60100	MUTTER	1				0.006	0.0132
120	04512-60100	FEDERRING	1				0.002	0.0044
130	68221-34330	ENDSTUECKE RS	1	<=14323			0.1	0.22
130	52300-75170	SCHUBSTANGEKUGEL	1	>=14324	↔		0.1	0.22
140	02118-60100	MUTTER	1				0.006	0.0132
150	04512-60100	FEDERRING	1				0.002	0.0044
160	RB401-65042	GRP.HEBELANTRIED RS	1				0.37	0.814
170	RB101-65370	NADELLAGER	2				0.012	0.0264
180	RB401-65340	ANTRIEBSTIFT	1	<=12749			0	0
180	RB401-65343	ANTRIEBSTIFT	1	>=12750	←		0.16	0.352
190	01023-60612	BOLZEN	1				0.008	0.0176
200	99999-99999	LEERE SPALTE	0				0	0
210	99999-99999	LEERE SPALTE	0				0	0
220	68191-65220	STIFT	1				0.003	0.0066
230	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
240	68011-32680	MUTTER	1				0.006	0.0132
250	68748-65390	STANGE STEUER	1				0.2	0.44
260	02114-60100	MUTTER	1				0.008	0.0176
270	RC101-65280	GRIFFFAHRBEWEGUNG	1				0.16	0.352
280	02174-60120	MUTTER	1				0.01	0.022
290	RB101-65390	KAPPE	1				0.004	0.0088
300	RB101-65380	GUMMITUELLE	1				0.015	0.033




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-65090	GRP.PEDAL	1				0.3	0.66
020	08511-01020	BUCHSE	1				0.005	0.011
030	RC101-65450	STIFT	1				0.02	0.044
040	05411-00420	STIFT FEDR	1				0.001	0.0022
050	66204-43410	DECKEL	1				0.06	0.132
060	50300-61280	SPANNUNGFEDER	1				0.02	0.044
070	RC101-53390	SICHERHEITSCHALTER	1				0.12	0.264
072	67111-55830	MUTTER	2				0.035	0.077
074	67111-55840	SCHALTDECKEL	1				0.002	0.0044
080	01155-60835	BOLZEN	1				0.015	0.033
090	02114-60080	MUTTER	1				0.002	0.0044
100	35593-83980	GUMMIKAPPE	1				0.001	0.0022




RB408-034-10




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-44630	HEBEL	1				0.028	0.0616
020	RC101-44662	FEDER	1				0.005	0.011
030	RB101-44640	HEBEL	1				0.025	0.055
040	05525-51200	SICHERUNGSSTIFT	1				0.003	0.0066
050	RB401-65160	HALTER	1				0.29	0.638
060	01133-61025	BOLZEN	2				0.02	0.044
070	RB401-65060	HEBEL	1				0.43	0.946
080	08511-01410	BUCHSE	2				0.005	0.011
090	04013-60100	SCHEIBE	1				0.004	0.0088
100	04512-60100	FEDERRING	1				0.002	0.0044
110	02118-60100	MUTTER	1				0.006	0.0132
120	68311-65660	FEDER	1				0.015	0.033
130	55411-31460	GRIFF	1				0.025	0.055
140	RC101-53390	SICHERHEITSCHALTER	1				0.12	0.264
150	67111-55830	MUTTER	2				0.035	0.077
160	67111-55840	SCHALTDECKEL	1				0.002	0.0044




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-65660	PLATTE	1				0.027	0.0594
020	04011-50100	SCHEIBE	1				0.002	0.0044
030	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
040	RB401-65050	MONT.AUSLOESEHEBEL	1	<=14323			0.32	0.704
040	RB401-65052	MONT.AUSLOESEHEBEL	1	>=14324	←		0	0
050	08511-01415	BUCHSE	2				0.006	0.0132
060	04011-50140	SCHEIBE	2				0.007	0.0154
070	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
080	68221-34310	ENDSTUECKE LS	1	<=14323			0.096	0.2112
080	52300-75190	SCHUBSTANGEKUGEL	1	>=14324	↔		0.115	0.253
090	04512-60100	FEDERRING	1				0.002	0.0044
100	02118-60100	MUTTER	1				0.006	0.0132
110	68191-65220	STIFT	1				0.003	0.0066
120	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
130	68011-32680	MUTTER	1				0.006	0.0132
140	68221-32170	STANGEN	1				0.125	0.275
150	68221-34330	ENDSTUECKE RS	1	<=14323			0.1	0.22
150	52300-75170	SCHUBSTANGEKUGEL	1	>=14324	↔		0.1	0.22
160	02118-60100	MUTTER	1				0.006	0.0132
170	04512-60100	FEDERRING	1				0.002	0.0044
180	RB401-92160	AUSLOESEPEDAL SP	1				0.515	1.133
190	RC101-65440	AUSLOESEDECKELSTIFT	1				0.02	0.044
200	04013-60060	SCHEIBE	2				0.001	0.0022
210	05525-60600	SICHERUNGSSTIFT	2	<=13291			0.001	0.0022
210	05511-51612	SPLINTSTIFT	2	>=13292	≠		0.001	0.0022
220	RC101-65580	SITZFLAECHE	1				0.002	0.0044
230	04011-50140	SCHEIBE	2				0.007	0.0154
240	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
250	RB401-65430	SCHWINGDECKEL	1				0.267	0.5874
260	68151-92180	STOPFEN	1				0.01	0.022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-65080	GRP.HEBELPLANIER	1				0.41	0.902
020	08511-01615	BUCHSE	2				0.01	0.022
030	04015-60100	SCHEIBE	1				0.015	0.033
040	01135-61020	BOLZEN	1				0.015	0.033
050	RB401-65070	GRP.HEBELPLANIER	1				0.24	0.528
060	08511-01415	BUCHSE	2				0.006	0.0132
070	04011-50140	SCHEIBE	2				0.007	0.0154
080	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
090	68191-65220	STIFT	1				0.003	0.0066
100	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
110	RB101-65660	PLATTE	1				0.039	0.0858
120	05122-51018	STIFT	1				0.011	0.0242
130	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
140	54511-44360	ZWISCHENSTUECK	1				0.05	0.11
150	05122-50820	STIFT	1				0.009	0.0198
160	04012-50080	SCHEIBE	1				0.001	0.0022
170	05515-60800	SICHERUNGSSTIFT	1				0.002	0.0044
180	68311-65170	KABEL	1				0.64	1.408
190	68311-65230	KARDANGELENK	1	<=14323			0.06	0.132
190	54721-31840	SCHUBSTANGEKUGEL	1	>=14324	↔		0.065	0.143
200	04512-60080	FEDERRING	1				0.002	0.0044
210	02114-60080	MUTTER	1				0.002	0.0044
220	56501-17530	GRIFF	1				0.042	0.0924



RB408-037-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-65010	GRP. HEBEL	1				0.56	1.232
020	08511-01415	BUCHSE	2				0.006	0.0132
030	04011-50140	SCHEIBE	2				0.007	0.0154
040	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
050	68221-34330	ENDSTUECKE RS	1	≤14323			0.1	0.22
050	52300-75170	SCHUBSTANGEKUGEL	1	≥14324	↔		0.1	0.22
060	04512-60100	FEDERRING	1				0.002	0.0044
070	02118-60100	MUTTER	1				0.006	0.0132
080	68191-65220	STIFT	1				0.003	0.0066
090	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
100	RB101-65660	PLATTE	1				0.039	0.0858
110	05122-51018	STIFT	1				0.011	0.0242
120	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
130	68748-65360	STANGE STEUER	1				0.5	1.1
140	02118-60100	MUTTER	1				0.006	0.0132
150	68011-32680	MUTTER	1				0.006	0.0132
160	68221-34310	ENDSTUECKE LS	1	≤14323			0.096	0.2112
160	52300-75190	SCHUBSTANGEKUGEL	1	≥14324	↔		0.115	0.253
170	04512-60100	FEDERRING	1				0.002	0.0044
180	02118-60100	MUTTER	1				0.006	0.0132
190	RB401-65140	HALTER	1				1.13	2.486
200	04512-60100	FEDERRING	2				0.002	0.0044
210	02118-60100	MUTTER	2				0.006	0.0132
220	RB401-65090	GRP. HEBEL	1				0.43	0.946
230	08511-01415	BUCHSE	2				0.006	0.0132
240	04011-50140	SCHEIBE	1				0.007	0.0154
250	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
260	RB401-65830	PLATTE	1				0.15	0.33
270	04011-50100	SCHEIBE	2				0.002	0.0044
280	05525-61000	SICHERUNGSSTIFT	2				0.002	0.0044
290	RB401-65870	GRP. HEBEL	1				0.18	0.396
300	08511-01415	BUCHSE	2				0.006	0.0132
310	04011-50140	SCHEIBE	1				0.007	0.0154
320	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
330	31355-82370	GRIFF	1				0.04	0.088
340	02118-60100	MUTTER	1				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-92010	GRP.HEBEL SP	1				0.36	0.792
020	08511-01415	BUCHSE	2				0.006	0.0132
030	04011-50140	SCHEIBE	2				0.007	0.0154
040	05525-51400	SICHERUNGSSTIFT	1				0.005	0.011
050	68191-65220	STIFT	1				0.003	0.0066
060	05525-60500	SICHERUNGSSTIFT	1				0.001	0.0022
070	RB101-65660	PLATTE	1				0.039	0.0858
080	05122-51018	STIFT	1				0.011	0.0242
090	05525-61000	SICHERUNGSSTIFT	1				0.002	0.0044
100	68221-34310	ENDSTUECKE LS	1	≤14323			0.096	0.2112
100	52300-75190	SCHUBSTANGEKUGEL	1	≥14324	↔		0.115	0.253
110	02118-60100	MUTTER	1				0.006	0.0132
120	04512-60100	FEDERRING	1				0.002	0.0044
130	68011-32680	MUTTER	1				0.006	0.0132
140	68731-65460	STANGE STEUER	1				0.03	0.066
150	68221-34330	ENDSTUECKE RS	1	≤14323			0.1	0.22
150	52300-75170	SCHUBSTANGEKUGEL	1	≥14324	↔		0.1	0.22
160	02118-60100	MUTTER	2				0.006	0.0132
170	04512-60100	FEDERRING	1				0.002	0.0044
180	RB101-92130	HEBEL SP	1				0.095	0.209




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-92023	GRP.HEBEL SP	1				0.69	1.518
020	08511-01410	BUCHSE	2				0.005	0.011
030	04013-60100	SCHEIBE	1				0.004	0.0088
040	04512-60100	FEDERRING	1				0.002	0.0044
050	02118-60100	MUTTER	1				0.006	0.0132
060	RB401-92040	MONTAGE BOCK SP	1				0.6	1.32
070	08511-01415	BUCHSE	2				0.006	0.0132
080	01133-61025	BOLZEN	3				0.02	0.044
090	RB401-92170	PEDAL SP	1				0.22	0.484
100	05122-51075	STIFT	1				0.046	0.1012
110	04011-50100	SCHEIBE	2				0.002	0.0044
120	05525-61000	SICHERUNGSSTIFT	1	≤13631			0.002	0.0044
120	05511-50320	SPLINTSTIFT	1	≥13632	≠		0.002	0.0044
130	RB401-92250	STOPFEN	1				0.002	0.0044




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04811-10400	O RING	1				0.001	0.0022
020	RB401-63123	FLANSCH ANSAUGEN	1	<=10376			0.56	1.232
020	RB401-63124	FLANSCH ANSAUGEN	1	>=10377	←		0	0
030	01123-61020	BOLZEN	4				0.02	0.044
040	RB401-63112	SCHLAUH ANSAUGEN	1				1.18	2.596
050	RC401-63190	SCHLAUCHBINDER	2				0.04	0.088



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	3				0.001	0.0022
020	RP201-61810	SCHALTUNG	2				0.1	0.22
030	RB401-63980	SCHALTUNG	1				0.056	0.1232
040	04810-00180	O RING	1				0.001	0.0022
050	RC401-63830	SCHALTUNGBOGENROHR	1				0.19	0.418
060	06312-10010	STOPFEN	2				0.007	0.0154
070	RB401-63214	SCHLAUCH	1				0.29	0.638
080	RB401-63224	SCHLAUCH	1				0.28	0.616
090	RB401-63233	SCHLAUCH	1				0.35	0.77
100	RB401-63243	SCHLAUCH	1	<=13003			0.4	0.88
100	RB401-63244	SCHLAUCH	1	>=13004	≠		0.37	0.814
110	RB401-63510	SCHLAUCH	1	<=13003			0.16	0.352
110	RB401-63514	SCHLAUCH	1	>=13004	≠		0.14	0.308



030 RB401-6398-0

040 04810-00180


050 RC401-6383-0



RB401-817-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	3	<=13500			0.001	0.0022
010	04810-00140	O RING	4	>=13501			0.001	0.0022
020	RP201-61810	SCHALTUNG	2				0.1	0.22
030	RB401-63980	SCHALTUNG	1	<=13500			0.056	0.1232
030	RB401-63790	ROHRSCHALTUNG	1	>=13501	≠		0.11	0.242
040	04810-00180	O RING	1	<=13500			0.001	0.0022
050	RC401-63830	SCHALTUNGBOGENROHR	1	<=13500			0.19	0.418
050	RP401-61820	SCHALTUNG	1	>=13501	≠		0.099	0.2178
060	06312-10010	STOPFEN	2				0.007	0.0154
070	RB401-63214	SCHLAUCH	1				0.29	0.638
080	RB401-63224	SCHLAUCH	1				0.28	0.616
090	RB401-63233	SCHLAUCH	1				0.35	0.77
100	RB408-63240	SCHLAUCH	1				0.19	0.418
110	RB408-63510	SCHLAUCH	1				0.17	0.374
120	RC101-63830	ROHRSCHALTUNG	1				0.068	0.1496
130	RB101-63970	GRP.REGELUNGSVENTIL	1				0.13	0.286
140	90715-12130	FEDER	1				0.002	0.0044
150	90715-12140	HALTBUEGEL FEDER	1				0.004	0.0088
160	04611-00110	SPRENGRING	1				0.001	0.0022
170	RC101-63890	ROHRSCHALTUNG	1				0.05	0.11
180	RB408-63280	VERBINDUNGSSTUECK	1				0.5	1.1
190	68588-83210	AKKUMULATOR	1				3.5	7.7
200	RC601-63720	SCHALTUNG	2				0.06	0.132
210	RB408-63520	SCHLAUCH	1				0.18	0.396
220	04810-00110	O RING	4				0.001	0.0022
230	01133-61016	BOLZEN	2				0.018	0.0396



FB408-042-11

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	1				0.001	0.0022
020	69181-63130	SCHALTUNG	1				0.095	0.209
030	RB401-63820	ROHRSCHALTUNG	1				0.073	0.1606
040	RB401-63350	SCHLAUCH	1				0.178	0.3916
050	RB401-63380	SCHLAUCHBINDER	2				0.02	0.044
060	RB401-63610	SCHLAUCH	1				0.09	0.198
070	RB401-63620	SCHLAUCH	1				0.128	0.2816
080	RB101-63630	SCHLAUCHBINDER	4				0.015	0.033
090	69244-64710	SCHLAUCH	1				0.047	0.1034
100	RB401-64530	SCHLAUCH	1				0.142	0.3124




**OEL LEITUNG (OELKUEHLER)**

S.No.A:<=13238


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-92520	SCHLAUCH	1				0.09	0.198
020	68311-72810	SCHLAUCHBINDER	2				0.02	0.044
030	RB401-92510	T-SCHALTUNG	1				0.46	1.012
040	01133-61020	BOLZEN	2				0.02	0.044
050	RB401-92530	SCHLAUCH	1				0.4	0.88
060	69284-68370	SCHLAUCH	1				0.33	0.726
070	RB401-63640	SCHLAUCH	1				0.049	0.1078
080	RB401-63630	SCHALTUNGROHR	1				0.039	0.0858
090	RB401-63660	SCHLAUCH	1	<=13040			0.23	0.506
090	RB401-63662	SCHLAUCH	1	>=13041	≠		0.24	0.528
100	68311-72810	SCHLAUCHBINDER	6				0.02	0.044
110	RB401-64510	OELKUEHLER	1				1.22	2.684
120	01023-60614	BOLZEN	4				0.005	0.011
130	04013-60060	SCHEIBE	4				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-63650	SCHLAUCH	1				0.49	1.078
020	68311-72810	SCHLAUCHBINDER	2	<=13631			0.02	0.044
020	RC101-64580	SCHLAUCHBINDER	2	>=13632	←		0.018	0.0396
030	90038-11180	KLAMMER	1				0.02	0.044
040	01133-61020	BOLZEN	1				0.02	0.044
050	69284-68370	ROHR SPIRAL	1				0.33	0.726
060	RB401-63640	SCHLAUCH	1				0.049	0.1078
070	RB401-63630	SCHALTUNGROHR	1				0.039	0.0858
080	RB401-63662	SCHLAUCH	1				0.24	0.528
090	68311-72810	SCHLAUCHBINDER	4	<=13631			0.02	0.044
090	RC101-64580	SCHLAUCHBINDER	4	>=13632	←		0.018	0.0396
100	RB401-64510	OELKUEHLER	1				1.22	2.684
110	01023-60614	BOLZEN	4				0.005	0.011
120	04013-60060	SCHEIBE	4				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-63260	SCHLAUCH	1				0.135	0.297
020	RB401-63580	SCHLAUCH	1	≤13003			0.148	0.3256
020	RB401-63583	SCHLAUCH	1	≥13004	≠		0.15	0.33
030	RB401-63540	SCHLAUCH	1				0.17	0.374
040	RB401-63550	SCHLAUCH	1				0.23	0.506
050	RB401-63560	SCHLAUCH	1				0.152	0.3344
060	RB401-63570	SCHLAUCH	1				0.16	0.352
070	68499-83740	DRUCKFILTER	1				0.04	0.088
080	04810-00110	O RING	1				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-63270	SCHLAUCH	1				0.122	0.2684
020	RB401-63490	SCHLAUCH	1	≤13003			0.125	0.275
020	RB401-63493	SCHLAUCH	1	≥13004	≠		0.14	0.308
030	RB401-63430	SCHLAUCH	1				0.16	0.352
040	RB401-63410	SCHLAUCH	1				0.19	0.418
050	RB401-63470	SCHLAUCH	1				0.19	0.418
060	RB401-63480	SCHLAUCH	1				0.16	0.352
070	68728-76150	ZWISCHENSTUECK	6				0.02	0.044
080	68499-83740	DRUCKFILTER	1				0.04	0.088
090	04810-00110	O RING	7				0.001	0.0022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-64320	VERBINDUNGSSTUECK	2				0.05	0.11
020	04810-00140	O RING	2				0.001	0.0022
030	68728-76150	ZWISCHENSTUECK	1				0.02	0.044
040	04810-00110	O RING	1				0.001	0.0022
050	36330-63040	ANSCHLUSS	2	<=12685			0	0
050	06114-53032	SCHALTUNG	2	>=12686	↔		0.09	0.198
060	68311-68480	ROHRSCHALTUNG	1				0.09	0.198
070	68131-61860	ZWISCHENSTUECK	2				0.1	0.22
080	68331-63232	KRUEMMER ANSCHL.ST.	2	<=12685			0	0
080	06114-52021	SCHALTUNG	2	>=12686	↔		0.05	0.11
090	RB401-63250	SCHLAUCH	1				0.15	0.33
100	RB401-64660	SCHLAUCH	1				0.7	1.54
105	RB401-64670	SCHLAUCH	1				0.68	1.496
110	RB401-64470	SCHLAUCH	1				0.26	0.572
120	RB401-64480	SCHLAUCH	1				0.25	0.55
130	RB401-64950	SCHLAUCH	1				0.32	0.704
140	RB401-64960	SCHLAUCH	1				0.34	0.748




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-64320	VERBINDUNGSSTUECK	2				0.05	0.11
020	04810-00140	O RING	2				0.001	0.0022
030	68728-76150	ZWISCHENSTUECK	1				0.02	0.044
040	04810-00110	O RING	1				0.001	0.0022
050	36330-63040	ANSCHLUSS	2	≤12685			0	0
050	06114-53032	SCHALTUNG	2	≥12686	↔		0.09	0.198
060	68131-61860	ZWISCHENSTUECK	2				0.1	0.22
070	68331-63230	KRUEMMER ANSCHL.ST.	2	≤12685			0	0
070	06114-52021	SCHALTUNG	2	≥12686	↔		0.05	0.11
080	RB401-64660	SCHLAUCH	1				0.7	1.54
085	RB401-64670	SCHLAUCH	1				0.68	1.496
090	RB401-64470	SCHLAUCH	1				0.26	0.572
100	RB401-64480	SCHLAUCH	1				0.25	0.55
110	RB401-64970	SCHLAUCH	1				0.34	0.748
120	RB401-64980	SCHLAUCH	1				0.38	0.836




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	2				0.001	0.0022
020	RP201-61810	SCHALTUNG	1				0.1	0.22
030	68311-64320	VERBINDUNGSSTUECK	1				0.05	0.11
040	RB401-64850	SCHLAUCH	1				0.5	1.1
050	RB401-64860	SCHLAUCH	1				0.48	1.056
060	55311-41260	KORDBAND	1				0.007	0.0154




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68331-63230	KRUEMMER ANSCHL.ST.	2	<=12685			0	0
010	06114-52021	SCHALTUNG	2	>=12686	↔		0.05	0.11
020	68721-67390	ANSCHLUBE	1				0.035	0.077
030	68721-67480	ANSCHLUBE	1				0.02	0.044
040	RP801-67470	SCHLAUCH ABSCHMIERF.	1				0.023	0.0506
050	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
060	RB401-64610	SCHLAUCH	1				0.21	0.462
070	RB401-64620	SCHLAUCH	1				0.21	0.462




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68499-83710	ZWISCHENSTUECK	2				0.08	0.176
020	RB408-64110	SCHLAUCH	1				0.65	1.43
030	RB408-64120	SCHLAUCH	1				0.65	1.43
040	RB408-64130	SCHLAUCH	1				0.4	0.88
050	RB408-64140	SCHLAUCH	1				0.45	0.99




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB101-68620	ROHR-HYDRAULISCHER	2				0.2	0.44
020	69244-63742	KLAMMER	2				0	0
030	01133-61030	BOLZEN	2				0.023	0.0506
040	RB408-64250	SCHLAUCH	2				0.25	0.55
050	RB408-64210	SCHLAUCH	1				0.5	1.1
060	RB408-64220	SCHLAUCH	1				0.5	1.1




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68221-68770	ZWISCHENSTUECK	2	≤12685			0	0
010	06111-52021	VERBINDUNGSSTUECK	2	≥12686	↔		0.035	0.077
020	69244-63742	KLAMMER	2				0	0
030	01133-61030	BOLZEN	2				0.023	0.0506
040	RB401-68812	ROHR-HYDRAULISCHER	1				0.68	1.496
050	RB401-68820	ROHR-HYDRAULISCHER	1				0.67	1.474
060	01135-61020	BOLZEN	2				0.015	0.033
070	RB401-64350	SCHLAUCH	2				0.8	1.76
080	RB408-64310	SCHLAUCH	1				0.5	1.1
090	RB408-64320	SCHLAUCH	1				0.5	1.1
100	RD101-53350	KORDBAND	2				0.008	0.0176





↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68331-63230	KRUEMMER ANSCHL.ST.	2	<=12685			0	0
010	06114-52021	SCHALTUNG	2	>=12686	↔		0.05	0.11
020	68331-63230	KRUEMMER ANSCHL.ST.	1	<=12685			0	0
020	06114-52021	SCHALTUNG	1	>=12686	↔		0.05	0.11
030	68171-68710	ZWISCHENSTUECK	1	<=12685			0.063	0.1386
030	R1401-68340	SCHALTUNG	1	>=12686	↔		0.05	0.11
040	68221-68770	ZWISCHENSTUECK	1	<=12685			0	0
040	06111-52021	VERBINDUNGSSTUECK	1	>=12686	↔		0.035	0.077
050	68331-63230	KRUEMMER ANSCHL.ST.	2	<=12685			0	0
050	06114-52021	SCHALTUNG	2	>=12686	↔		0.05	0.11
060	RB401-64713	SCHLAUCH	1				0.19	0.418
070	RB401-64724	SCHLAUCH	1				0.15	0.33
080	RB401-64730	SCHALTUNG	2				0.13	0.286
090	01133-61016	BOLZEN	2				0.018	0.0396
100	RB401-64740	SCHLAUCH	2				0.35	0.77
110	RB401-64870	SCHLAUCH	1				0.19	0.418
120	RB401-64880	SCHLAUCH	1				0.19	0.418
130	RB101-75280	DECKEL	1				0.41	0.902
140	01133-61016	BOLZEN	2				0.018	0.0396




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68331-63230	KRUEMMER ANSCHL.ST.	4	<=12685			0	0
010	06114-52021	SCHALTUNG	4	>=12686	↔		0.05	0.11
020	31392-49720	SCHALTUNG	2				0.045	0.099
030	68221-68770	ZWISCHENSTUECK	2	<=12685			0	0
030	06111-52021	VERBINDUNGSSTUECK	2	>=12686	↔		0.035	0.077
040	68331-63230	KRUEMMER ANSCHL.ST.	2	<=12685			0	0
040	06114-52021	SCHALTUNG	2	>=12686	↔		0.05	0.11
050	RB401-64640	SCHLAUCH	2				0.2	0.44
060	RB401-64650	SCHLAUCH	2				0.186	0.4092
070	RB401-64380	SCHLAUCH	1				0.18	0.396
080	RB401-64393	SCHLAUCH	1				0.19	0.418




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68311-68130	KLAMMER	1				0.11	0.242
020	68311-68110	KISSEN	1				0.03	0.066
030	68311-68120	KISSEN	1				0.01	0.022
040	68191-68150	PLATTE	1				0.09	0.198
050	68311-68780	HUELSE	1				0.015	0.033
060	01133-61045	BOLZEN	1				0.035	0.077
070	RB401-68570	KLAMMER	1				0.28	0.616
080	RB301-68520	KISSEN	1				0.045	0.099
090	RB301-68530	KISSEN	1				0.024	0.0528
100	RB401-68580	KLAMMER	1				0.205	0.451
110	01133-61020	BOLZEN	4				0.02	0.044
120	68311-68130	KLAMMER	1				0.11	0.242
130	68191-68140	KISSEN	1				0.04	0.088
140	68311-68120	KISSEN	1				0.01	0.022
150	RC101-68780	HUELSE	1				0.02	0.044
160	01133-61045	BOLZEN	1				0.035	0.077
170	RB301-68570	KLAMMER	1				0.17	0.374
180	RB301-68520	KISSEN	1				0.045	0.099
190	RB301-68530	KISSEN	1				0.024	0.0528
200	RB301-68580	KLAMMER	1				0.1	0.22
210	01133-61020	BOLZEN	4				0.02	0.044
220	RB401-64180	KLAMMER	1				0.12	0.264
230	69251-63920	KISSEN	1				0.03	0.066
240	68311-68120	KISSEN	1				0.01	0.022
250	38240-29430	DISTANZSCHEIBE	1	≤13790			0.015	0.033
250	RC101-68780	HUELSE	1	≥13791	←		0.02	0.044
260	01517-61050	STEBOLZEN	1				0.18	0.396
270	02118-60100	MUTTER	1				0.006	0.0132
280	04512-60100	FEDERRING	1				0.002	0.0044



FB408-058-12




150 68311-9290-2

160 RB101-9297-2

180 06111-54041

190 68131-6175-0


200 68548-6455-0



RB408-806-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	04810-00140	O RING	1	≤13238			0.001	0.0022
010	04810-00140	O RING	3	≥13239			0.001	0.0022
020	68311-64320	VERBINDUNGSSTUECK	1				0.05	0.11
022	RB401-64060	SCHALTUNG G	1	≥13239			0.35	0.77
024	RP201-61810	SCHALTUNG	1	≥13239			0.1	0.22
030	RB408-92310	SCHLAUCH	1				1	2.2
040	RB408-92320	SCHLAUCH	1				1.1	2.42
050	68131-61860	ZWISCHENSTUECK	2				0.1	0.22
060	06312-10040	STOPFEN	2				0.04	0.088
070	RB401-92430	ROHR-HYDRAULISCHER	1				2.62	5.764
080	RB401-92440	ROHR-HYDRAULISCHER	1				2	4.4
090	01135-61020	BOLZEN	2				0.015	0.033
100	01133-61030	BOLZEN	4				0.023	0.0506
110	04013-60100	SCHEIBE	4				0.004	0.0088
120	RB401-92420	KLAMMER	1				0.1	0.22
130	01133-61035	BOLZEN	1				0.027	0.0594
140	RB401-92480	SCHLAUCH	2				1.02	2.244
150	68311-92902	GRP.VENTILEINHEIT	2	≤14405			0.65	1.43
160	RB101-92972	ZWISCHENSTUECK	2	≤14405			0.5	1.1
160	RA218-92770	HALTER	2	≥14406	≠		0.2	0.44
170	01133-61040	BOLZEN	4	≤14405			0.03	0.066
170	01133-61016	BOLZEN	4	≥14406	≠		0.018	0.0396
180	68351-68540	ZWISCHENSTUECK	2	≤12685			0	0
180	06111-54041	VERBINDUNGSSTUECK	2	≥12686	↔		0.1	0.22
180	RB408-92980	ZWISCHENSTUECK	2	≥14406	≠		0	0
190	68131-61750	KNIESTUECK	2	≤14405			0.11	0.242
190	68131-61680	MUTTER	2	≥14406	≠		0.021	0.0462
200	68548-64550	STOPFEN	2	≤14405			0.1	0.22
200	RA218-92810	STOPFEN	2	≥14406	≠		0.06	0.132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-67512	GRP.ZYL.AUSLEGER	1	≤13408			18	39.6
010	RB408-67510	GRP.ZYL.AUSLEGER	1	≥13409	≠		19	41.8
020	RB401-71040	GRP. ROHR ZYLINDER	1	≤13408			8.8	19.36
020	RB408-71040	GRP. ROHR ZYLINDER	1	≥13409	≠		0	0
025	RP301-71810	BUCHSE	1				0.178	0.3916
030	RB401-71490	GRP. KOLBENSTANGE	1				6	13.2
035	RP301-71810	BUCHSE	1				0.178	0.3916
040	RB401-71430	ZYLINDERKOPF	1				1.25	2.75
050	RB201-71540	BUCHSE	1				0.045	0.099
060	68051-75140	U-RING	1				0.01	0.022
070	RB301-71340	WISCHRING	1				0.015	0.033
080	68481-71260	O RING	1				0.003	0.0066
090	RB301-71550	STUETZRING	2				0.001	0.0022
100	04810-50550	O RING	1				0.002	0.0044
110	68871-93240	O RING	1				0.002	0.0044
120	RB401-71440	DISTANZSCHEIBE	1				0.19	0.418
130	RB401-71450	LAGERBUECHSEKISSEN	1				0.16	0.352
140	RB401-71460	KOLBEN	1				0.77	1.694
150	68481-71840	GRP.AGEDICHTUNG	1				0.015	0.033
160	RB401-71470	SCHIEBERRING	2				0.009	0.0198
170	68191-71370	ANSCHLAGSCHRAUBE	1				0.005	0.011
180	68701-71650	KUGEL	1				0.005	0.011
190	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
200	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
210	RB401-71850	DICHTUNGBAUSATZ	1				0.046	0.1012
220	RB401-71020	GRP.ROHR	1				0.35	0.77
230	RB401-71030	GRP.ROHR	1	≤13408			0.43	0.946
230	RB408-71030	GRP.ROHR	1	≥13409	≠		0	0
240	RP301-71380	BOLZEN	2	≤13408			0	0
240	01053-51016	BOLZEN	2	≥13409	≠		0.03	0.066
250	RP301-71390	SCHEIBE	2	≤13408			0	0
250	04012-50100	SCHEIBE	2	≥13409	≠		0	0




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-67600	GRP.ZYL.ARM	1				20	44
020	RB401-94120	GRP.ZYLINDERTUBE	1				8	17.6
025	68811-93610	BUCHSE BOLZEN	1				0.18	0.396
030	RB301-94130	GRP.KOLBEN-STANGE	1				8	17.6
035	68811-93610	BUCHSE BOLZEN	1				0.18	0.396
040	RB301-71530	ZYLINDERKOPF	1				1.2	2.64
050	RC101-71540	BUCHSE	1				0.052	0.1144
060	68111-92140	U-RING	1				0.02	0.044
070	RB301-71540	WISCHRING	1				0.014	0.0308
080	68481-71260	O RING	1				0.003	0.0066
090	RB301-71550	STUETZRING	1				0.001	0.0022
100	68871-93240	O RING	1				0.002	0.0044
110	RB301-71560	KOLBEN	1				0.77	1.694
120	68481-71840	GRP.AGEDICHTUNG	1				0.015	0.033
130	RB301-71570	SCHIEBERRING	2				0.008	0.0176
140	68191-71370	ANSCHLAGSCHRAUBE	1				0.005	0.011
150	68701-71650	KUGEL	1				0.005	0.011
160	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
170	06611-35010	SCHMIERNIPPEL	1				0	0
180	RB301-94110	GRP.DICHTUNGEN	1				0.055	0.121



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-67800	GRP.ZYL.KUEBEL	1				14.2	31.24
020	RB401-71740	GRP.ZYLINDERTUBE	1				7.6	16.72
025	68731-71730	BUCHSE BOLZEN	1				0.21	0.462
030	RB401-71750	GRP.KOLBEN-STANGE	1				8	17.6
035	68731-71730	BUCHSE BOLZEN	1				0.21	0.462
040	68841-93330	ZYLINDERKOPF	1				1	2.2
050	RB201-71540	BUCHSE	1				0.045	0.099
060	68051-75140	U-RING	1				0.01	0.022
070	RB301-71340	WISCHRING	1				0.015	0.033
080	04810-50550	O RING	1				0.002	0.0044
090	68841-93340	STUETZRING	1				0.001	0.0022
100	04811-50600	O RING	1				0.002	0.0044
110	RB201-71570	KOLBEN	1				0.7	1.54
120	68811-93680	GRP.AGEDICHTUNG	1				0.013	0.0286
130	RB201-71530	SCHIEBERRING	2				0.01	0.022
140	68701-71640	ANSCHLAGSCHRAUBE	1				0.005	0.011
150	68701-71650	KUGEL	1				0.005	0.011
160	06611-35010	SCHMIERNIPPEL	2				0	0
170	RP301-71780	MONT.DICHTUNG KUEBEL	1				0.042	0.0924



RB408-032-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-75102	GRP.ZYL.FRAESMESSR	1				12.6	27.72
020	RB401-71950	GRP.ZYLINDERTUBE	1				6.13	13.486
025	68351-67540	BUCHSE BOLZEN	1				0.275	0.605
030	RB401-71960	GRP.KOLBEN-STANGE	1				4.5	9.9
035	68351-67540	BUCHSE BOLZEN	1				0.275	0.605
040	68871-93130	ZYLINDERKOPF	1				1.27	2.794
050	68051-75140	U-RING	1				0.01	0.022
060	RB201-71540	BUCHSE	1				0.045	0.099
070	RB301-71340	WISCHRING	1				0.015	0.033
080	68861-93360	O RING	1				0.005	0.011
090	RP401-71810	STUETZRING	1				0.001	0.0022
100	68861-93370	O RING	1				0.005	0.011
110	68311-71540	KOLBEN	1				0.79	1.738
120	68741-71270	GRP.AGEDICHTUNG	1				0.01	0.022
130	68311-71550	SCHIEBERRING	2				0.02	0.044
140	68191-71370	ANSCHLAGSCHRAUBE	1				0.005	0.011
150	68701-71650	KUGEL	1				0.005	0.011
160	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
170	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
180	RP401-71950	DICHTUNGBAUSATZ	1				0.045	0.099



FB408-063-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-67400	GRP.ZYL.SCHWENK	1				12.5	27.5
020	RB401-71240	GRP.ZYLINDERTUBE	1				6.6	14.52
025	68811-93310	BUCHSE BOLZEN	1				0.132	0.2904
030	RB401-71250	GRP.KOLBEN-STANGE	1				4.4	9.68
035	68811-93310	BUCHSE BOLZEN	1				0.132	0.2904
040	68841-93330	ZYLINDERKOPF	1				1	2.2
050	RB201-71540	BUCHSE	1				0.045	0.099
060	68051-75140	U-RING	1				0.01	0.022
070	RB301-71340	WISCHRING	1				0.015	0.033
080	04810-50550	O RING	1				0.002	0.0044
090	68841-93340	STUETZRING	1				0.001	0.0022
100	04811-50600	O RING	1				0.002	0.0044
110	RB201-71570	KOLBEN	1				0.7	1.54
120	68811-93680	GRP.AGEDICHTUNG	1				0.013	0.0286
130	RB201-71530	SCHIEBERRING	2				0.01	0.022
140	68701-71640	ANSCHLAGSCHRAUBE	1				0.005	0.011
150	68701-71650	KUGEL	1				0.005	0.011
160	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
170	RP301-71780	DICHTUNGBAUSATZ	1				0.042	0.0924




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-22300	GRP.ZYLINDER	2				7.17	15.774
020	RB401-71160	GRP.ZYLINDERTUBE	2				3.7	8.14
025	RB401-71140	BUCHSE	2				0.053	0.1166
030	RB401-71170	GRP.KOLBEN-STANGE	2				1.92	4.224
035	RB401-71140	BUCHSE	2				0.053	0.1166
040	68861-93130	ZYLINDERKOPF	2				0.93	2.046
050	RB401-71180	BUCHSE	2				0.03	0.066
060	68051-67430	U-RING	2				0.01	0.022
070	RB401-71130	WISCHRING	2				0.01	0.022
080	04810-50550	O RING	2				0.002	0.0044
090	68841-93340	STUETZRING	2				0.001	0.0022
100	04811-50600	O RING	2				0.002	0.0044
110	RB401-71190	KOLBEN	2				0.57	1.254
120	68811-93680	GRP.AGEDICHTUNG	2				0.013	0.0286
130	78620-13280	SCHIEBERRING	4				0.01	0.022
140	68191-71370	ANSCHLAGSCHRAUBE	2				0.005	0.011
150	68701-71650	KUGEL	2				0.005	0.011
160	RB401-71150	GRP. DICHTUNGEN	2				0.037	0.0814


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-66400	GRP. AUSLEGER	1	≤13606			123	270.6
010	RB408-66400	GRP. AUSLEGER	1	≥13607	≠	INTERCHANGEABLE WITH G100-060	0	0
020	68191-66420	BUCHSE	2				0.08	0.176
021	RB408-66370	BUCHSE	1	≥13607			0.1	0.22
022	RB408-66390	BUCHSE	1	≥13607			0.1	0.22
023	RB208-66370	BUCHSE	1	≥13607			0.11	0.242
024	RB208-66452	BUCHSE	2	≥13607			0.1	0.22
025	RB208-66470	BUCHSE	1	≥13607			0.1	0.22
030	RB401-66450	STIFT	1				1.31	2.882
040	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
050	68191-66460	STIFT	1				0.88	1.936
060	68191-66442	DRUCKRING	1				0.07	0.154
065	68191-66442	DRUCKRING	1			2.3MM	0.07	0.154
065	RB208-66340	DRUCKRING	1			2.8MM	0.078	0.1716
070	RB101-66472	STIFT	2				0.1	0.22
080	05511-50425	SPLINTSTIFT	2				0.003	0.0066
085	04011-50120	SCHEIBE	2				0.005	0.011
090	RB101-67440	STIFT	1				0.03	0.066
100	68511-67450	PLATTE	1				0.05	0.11
		SCHLUESSEL						
110	01133-61016	BOLZEN	2				0.018	0.0396
120	RB101-67460	STIFT	1				0.7	1.54
130	01517-61025	STEBOLZEN	1				0.02	0.044
140	02118-60100	MUTTER	2				0.006	0.0132
150	68721-66970	BEILAGE	3			0.5MM	0.009	0.0198
150	68051-66330	BEILAGE	3			1.0MM	0.015	0.033
150	68051-66340	BEILAGE	3			1.6MM	0.021	0.0462
160	RB401-64090	SCHLAUCH	1				0.09	0.198




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-66500	GRP.AUSLEGER	1	<=13408			60	132
010	RB408-66500	GRP.AUSLEGER	1	>=13409	←		0	0
020	68721-66522	BUCHSE	2				0.12	0.264
030	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
040	RB401-66540	STIFT	1				1.39	3.058
050	68721-66970	BEILAGE	1				0.009	0.0198
060	01173-61080	BOLZEN	1	<=13606			0.048	0.1056
060	01173-61090	BOLZEN	1	>=13607	≠		0.054	0.1188
070	02118-60100	MUTTER	2				0.006	0.0132
080	68511-67552	STIFT	1				0.84	1.848
090	68511-67560	DISTANZSCHEIBE	1				0.007	0.0154
100	04015-60100	SCHEIBE	1				0.015	0.033
110	01133-61025	BOLZEN	1				0.02	0.044
120	RB401-67540	HUELSE	2				0.042	0.0924
130	RB301-67570	STIFT	1				0.696	1.5312
140	01173-61065	BOLZEN	1				0.04	0.088
150	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

[illegible]




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-66500	GRP.AUSLEGER	1	<=13408			60	132
010	RB408-66500	GRP.AUSLEGER	1	>=13409	←		0	0
020	68721-66522	BUCHSE	2				0.12	0.264
030	06616-25010	SCHMIERNIPPEL	1				0.008	0.0176
040	RB401-66540	STIFT	1				1.39	3.058
050	68721-66970	BEILAGE	1				0.009	0.0198
060	01173-61080	BOLZEN	1	<=13606			0.048	0.1056
060	01173-61090	BOLZEN	1	>=13607	≠		0.054	0.1188
070	02118-60100	MUTTER	2				0.006	0.0132
080	68511-67552	STIFT	1				0.84	1.848
090	68511-67560	DISTANZSCHEIBE	1				0.007	0.0154
100	04015-60100	SCHEIBE	1				0.015	0.033
110	01133-61025	BOLZEN	1				0.02	0.044
120	RB401-67540	HUELSE	2				0.042	0.0924
130	RB301-67570	STIFT	1				0.696	1.5312
140	01173-61065	BOLZEN	1				0.04	0.088
150	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68741-66640	STIFT	1				2.2	4.84
020	01173-61285	BOLZEN	1				0.08	0.176
030	02174-60120	MUTTER	2				0.01	0.022
040	RB301-67580	STIFT	1				0.99	2.178
050	01173-61080	BOLZEN	1				0.048	0.1056
060	02118-60100	MUTTER	2				0.006	0.0132
070	RB401-67700	GRP.ARM	1	<=14405			51	112.2
070	RB408-67700	GRP.ARM	1	>=14406	≠		0	0
080	68171-66624	BUCHSE	2				0.15	0.33
090	RB301-66630	HUELSE	1				0.08	0.176
100	RC101-66650	BUCHSE	4				0.11	0.242
110	RC101-66620	HUELSE	2				0.05	0.11
120	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
130	RB301-67580	STIFT	1				0.99	2.178
140	01173-61080	BOLZEN	1				0.048	0.1056
150	02118-60100	MUTTER	2				0.006	0.0132




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	68301-66770	STIFT	1				1.68	3.696
020	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
030	01173-61295	BOLZEN	1				0.085	0.187
040	02174-60120	MUTTER	2				0.01	0.022
050	RC101-66704	GRP.VERB KUEBEL	1				5.1	11.22
060	68161-66530	BUCHSE	2				0.13	0.286
070	RC101-66650	BUCHSE	2				0.11	0.242
080	RC101-66720	VERBINDUNGSTUECK	1				2.228	4.9016
090	RC101-66730	VERBINDUNGSTUECK	1				2.28	5.016
100	68301-66780	STIFT	1				0.95	2.09
110	06611-15010	SCHMIERNIPPEL	1				0.01	0.022
120	01173-61290	BOLZEN	1				0.082	0.1804
130	02174-60120	MUTTER	2				0.01	0.022
140	RC101-66760	STIFT	1			JPN BUCKET TYPE	1.3	2.86
150	RC101-66790	STIFT	1			JPN BUCKET TYPE	1.3	2.86
150	RC101-66790	STIFT	2			NBK TYPE	1.3	2.86
160	RC101-66860	HUELSE	2			JPN BUCKET TYPE	0.008	0.0176
170	41062-51740	HUELSE	2			JPN BUCKET TYPE	0.006	0.0132
180	01073-61035	BOLZEN	2			JPN BUCKET TYPE	0.031	0.0682
185	04512-60100	FEDERRING	2			JPN BUCKET TYPE	0.002	0.0044
190	68741-66920	DISTANZSCHEIBE	1			JPN BUCKET TYPE	0.01	0.022
190	68741-66920	DISTANZSCHEIBE	2			NBK TYPE	0.01	0.022
200	04015-60120	SCHEIBE	1			JPN BUCKET TYPE	0.022	0.0484
200	04015-60120	SCHEIBE	2			NBK TYPE	0.022	0.0484
210	01133-61225	BOLZEN	1			JPN BUCKET TYPE	0.037	0.0814
210	01133-61225	BOLZEN	2			NBK TYPE	0.037	0.0814
220	06611-15010	SCHMIERNIPPEL	2				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-67910	STIFT	1				1.3	2.86
020	01173-61285	BOLZEN	1				0.08	0.176
030	02174-60120	MUTTER	2				0.01	0.022
040	RB401-66900	GRP.KUEBEL	1			JPN BUCKET TYPE	51	112.2
045	RC601-66850	ZWISCHENSTUECK	3			JPN BUCKET TYPE	0	0
050	68000-31720	ZAHUNG	3			JPN BUCKET TYPE	1.05	2.31
060	68000-31730	STOEPSEL	3			JPN BUCKET TYPE	0.01	0.022
065	68000-31740	VERRIEGELUNGSTIFT	3			JPN BUCKET TYPE	0.03	0.066
070	RB101-66200	MONT.SCHNEIDE LS	1			JPN BUCKET TYPE	1.1	2.42
080	RB101-66930	SEITENSCHNEIDE LS	1			JPN BUCKET TYPE	0.75	1.65
090	68191-66952	BOLZEN	3			JPN BUCKET TYPE	0.09	0.198
100	68191-66960	MUTTER	3			JPN BUCKET TYPE	0.025	0.055
110	RB101-66300	MONT.SCHNEIDE RS	1			JPN BUCKET TYPE	1.1	2.42
120	RB101-66940	SEITENSCHNEIDE RS	1			JPN BUCKET TYPE	0.73	1.606
130	68191-66952	BOLZEN	3			JPN BUCKET TYPE	0.09	0.198
140	68191-66960	MUTTER	3			JPN BUCKET TYPE	0.025	0.055
150	RC101-66870	BUCHSE	1			JPN BUCKET TYPE	0.35	0.77
160	RC101-66880	PLATTE	1			JPN BUCKET TYPE	0.2	0.44
170	01133-61025	BOLZEN	2			JPN BUCKET TYPE	0.02	0.044
180	RC101-66890	BEILAGE	10			JPN BUCKET TYPE	0.011	0.0242
180	RC101-66840	BEILAGE	2			JPN BUCKET TYPE	0.01	0.022
190	68721-66850	O RING	4				0.004	0.0088
200	68721-66970	BEILAGE	3			0.5MM	0.009	0.0198
200	68051-66330	BEILAGE	3			1.0MM	0.015	0.033
200	68051-66340	BEILAGE	3			1.6MM	0.021	0.0462
210	68721-66980	BEILAGE	2			0.5MM	0.01	0.022
210	68131-67720	BEILAGE	2			1.0MM	0.024	0.0528
210	68131-67730	BEILAGE	2			1.6MM	0.036	0.0792
220	RB401-67620	BEILAGE	1			0.5MM	0.011	0.0242
220	68741-66880	BEILAGE	1			1.0MM	0.03	0.066
220	68741-66890	BEILAGE	1			1.6MM	0.04	0.088




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-74400	GRP. PLANIERSCHIL	1				10	22
020	06616-25010	SCHMIERNIPPEL	2				0.008	0.0176
030	RB401-74450	FRAESMESSER LS	1				7.2	15.84
040	RB401-74460	FRAESMESSER RS	1				7.17	15.774
050	01175-61245	BOLZEN	2				0	0
060	02176-60120	MUTTER	2				0.01	0.022
070	RB401-74430	STIFT	2				1.5	3.3
080	01133-61225	BOLZEN	2				0.037	0.0814
090	04015-60120	SCHEIBE	2				0.022	0.0484
100	68741-66920	DISTANZSCHEIBE	2				0.01	0.022
110	RB401-74420	STIFT	1				1.4	3.08
120	01133-61225	BOLZEN	1				0.037	0.0814
130	04015-60120	SCHEIBE	1				0.022	0.0484
140	68741-66920	DISTANZSCHEIBE	1				0.01	0.022
150	RB401-74390	STIFT	1				1.5	3.3
160	01173-61285	BOLZEN	1				0.08	0.176
170	02174-60120	MUTTER	2				0.01	0.022
180	RB401-74590	STIFT	2				0.945	2.079
190	63871-31230	STOEPSEL	2				0.01	0.022




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB408-21110	RAHMEN	1	<=14150			0	0
010	RB408-21140	RAHMEN	1	>=14151	↔		0	0
020	RB401-21120	RAHMEN	1	<=13095			0	0
020	RB401-21125	RAHMEN	1	>=13096	←		0	0
030	RB401-21130	RAHMEN	1	<=13095			0	0
030	RB401-21135	RAHMEN	1	>=13096	←		0	0
040	RB401-21210	STIFT	2				0.7	1.54
050	RB401-21220	STIFT	2				0.48	1.056
060	01133-61020	BOLZEN	2				0.02	0.044
070	RC101-21140	DECKEL	2				0.16	0.352
080	01135-61020	BOLZEN	2				0.015	0.033
090	RB401-21150	MOTORDECKEL LS	1				1.3	2.86
100	RB401-21160	MOTORDECKEL RS	1				1.3	2.86
110	01135-61020	BOLZEN	8				0.015	0.033
120	RB401-21170	DECKEL	1				6.5	14.3
130	01135-61020	BOLZEN	6				0.015	0.033
140	99999-99999	LEERE SPALTE	0				0	0
150	RB401-21190	KISSEN	2				0.015	0.033
160	99999-99999	LEERE SPALTE	0				0	0
170	RB401-21810	PLATTE	4	<=14074			1.19	2.618
170	RB401-21814	PLATTE	4	>=14075	←		1.35	2.97
180	01133-61020	BOLZEN	8				0.02	0.044
190	RB401-22520	DECKEL	1				1.72	3.784
200	RB401-22530	DECKEL	1				1.68	3.696
210	01173-61050	BOLZEN	2				0.03	0.066
220	02118-60100	MUTTER	4				0.006	0.0132



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-21302	GRP.LOSE ROLLE	2				17.5	38.5
020	RB401-21313	HALTER	2				0.5	1.1
030	RB401-21323	HALTER	2				0.5	1.1
040	RB401-21330	ACHWELLE SPANNRAD	2				0.83	1.826
050	RB401-21340	SPANNRAD	2				12.1	26.62
060	RB401-21350	DICHTUNGEN	4				0.11	0.242
070	08241-03206	KUGELLAGER	4				0.302	0.6644
080	04811-00240	O RING	4				0.001	0.0022
090	05411-00663	STIFT FEDR	2				0.009	0.0198
100	68171-21390	EISENDRAHT	2				0.003	0.0066
110	RB401-21413	GABELGELENKLAUFKETT.	2				7.7	16.94
120	01133-61230	BOLZEN	8				0.04	0.088
130	RB401-21500	MONT.ZYLINDER LS	1				6.7	14.74
140	RB401-21510	ZYLINDERSCHLAUCH LS	1				5	11
150	RC101-21570	STANGEN	1				1.6	3.52
160	RC101-21552	GRP.HUELSE	1				0.075	0.165
170	68241-21550	STANGENDICHTUNG	1				0.01	0.022
180	04810-00400	O RING	1				0.002	0.0044
190	68051-62370	STUETZRING	1				0.001	0.0022
200	RB401-21600	MONT.ZYLINDER RS	1				6.7	14.74
210	RB401-21610	ZYLINDERSCHLAUCH RS	1				5.1	11.22
220	RC101-21570	STANGEN	1				1.6	3.52
230	RC101-21552	GRP.HUELSE	1				0.075	0.165
240	68241-21550	STANGENDICHTUNG	1				0.01	0.022
250	04810-00400	O RING	1				0.002	0.0044
260	68051-62370	STUETZRING	1				0.001	0.0022



110 01176-61230

120 04512-60120


130 RC101-2179-0



RB408-803-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-21700	GRP.ROLLER EINZE	6				5	11
020	RB401-21710	HALTER	6				0.68	1.496
030	RB401-21730	HALTER	6				0.68	1.496
040	RB401-21720	WELLELAUFROLLEN	6				0.58	1.276
050	RB401-21750	LAUFROLLEN	6				2.48	5.456
060	08101-06205	KUGELLAGER	12				0.14	0.308
070	RB401-21350	DICHTUNGEN	12				0.11	0.242
080	04612-00250	SPRENGRING AUSSEN	6				0.002	0.0044
090	05411-00640	STIFT FEDR	6				0.006	0.0132
100	04811-00210	O RING	12				0.001	0.0022
110	01176-61230	BOLZEN	12	≤12638			0.036	0.0792
110	RC601-21850	BOLZEN	12	≥12639	←		0.05	0.11
120	04512-60120	FEDERRING	12	≤12638			0.005	0.011
130	RC101-21790	SCHEIBE	12	≤12638			0.1	0.22
140	RB401-22310	LAUFKETTEN	2	≤12749			0	0
140	RB401-22312	LAUFKETTEN	2	≥12750	←		75	165



250 RB401-4119-3


280 69244-6186-0




RB401-821-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-41117	RAHMEN SCHWENK	1				0	0
020	RB401-41130	BUCHSE	1				0.16	0.352
030	RB401-41140	BUCHSE	1				0.14	0.308
040	06616-35010	SCHMIERNIPPEL	1				0.009	0.0198
050	RB401-41150	DECKEL LS	1				4.2	9.24
055	RB401-41930	GUMMIABDICHTUNG	1				0.063	0.1386
060	RC101-41140	BOLZEN	2				0.01	0.022
070	04512-60080	FEDERRING	2				0.002	0.0044
080	04013-60080	SCHEIBE	2				0.002	0.0044
090	01133-61020	BOLZEN	2				0.02	0.044
100	04015-60100	SCHEIBE	2				0.015	0.033
110	RB401-41164	DECKEL RS	1				16	35.2
112	RB401-41170	DECKEL RS	1				0.8	1.76
114	RB401-41180	DECKEL RS	1				0.3	0.66
116	03034-60612	SCHRAUBE	6				0.05	0.11
120	RC101-41140	BOLZEN	2				0.01	0.022
130	04512-60080	FEDERRING	2				0.002	0.0044
140	04013-60080	SCHEIBE	2				0.002	0.0044
150	01133-61020	BOLZEN	2				0.02	0.044
160	04015-60100	SCHEIBE	2				0.015	0.033
170	63052-34380	STOPFEN	2				0.01	0.022
180	04512-60050	FEDERRING	4				0.002	0.0044
190	02054-60050	MUTTER	4				0.003	0.0066
200	RB401-41930	GUMMIABDICHTUNG	1				0.063	0.1386
210	68391-42360	GUMMITUELLE	2				0.01	0.022
220	RB408-41440	VORDERDECKEL	1				0.41	0.902
230	03004-60816	SCHRAUBE	4				0.011	0.0242
240	68721-41174	STIFT SCHLOB	1				0.39	0.858
250	RB401-41193	SCHWUNGRIEGLHEBEL	1	<=14150			0.15	0.33
250	RB401-41194	SCHWUNGRIEGLHEBEL	1	>=14151	≠		0	0
260	05515-60800	SICHERUNGSSTIFT	1				0.002	0.0044
270	04013-60080	SCHEIBE	1				0.002	0.0044
280	69244-61860	GRIFF	1	<=14150			0.005	0.011
280	67156-55150	GRIFF	1	>=14151	≠		0.003	0.0066
290	68588-82530	GUMMITUELLE	2				0.005	0.011
300	68818-43190	MOTORHAUBEGUMMITUEL.	1				0.025	0.055



030 RB401-4191-2




070 RB401-4192-2



RB401-822-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-41315	BOGEN LS	1	<=14275			0	0
010	RB401-41318	BOGEN LS	1	>=14276	←		0	0
020	RB401-41460	GUMMITUELLE	1				0.017	0.0374
030	RB401-41912	TRIMM	1	<=14472			0.015	0.033
040	01133-61230	BOLZEN	4				0.04	0.088
050	01133-61030	BOLZEN	2				0.023	0.0506
060	RB401-41325	BOGEN RS	1	<=14275			0	0
060	RB401-41328	BOGEN RS	1	>=14276	←		0	0
070	RB401-41922	TRIMM	1	<=14472			0.01	0.022
080	01133-61025	BOLZEN	5				0.02	0.044
090	RB401-41250	GELENK	2				0.23	0.506
100	01123-60820	BOLZEN	4				0.015	0.033
110	04013-60080	SCHEIBE	4				0.002	0.0044
120	RB401-41510	BOGEN	1	<=13040			5.2	11.44
120	RB401-41514	BOGEN	1	>=13041	≠		5.1	11.22
130	01135-61025	BOLZEN	6				0.04	0.088
140	RB401-41410	DECKEL	1				6	13.2
150	RB401-41450	GUMMITUELLE	1				0.016	0.0352
160	RB401-41420	DECKEL	1				0.36	0.792
170	03004-60814	SCHRAUBE	1				0	0
180	04013-60080	SCHEIBE	1				0.002	0.0044
190	01133-61025	BOLZEN	1				0.02	0.044
200	04015-60100	SCHEIBE	1				0.015	0.033
210	01125-60825	BOLZEN	1				0.016	0.0352
220	RB401-41430	DECKEL	1				1.67	3.674
230	01125-60816	BOLZEN	2				0.01	0.022
240	RB401-43450	DECKEL	1				1.06	2.332
250	03004-60816	SCHRAUBE	2				0.011	0.0242
260	04013-60080	SCHEIBE	2				0.002	0.0044
270	68351-43220	KISSEN	2				0.004	0.0088



RB408-078-12


030 01176-61245
040 04512-60120




RB408-804-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-19110	LAGERPANDEL	1				25	55
020	01138-61235	BOLZEN	32	<=12980			0.02	0.044
020	01138-51235	BOLZEN	32	>=12981	↔		0.21	0.462
020	01138-51235	BOLZEN	18	>=13894			0.21	0.462
025	01138-51235	BOLZEN	14	>=13894			0.21	0.462
030	01176-61245	BOLZEN	1	<=12980			0.02	0.044
030	01138-51245	BOLZEN	1	>=12981	←		0.051	0.1122
040	04512-60120	FEDERRING	1	<=12980			0.005	0.011
050	69241-19212	SCHLAUCH ABSCHMIERF.	2				0	0
060	68241-67470	ANSCHLUBE	4				0.013	0.0286
070	68241-67480	KOERPER ANSCHLUB	4				0.01	0.022
080	68331-41350	MUTTER	4				0.002	0.0044
090	68331-41340	MUFFE	4				0.001	0.0022
100	06611-15010	SCHMIERNIPPEL	2				0.01	0.022
110	34150-29390	KABELKLEMME	1				0.004	0.0088
120	01125-60816	BOLZEN	1				0.01	0.022




080 RB401-4416-0
140 68191-4236-0



RB408-805-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-44114	AUFSTEIGE	1				1.78	3.916
020	99999-99999	LEERE SPALTE	0				0	0
030	01133-61020	BOLZEN	2				0.02	0.044
040	RB401-44150	TRITT	1				1.57	3.454
050	01135-61020	BOLZEN	3				0.015	0.033
060	38240-29870	KISSEN	1				0.004	0.0088
070	RC101-44080	GUMMITUELLE	1				0.003	0.0066
080	RB401-44160	TRITT	1	<=13238			0.1	0.22
080	RB401-44164	TRITT	1	>=13239	←		0.85	1.87
090	01135-61020	BOLZEN	3				0.015	0.033
100	RB401-44170	TRITT	1				4.5	9.9
110	01135-61020	BOLZEN	5				0.015	0.033
120	32160-18440	KISSEN	1				0.013	0.0286
130	RB401-44410	DECKE	1				2.45	5.39
140	68191-42360	GUMMITUELLE	1	<=13238			0.006	0.0132



RB408-080-10

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-41120	AUFSTEIGE	1				16.5	36.3
020	01133-61225	BOLZEN	3				0.037	0.0814
030	RB401-53110	DECKEL	1				0.27	0.594
040	RB401-53162	GUMMITUELLE	1				0.016	0.0352
050	RB401-53170	GUMMITUELLE	1				0.016	0.0352
060	03004-60816	SCHRAUBE	4				0.011	0.0242
070	04013-60080	SCHEIBE	4				0.002	0.0044



**DECKEL (TANK)**

↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-43440	TANKABDECKUNG	1				5.396	11.8712
020	03004-60820	SCHRAUBE	3				0.012	0.0264
030	01123-60825	BOLZEN	3				0.012	0.0264
040	04013-60080	SCHEIBE	6				0.002	0.0044
050	RB401-43490	TANKABDECKUNG	1				0.1	0.22
060	RB401-43910	TANKABDECKUNG	1				0.35	0.77
070	03004-60816	SCHRAUBE	3				0.011	0.0242
080	04013-60080	SCHEIBE	3				0.002	0.0044
090	RB401-41240	GELENK	1				0.09	0.198
100	01123-60814	BOLZEN	4				0.008	0.0176
110	04013-60080	SCHEIBE	4				0.002	0.0044
120	RB401-43470	CACHHALTER	1				0.066	0.1452
130	01125-60816	BOLZEN	2				0.01	0.022
140	RC101-43540	GRP.RIEGELZYLINDER	1				0.12	0.264
150	RB401-43500	PLATTE	1				0.034	0.0748
160	04512-60100	FEDERRING	1				0.002	0.0044
170	02114-60100	MUTTER	1				0.008	0.0176




↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-43413	MOTORHAUBE	1				10.5	23.1
020	RB401-43520	GUMMIABDICHTUNG	1	<=14472			0.29	0.638
020	RB401-43522	GUMMIABDICHTUNG	1	>=14473	←		0	0
030	RB401-43530	GUMMIABDICHTUNG	1				0.128	0.2816
040	RC101-65580	SITZFLAECHE	1				0.002	0.0044
050	RB401-43460	HALTER	1				0.39	0.858
060	01125-60816	BOLZEN	3				0.01	0.022
070	01123-60820	BOLZEN	2				0.015	0.033
080	04013-60080	SCHEIBE	2				0.002	0.0044
090	RB401-43510	VERBINDUNGSTUECK	1				0.09	0.198
100	04013-60080	SCHEIBE	2				0.002	0.0044
110	05525-50800	SICHERUNGSTIFT	2				0.001	0.0022
120	RB101-43420	KUEHLERHAUBEHAKEN	1				0.165	0.363
130	01025-60616	BOLZEN	2				0.01	0.022
140	RB401-43480	HALTER	1	<=14472			0.127	0.2794
140	RB401-43482	HALTER	1	>=14473	←		0	0
150	RB401-43580	HUELSE	2				0.01	0.022
160	01125-60835	BOLZEN	2				0.019	0.0418
170	RC101-43540	GRP.RIEGELZYLINDER	1				0.12	0.264
180	RB101-43564	PLATTE	1				0.043	0.0946
190	04512-60100	FEDERRING	1				0.002	0.0044
200	02114-60100	MUTTER	1				0.008	0.0176
210	RB401-43570	HALTER	1				1.19	2.618
220	01135-61020	BOLZEN	2				0.015	0.033
230	RB401-43760	FEDER	2				0.024	0.0528
240	01023-60610	BOLZEN	4				0.01	0.022
250	04013-60060	SCHEIBE	4				0.001	0.0022
260	68738-42520	GUMMITUELLE	2				0.001	0.0022
270	RB401-42980	GERAETEKASTEN	1				1.76	3.872
280	68818-43190	MOTORHAUBEGUMMITUEL.	1				0.025	0.055
290	68493-42750	GUMMITUELLE	2				0.001	0.0022
300	68351-43220	KISSEN	1				0.004	0.0088
310	RB401-51220	KISSEN	1				0.093	0.2046

030 { 040
105 } 110 { 120
150 } 200 { 210
220 }




RB408-063-11



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-41560	SCHWAMM	1				0.1	0.22
020	RB401-41570	SCHWAMM	1				0.01	0.022
030	RB401-41600	GRP.SCHAUMGUMMI	1	<=12749			0.25	0.55
030	RB401-41602	GRP.SCHAUMGUMMI	1	>=12750	←		0.279	0.6138
040	RB401-41632	SCHWAMM	1				0.06	0.132
050	RB401-41640	SCHWAMM	1				0.017	0.0374
060	RB401-41680	SCHWAMM	1				0.018	0.0396
070	RB401-41690	SCHWAMM	1				0.007	0.0154
080	RB401-41760	SCHWAMM	1				0.033	0.0726
090	RB401-41770	SCHWAMM	1				0.28	0.616
100	RB401-41820	SCHWAMM	1				0.035	0.077
105	RB401-42970	SCHWAMM	1	>=12750			0.004	0.0088
110	RB401-43600	GRP.SCHAUMGUMMI	1	<=14472			1.6	3.52
110	RB401-43602	GRP.SCHAUMGUMMI	1	>=14473	←		0	0
120	RB401-43610	SCHWAMM	1				0.09	0.198
130	RB401-43620	SCHWAMM	1				0.03	0.066
140	RB401-43630	SCHWAMM	1	<=14472			0.28	0.616
140	RB401-43634	SCHWAMM	1	>=14473	←		0	0
150	RB401-43640	SCHWAMM	1				0.24	0.528
160	99999-99999	LEERE SPALTE	0				0	0
170	RB401-44810	SCHWAMM	1				0.075	0.165
180	RB401-44820	SCHWAMM	1				0.06	0.132
190	RB401-44830	SCHWAMM	1				0.021	0.0462
200	RB401-48500	GRP.SCHAUMGUMMI	1				0.21	0.462
210	RB401-48510	SCHWAMM	1				0.094	0.2068
220	RB401-48520	SCHWAMM	1				0.088	0.1936



R6408-084-11


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-41850	VERTEILUNGSPLATTE	1				0.04	0.088
020	RB401-42820	VERTEILUNGSPLATTE	1				0.043	0.0946
030	RB401-42830	VERTEILUNGSPLATTE	1				0.014	0.0308
040	RB401-42920	VERTEILUNGSPLATTE	1				0.021	0.0462
050	RB401-42850	VERTEILUNGSPLATTE	1				0.018	0.0396
060	RB401-42860	VERTEILUNGSPLATTE	1				0.018	0.0396
070	RB401-42870	VERTEILUNGSPLATTE	1				0.032	0.0704
080	RB401-42880	VERTEILUNGSPLATTE	1				0.022	0.0484
090	RB401-42700	GRP.SCHAUMGUMMI	1				0.1	0.22
090	RB401-42704	GRP.SCHAUMGUMMI	1	>=12750	←		0.11	0.242
100	RB401-42710	SCHWAMM	1				0.022	0.0484
110	RB401-42720	SCHWAMM	1				0.009	0.0198
120	RB401-42730	SCHWAMM	1				0.021	0.0462
130	RB401-42740	SCHWAMM	1				0.06	0.132
140	RB401-42750	SCHWAMM	1				0.01	0.022
150	RB401-42760	SCHWAMM	1				0.012	0.0264
160	RB401-42770	SCHWAMM	1				0.016	0.0352
170	RB401-42780	SCHWAMM	1				0.023	0.0506
180	RB401-42790	SCHWAMM	1				0.064	0.1408
190	RB401-42810	SCHWAMM	1				0.016	0.0352
200	RB401-42910	SCHWAMM	2				0.001	0.0022
210	RB401-42930	SCHWAMM	4				0.003	0.0066
220	RB401-42940	SCHWAMM	1				0.003	0.0066
230	RC401-42690	LAGERUNGSSCHWAMM	1				0.002	0.0044
240	RB401-42950	SCHWAMM	1	>=12750			0.007	0.0154
250	RB401-42960	SCHWAMM	1	>=12750			0.004	0.0088
260	RB401-42990	SCHWAMM	1	>=13041			0.003	0.0066




↔Auswechselbar; ≠Nicht auswechselbar; ←Neu für alt; →Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-48232	HINTERTEILSCHUTZ	1				88	193.6
020	99999-99999	LEERE SPALTE	0				0	0
030	01173-61690	BOLZEN	2				0.15	0.33
040	04015-60160	SCHEIBE	2				0.058	0.1276
050	04512-60160	FEDERRING	2				0.01	0.022
060	01175-61260	BOLZEN	2				0.29	0.638
070	04013-60120	SCHEIBE	2				0.01	0.022
080	02174-60120	MUTTER	2				0.01	0.022
090	90545-11340	STOPFEN	2				0.002	0.0044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu


Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-38003	SITZEINHEIT	1				11.5	25.3
011	RB401-38010	GABELWHEELSCHIEBR RS	1				1.02	2.244
012	RB401-38020	GABELWHEELSCHIEBR LS	1				0.74	1.628
013	RB401-38030	BOLZEN	4				0.011	0.0242
014	RB401-38040	GRP.DECKEL	1				0.59	1.298
015	RB401-38050	SCHRAUBE	6				0.001	0.0022
020	RB401-38130	SITZTRAGER	1				3.06	6.732
030	99999-99999	LEERE SPALTE	0				0	0
040	02751-60080	FLANSCHEN-MUTTER	4				0.006	0.0132
050	RB401-38150	STIFT	1				0.069	0.1518
060	04013-60080	SCHEIBE	2				0.002	0.0044
070	05515-60800	SICHERUNGSSTIFT	2				0.002	0.0044
080	32160-18440	KISSEN	2				0.013	0.0286
090	RB401-38160	AUFSTEIGE	1				0.26	0.572
100	01135-61030	BOLZEN	2				0.028	0.0616
110	RB401-38172	HEBEL	1				0.12	0.264
120	59240-53180	FEDER SPANNZUG	1				0.004	0.0088
130	04013-60080	SCHEIBE	1				0.002	0.0044
140	05515-60800	SICHERUNGSSTIFT	1				0.002	0.0044



R3408-090-10


↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-45115	PFOSTEN LS	1				0	0
020	01133-61230	BOLZEN	4				0.04	0.088
030	RB401-45125	PFOSTEN RS	1				0	0
040	01133-61230	BOLZEN	4				0.04	0.088
050	RB401-45150	STIEFELSCHAR	2				0.128	0.2816
060	RB401-45170	GUMMITUELLE	2				0.067	0.1474
070	RB401-45162	KABINENHAUBEDACH	1				13	28.6
080	01135-61025	BOLZEN	10				0.04	0.088
090	RB401-44310	GELAENDER	1				4.43	9.746
100	01133-61230	BOLZEN	3				0.04	0.088
110	RB401-44320	DECKEL	1				0.15	0.33
120	37410-61720	SCHRAUBE	2				0.001	0.0022
130	36919-54090	SCHEIBE	2				0.002	0.0044



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB408-57130	MARKIERUNG	1				0.004	0.0088
020	99999-99999	LEERE SPALTE	0				0	0
030	RB408-57140	MARKIERUNG	1				0.001	0.0022
040	RB408-57150	MARKIERUNG	1				0.014	0.0308
050	RB408-57160	MARKIERUNG	1				0.01	0.022
060	RB401-57210	MARKIERUNG U	2				0.01	0.022
070	RB401-57220	MARKIERUNG	1				0.011	0.0242
080	67401-51380	MUTTER	2				0.002	0.0044
090	55611-44210	SCHEIBEPLATTE	2				0.007	0.0154
100	68328-57410	AUFKLEBER	1				0.003	0.0066
110	RB101-57430	AUFKLEBER	1				0.001	0.0022
120	RB101-57470	AUFKLEBER	1				0.001	0.0022
130	R2401-57360	AUFKLEBER	1				0.001	0.0022
140	69198-57270	AUFKLEBER	2				0.002	0.0044
150	RB401-57530	AUFKLEBER	1				0.001	0.0022
160	69198-57240	AUFKLEBER	1				0.001	0.0022
170	TA040-49580	AUFKLEBER	1				0.001	0.0022
175	69198-57220	AUFKLEBER	2				0.001	0.0022
180	RC101-57610	AUFKLEBER	1				0.001	0.0022
190	69191-57530	AUFKLEBER	1				0.005	0.011
200	68311-57260	MARKIERUNG KUBOTA	1				0.008	0.0176
210	RB208-57280	MARKIERUNG KUBOTA	2				0.006	0.0132
220	69198-57230	AUFKLEBER	1				0.005	0.011
230	RB101-57810	AUFKLEBER 1	1				0.001	0.0022
240	TA040-49570	AUFKLEBER	1				0.002	0.0044
250	69198-57840	AUFKLEBER	1				0.002	0.0044
260	RB408-57570	SCHWUNGAUFKLEBER SP	1				0.001	0.0022
270	RB401-57180	AUFKLEBER	1				0.001	0.0022
280	RB101-57820	AUFKLEBER 1	1				0.001	0.0022
290	99999-99999	LEERE SPALTE	0				0	0
300	RB408-57120	MARKIERUNG	1				0.005	0.011
310	RC108-57960	AUFKLEBER	4				0.001	0.0022
320	RB408-57310	MARKIERUNG LPA	1				0.003	0.0066
330	RB408-57380	MARKIERUNG LWA	1				0.003	0.0066
340	68708-57430	AUFKLEBER	2				0.01	0.022



↔Auswechselbar; ≠ Nicht auswechselbar; ← Neu für alt; → Alt für neu

Pos.Nr.	Art.Nr.	Bezeichnung	St.	Ser.-Nr.	I/C	Be merkungen	Gewicht (kgf)	Gewicht (lb)
010	RB401-81100	GRP.WARKZUG	1				0.8	1.76
020	32360-19300	SCHRAUBENZIEHER	1				0.07	0.154
030	07211-10150	ZANGE	1				0.16	0.352
040	07012-11012	SCHLUSSEL	1				0.041	0.0902
050	07012-11417	SCHLUSSEL	1				0.084	0.1848
060	07018-81922	RINGSCHLUSSEL	1				0.312	0.6864
070	68061-81110	SCHMIERPRESSE	1	<=12638			1.75	3.85
070	RB208-81110	QUETSCHFEUERWAFFE	1	>=12639	↔		1.3	2.86
080	15241-86612	SCHLUESSEL FILTER	1				0.115	0.253
090	RB408-81210	BETRIEBSANLEITUNG	1	<=13222			0	0
090	RB408-81212	BETRIEBSANLEITUNG	1	>=13223	←		0	0
090	RB408-81213	BETRIEBSANLEITUNG	1	>=13239	←		0.21	0.462
090	RB408-81214	BETRIEBSANLEITUNG	1	>=13960	≠		0.2	0.44
090	RB408-81215	BETRIEBSANLEITUNG	1	>=14205	←		0.21	0.462
100	RB408-81290	TEILLISTE	1	<=13238			0	0
100	RB408-81292	TEILLISTE	1	>=13239	←		0.2	0.44
100	RB408-81293	TEILLISTE	1	>=13835	←		0	0
110	34670-34530	SICHERUNG	1				0.003	0.0066
120	68311-81130	HAND WARKSZEUG	1				0.03	0.066
130	R2401-81310	HANDBETRIEBSANLEITU.	1				0.11	0.242